

## Bijlage 5. Zoekverantwoording

### 5 - 1.2 Onderscheid rouw met psychische stoornissen

Onderzoeksvraag: Welke instrumenten zijn geschikt om rouw te onderscheiden van psychische stoornissen (depressie, aanpassingsstoornis, angststoornis, persisterende complexe rouwstoornis (PCRS))?

#### PICO

P	Naasten (≥18 jaar) van een patiënt in de palliatieve fase en/of daarna.
I	Screeningsinstrument of andere type vragenlijst
C	Diagnostische instrument ter bepaling van (DSM/ICD-11-)diagnose depressie, aanpassingsstoornis, angststoornis, persisterende complexe rouwstoornis
O	Cruciaal: Sensitiviteit en Specificiteit Belangrijk: andere uitkomsten van diagnostische accuratesse

#### Zoekstrategie en selectie van studies

Voor deze uitgangsvraag is een [Deense richtlijn](#) [DMCG 2020] gebruikt met dezelfde uitgangsvraag en PICO. De searches van deze richtlijn zijn tot aan 23 oktober 2019 of later uitgevoerd (meest recent was 21 januari 2020) naar bestaande richtlijnen, individuele onderzoeken en reviews in Medline, de Cochrane Library, CINAHL, Embase en PsycInfo. De search strings zijn in de Deense richtlijn te vinden in bijlage 1 en in bijlage 4 en 5 staan de flowcharts van het selectieproces. Uiteindelijk bleef er één narratieve review [Sealey 2015] over maar deze viel af omdat er geen onderzoek is gedaan naar de diagnostische accuratesse van deze instrumenten.

#### Resultaten

Er zijn geen studies gevonden waarin instrumenten zijn onderzocht om normale rouw van psychische stoornissen te onderscheiden.

Tabel 1. Overzicht van geëxcludeerde studies op basis van het beoordelen van de volledige tekst

Referentie	Reden voor het excluderen
Sealey [2015]	Geen onderzoek naar de diagnostische accuratesse van deze instrumenten

#### Referenties

1. DMCG. Tidlig sorgstøtte. Screening for og forebyggelse af Prolonged grief disorder hos pårørende til patienter i palliativ indsats. [Internet]. Beschikbaar op: [http://www.dmcgpal.dk/files/sorg\\_221020.pdf](http://www.dmcgpal.dk/files/sorg_221020.pdf) [Geopend 27-05-2021].
2. Sealey M, Breen LJ, O'Connor M, Aoun SM. A scoping review of bereavement risk assessment measures: Implications for palliative care. *Palliat Med.* 2015 Jul;29(7):577-89. doi: 10.1177/0269216315576262. Epub 2015 Mar 24. PMID: 25805738.

## 5 - 2.1 Risicofactoren op complexe verliesverwerking

Onderzoeksvraag: Hoe kunnen risicofactoren op complexe verliesverwerking systematisch worden geïdentificeerd bij familieleden van patiënten die in de palliatieve fase zitten of al zijn overleden?

Subvraag

1. Welke instrumenten zijn beschikbaar om te screenen op complexe rouw?
2. Wat zijn de risicofactoren voor complexe rouw?

PICO

P	Naasten (≥18 jaar) van een patiënt in de palliatieve fase en/of na het overlijden.
I	Instrument voor het signaleren van risicofactoren* voor het ontstaan van complexe rouw (kan plaatsvinden vóór of tot zes maanden na het overlijden).
C	Complexe rouw
O	De mate waarin de screeningtool in staat is om degenen te identificeren die het risico lopen een persisterende complexe rouwstoornis te ontwikkelen, gemeten op basis van het feit of bij hen (niet eerder dan twaalf maanden na het overlijden) de diagnose op persisterende complexe rouwstoornis wordt gesteld.

\* ook naar individuele risicofactoren wordt gezocht (subvraag 2)

### **Zoekstrategie en selectie van studies**

Voor deze uitgangsvraag is een [Deense richtlijn](#) [DMCG 2020] gebruikt met dezelfde uitgangsvraag en PICO. De searches van deze richtlijn zijn tot aan 23 oktober 2019 of later uitgevoerd (meest recent was 21 januari 2020) naar bestaande richtlijnen, individuele onderzoeken en reviews in Medline, de Cochrane Library, CINAHL, Embase en PsycInfo. De search strings zijn in de Deense richtlijn te vinden in bijlage 1 en in bijlage 4 en 5 staan de flowcharts van het selectieproces. Uiteindelijk bleef er één narratieve review [Sealey 2015], en voor de tweede subvraag werden vijf cohortstudies beschreven in zes publicaties geïncludeerd [Coelho 2016; Holm 2019; Nielsen 2017; Nielsen 2019; Tsai 2016; Zordan 2019].

Wij hebben op 12 maart 2021 hun search geupdate. De search leverde na ontdebellen 107 systematische reviews en individuele studies op. Na de eerste selectie bleven er acht artikelen over waarvan de volledige tekst is beoordeeld. Na het beoordelen van de volledige tekst waren er geen nieuwe studies met betrekking tot subvraag 1 en waren er vijf studies voor subvraag 2 [Breen 2020; Lenger 2020; Miller 2020; Nielsen 2020; Pohlkamp 2020].

De Deense zoekstrategie is geupdate. Hieronder is eerst de zoekstrategie voor systematische reviews weergegeven, en daarna die voor primaire studies.

### Zoekstrategie voor systematische reviews

#### **Medline via PubMed**

NB – search zoals hij in Deense richtlijn staat klopt niet, veel fouten met haakjes en daardoor bijna twee miljoen resultaten. Onderstaande search is de opgeschoonde versie van de Deense search. Inhoudelijk geen bewuste veranderingen aangebracht.

("Palliative Care"[Mesh] OR palliative[tiab] OR "advanced cancer"[tiab] OR "terminally ill"[tiab] OR "severely ill"[tiab] OR malignan\*[tiab] OR neoplasm\*[tiab] OR "bereavement care"[tiab] ) AND ("Caregivers"[Mesh] OR "Bereavement"[Mesh] OR bereave\*[tiab] OR caregive\*[tiab] OR relative\*[tiab]) AND ("Risk"[Mesh] OR screen\*[tiab] OR interven\*[tiab] OR indicat\*[tiab] OR scale\*[tiab] OR "risk factor"[tiab] OR prevent\*[tiab] OR predict\*[tiab] OR protect\*[tiab] OR "risk assesment"[tiab] OR assess\*[tiab] ) AND ("Grief"[Mesh] OR ((prolong\*[tiab] OR complicat\*[tiab] OR complex[tiab] OR persist\*[tiab] OR patholog\*[tiab] OR chronic[tiab]) AND grief[tiab]) OR "prolonged grief disorder"[tiab]) NOT (homicide[tiab] OR suicide[tiab] OR dementia[tiab]) AND

("systematic review"[Publication Type] OR "review"[Publication Type] OR "meta-analysis"[Publication Type] OR "systematic review"[tiab] OR "review"[tiab] OR "meta-analysis"[tiab])  
 AND ( "2019/11/01"[PDat] : "3000/12/31"[PDat] )

**9 resultaten**

**Cochrane library**

Search Name:

Date Run: 12/03/2021 15:12:48

Comment:

ID Search Hits

- #1 MeSH descriptor: [Palliative Care] explode all trees 1627
- #2 MeSH descriptor: [Caregivers] explode all trees 2167
- #3 MeSH descriptor: [Bereavement] explode all trees 226
- #4 MeSH descriptor: [Risk] explode all trees 37522
- #5 MeSH descriptor: [Grief] explode all trees 128
- #6 (bereave\*):ti,ab,kw OR (caregive\*):ti,ab,kw OR (relative\*):ti,ab,kw 100696
- #7 (screen\* OR interven\* OR scale\* OR prevent\* OR predict\* OR protect\* OR "risk factor"):ti,ab,kw OR (interven\*):ti,ab,kw OR (scale\*):ti,ab,kw OR (prevent\*):ti,ab,kw OR (predict\* OR protect\* OR "risk factor"):ti,ab,kw 795350
- #8 (prolong\* OR persist\* OR patholog\* OR complicat\* OR complex):ti,ab,kw AND (grief):ti,ab,kw OR ("prolonged grief disorder"):ti,ab,kw 262
- #9 (palliative):ti,ab,kw OR ("advanced cancer"):ti,ab,kw 15960
- #10 #1 OR #9 15960
- #11 #2 OR #3 OR #6 100738
- #12 #4 OR #7 805119
- #13 #5 OR #8 325
- #14 #10 #11 #12 #13 36
- #15 (indicat\*):ti,ab,kw 158035
- #16 (malignan\* OR neoplasm\* OR "bereavement care"):ti,ab,kw 95725
- #17 (malignan\* OR neoplasm\* OR "bereavement care" OR "terminally ill" OR "severely ill"):ti,ab,kw 96495
- #18 #10 OR #17 107357
- #19 #4 OR #7 OR #18 860498
- #20 #18 #11 #19 #13 with Cochrane Library publication date Between Nov 2019 and Mar 2021 13
- #21 #20 in Cochrane Reviews 1**

Enige resultaat: <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD012780.pub2/full>

**Cinahl (Ebsco)**

#	Query	Limiters/Expanders	Last Run Via	Results
		Limiters - Published Date: 20191101-20211231	Interface - EBSCOhost Research Databases Search Screen - Advanced Search	
S19	S16 AND S17	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	9
S18	S16 AND S17	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	52
S17	TI Systematic review OR review OR meta-analysis	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - CINAHL Interface - EBSCOhost	664,862
S16	S8 AND S10 AND S12 AND S15	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases	364

			Search Screen - Advanced Search	
			Database - CINAHL	
			Interface - EBSCOhost	
			Research Databases	
			Search Screen - Advanced Search	
S15	S5 OR S13 OR S14	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	8,499
S14	TI "prolonged grief disorder" TI (prolong* OR complicat* OR persist* OR complex* OR patholog* OR chronic* ) AND TI	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL	61
S13	grief	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	460
S12	S4 OR S11 TI screen* OR interven* OR indicat* OR scale* OR "risk factor" OR prevent* OR predict* OR protect* OR "risk assesment" OR assess*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL	3,062,656
S11		Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	2,761,390
S10	S2 OR S3 OR S9	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	318,010
S9	TI bereave* OR caregive* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	308,202
S8	S1 OR S6 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	552,395
S7	TI "bereavement care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL Interface - EBSCOhost Research Databases Search Screen - Advanced Search	186
S6	TI palliative* OR "advanced cancer" OR "terminally ill" OR "severely ill"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL	545,765

	OR malignan* OR neoplasm*			Interface - EBSCOhost Research Databases Search Screen - Advanced Search	
S5	(MH "Grief+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - CINAHL	8,465	
			Interface - EBSCOhost Research Databases Search Screen - Advanced		
S4	"risk"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL	986,905	
			Interface - EBSCOhost Research Databases Search Screen - Advanced		
S3	(MH "Bereavement+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL	14,514	
			Interface - EBSCOhost Research Databases Search Screen - Advanced		
S2	"caregiver"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Search Database - CINAHL	71,640	
			Interface - EBSCOhost Research Databases Search Screen - Advanced		
S1	(MM "Palliative Care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase Onderkant formulier	Search Database - CINAHL	25,973	

#### Embase (embase.com, elsevier)

No.	Query	Results
		3
<b>#17</b>	#11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd AND [review]/lim	27
<b>#16</b>	#11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd	151
<b>#15</b>	#11 AND #12 AND #13 AND #14	13,741
<b>#14</b>	#8 OR #9 OR #10	4,500,555
<b>#13</b>	#6 OR #7	156,070
<b>#12</b>	#3 OR #4 OR #5	339,023
<b>#11</b>	#1 OR #2	111
<b>#10</b>	'prolonged grief disorder':ti	

<b>#9</b>	(prolong*:ti OR complicat*:ti OR complex:ti OR persist*:ti OR patholog*:ti OR chronic:ti) AND grief:ti	13,713
<b>#8</b>	'grief'/exp	2,305,666
<b>#7</b>	screen*:ti OR interven*:ti OR indicat*:ti OR scale*:ti OR 'risk factor':ti OR prevent*:ti OR predict*:ti OR protect*:ti OR 'risk assessment':ti OR assess*:ti	2,600,317
<b>#6</b>	'risk'/exp	85,567
<b>#5</b>	bereave*:ti OR caregive*:ti OR relative*:ti	9,359
<b>#4</b>	'bereavement'/exp	87,503
<b>#3</b>	'caregiver'/exp	295,150
<b>#2</b>	palliative:ti OR 'advanced cancer':ti OR 'terminally ill':ti OR 'severely ill':ti OR malignan*:ti OR neoplasm*:ti OR 'bereavement care':ti	75,295
<b>#1</b>	'palliative care'	

#### 5. PsycInfo (Ebsco)

#	Query	Limiters/Expanders	Last Run Via	Results
S15	S13 AND S14	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	2
S14	review OR systematic review OR meta-analysis	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	616,485
S13	S6 AND S8 AND S9 AND S12	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	260
S12	S4 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	11,136
S11	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	88

			Search Database - APA PsycInfo Interface - EBSCOhost Research Databases Search Screen - Advanced Search	
S10	TI ( prolong* OR complicat* OR complex OR persist* OR patholog* OR chronic ) AND TI grief TI risk OR screen* OR interven* OR scale* OR indicat* OR "risk factor" OR prevent* OR predict* OR protect* OR "risk assesment" OR assess*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - APA PsycInfo Interface - EBSCOhost Research Databases Search Screen - Advanced Search	776
S9		Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search	2,506,573
S8	S2 OR S3 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search	360,549
S7	TI bereave* OR caregive* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - APA PsycInfo Interface - EBSCOhost	357,981
S6	S1 OR S5 TI palliative OR "advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm* OR "bereavement care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search	78,546
S5		Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search	73,419
S4	MM "Grief"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - APA PsycInfo Interface - EBSCOhost	11,046
S3	MM "Caregivers"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search	22,630
S2	DE "Bereavement"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - APA PsycInfo Interface - EBSCOhost	5,402
S1	DE "Palliative Care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search	14,196

## Ontdubbeling

Totaal: 9+1+9+3+2=24 referenties geïmporteerd in Endnote, twee dubbel verwijderd --> 22 resultaten

### Primair onderzoek

Update van de Deense richtlijn. Gezocht vanaf november 2019. Hieronder de zoekstrategie voor primaire studies.

### Medline via PubMed

**NB –Onderstaande search is de opgeschoonde versie van de Deense search. Inhoudelijk geen veranderingen aangebracht.**

```
("Palliative Care"[Mesh] OR palliative[Title/Abstract] OR "advanced cancer"[Title/Abstract] OR "terminally ill"[Title/Abstract] OR "severely ill"[Title/Abstract] OR malignan*[Title/Abstract] OR neoplasm*[Title/Abstract] OR "bereavement care"[Title/Abstract]) AND ("Caregivers"[Mesh] OR "Bereavement"[Mesh] OR bereave*[Title/Abstract] OR caregive*[Title/Abstract] OR relative*[Title/Abstract]) AND ("Risk"[Mesh] OR screen*[Title/Abstract] OR interven*[Title/Abstract] OR indicat*[Title/Abstract] OR scale*[Title/Abstract] OR "risk factor"[Title/Abstract] OR prevent*[Title/Abstract] OR predict*[Title/Abstract] OR protect*[Title/Abstract] OR "risk assesment"[Title/Abstract] OR assess*[Title/Abstract] ) AND (((("Grief"[Mesh]) OR (prolong*[Title/Abstract] OR complicat*[Title/Abstract] OR complex[Title/Abstract] OR persist*[Title/Abstract] OR patholog*[Title/Abstract] OR chronic[Title/Abstract])) AND grief[Title/Abstract]) OR "prolonged grief disorder"[Title/Abstract]) NOT (homicide[Title/Abstract] OR suicide[Title/Abstract] OR dementia[Title/Abstract]) AND ( "2019/11/01"[PDat] : "3000/12/31"[PDat] )
```

40 resultaten, excl systematic reviews **31**

### Cochrane library

Search Name:

Date Run: 12/03/2021 15:18:27

Comment:

### ID Search Hits

```
#1 MeSH descriptor: [Palliative Care] explode all trees 1627
#2 MeSH descriptor: [Caregivers] explode all trees 2167
#3 MeSH descriptor: [Bereavement] explode all trees 226
#4 MeSH descriptor: [Risk] explode all trees 37522
#5 MeSH descriptor: [Grief] explode all trees 128
#6 (bereave*):ti,ab,kw OR (caregive*):ti,ab,kw OR (relative*):ti,ab,kw 100696
#7 (screen* OR interven* OR scale* OR prevent* OR predict* OR protect* OR "risk factor"):ti,ab,kw OR (interven*):ti,ab,kw OR (scale*):ti,ab,kw OR (prevent*):ti,ab,kw OR (predict* OR protect* OR "risk factor"):ti,ab,kw 795350
#8 (prolong* OR persist* OR patholog* OR complicat* OR complex):ti,ab,kw AND (grief):ti,ab,kw OR ("prolonged grief disorder"):ti,ab,kw 262
#9 (palliative):ti,ab,kw OR ("advanced cancer"):ti,ab,kw 15960
#10 #1 OR #9 15960
#11 #2 OR #3 OR #6 100738
#12 #4 OR #7 805119
#13 #5 OR #8 325
#14 #10 #11 #12 #13 36
#15 (indicat*):ti,ab,kw 158035
#16 (malignan* OR neoplasm* OR "bereavement care"):ti,ab,kw 95725
#17 (malignan* OR neoplasm* OR "bereavement care" OR "terminally ill" OR "severely ill"):ti,ab,kw 96495
#18 #10 OR #17 107357
#19 #4 OR #7 OR #18 860498
#20 #18 #11 #19 #13 with Cochrane Library publication date Between Nov 2019 and Mar 2021 13
#21 #20 in Cochrane Reviews 1
#22 #20 NOT #21 12
```

### Cinahl

#	Query	Limiters/Expanders	Last Run Via	Results
---	-------	--------------------	--------------	---------

S20	S16 NOT S17	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	35
S19	S16 AND S17	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	9
S18	S16 AND S17	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	52
S17	TI Systematic review OR review OR meta-analysis	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	664,862
S16	S8 AND S10 AND S12 AND S15	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	364
S15	S5 OR S13 OR S14	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,499
S14	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	61
S13	TI ( prolong* OR complicat* OR persist* OR complex* OR patholog* OR chronic* ) AND TI grief	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	460
S12	S4 OR S11 TI screen* OR interven* OR indicat* OR scale* OR "risk factor" OR prevent* OR predict* OR protect* OR "risk assesment" OR	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	3,062,656
S11	assess*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	2,761,390
S10	S2 OR S3 OR S9	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	318,010

			Search Database - CINAHL Interface - EBSCOhost	
S9	TI bereave* OR caregive* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost	308,202
S8	S1 OR S6 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost	552,395
S7	TI "bereavement care" TI palliative* OR "advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost	186
S6		Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost	545,765
S5	(MH "Grief+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost	8,465
S4	""risk""	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost	986,905
S3	(MH "Bereavement+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost	14,514
S2	""caregiver""	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL Interface - EBSCOhost	71,640
S1	(MM "Palliative Care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - CINAHL	25,973

## Embase

No. Query	Results
#18	24
#11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd NOT [review]/lim	
#17	3

#11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd AND [review]/lim	27
<b>#16</b> #11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd	151
<b>#15</b> #11 AND #12 AND #13 AND #14	13,741
<b>#14</b> #8 OR #9 OR #10	4,500,555
<b>#13</b> #6 OR #7	156,070
<b>#12</b> #3 OR #4 OR #5	339,023
<b>#11</b> #1 OR #2	111
<b>#10</b> 'prolonged grief disorder':ti	757
<b>#9</b> (prolong*:ti OR complicat*:ti OR complex:ti OR persist*:ti OR patholog*:ti OR chronic:ti) AND grief:ti	13,713
<b>#8</b> 'grief'/exp	2,305,666
<b>#7</b> screen*:ti OR interven*:ti OR indicat*:ti OR scale*:ti OR 'risk factor':ti OR prevent*:ti OR predict*:ti OR protect*:ti OR 'risk assessment':ti OR assess*:ti	2,600,317
<b>#6</b> 'risk'/exp	85,567
<b>#5</b> bereave*:ti OR caregive*:ti OR relative*:ti	9,359
<b>#4</b> 'bereavement'/exp	87,503
<b>#3</b> 'caregiver'/exp	295,150
<b>#2</b> palliative:ti OR 'advanced cancer':ti OR 'terminally ill':ti OR 'severely ill':ti OR malignan*:ti OR neoplasm*:ti OR 'bereavement care':ti	75,295
<b>#1</b> 'palliative care'	

**PsycInfo (Ebsco)**

#	Query	Limiters/Expanders	Last Run Via	Results
S16	S13 NOT S14	Limiters - Published Date: 20191101-20211231	Interface - EBSCOhost Research Databases	12

		Expanders - Apply equivalent subjects Search modes - Boolean/Phrase Limiters - Published Date: 20191101-20211231	Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost Research Databases Search Screen - Advanced Search	
S15	S13 AND S14	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Database - APA PsycInfo Interface - EBSCOhost	2
S14	review OR systematic review OR meta-analysis	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	616,485
S13	S6 AND S8 AND S9 AND S12	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	260
S12	S4 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	11,136
S11	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	88
S10	TI ( prolong* OR complicat* OR complex OR persist* OR patholog* OR chronic ) AND TI grief TI risk OR screen* OR interven* OR scale* OR indicat* OR "risk factor" OR prevent* OR predict* OR protect* OR "risk assesment" OR assess*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	776
S9		Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	2,506,573
S8	S2 OR S3 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	360,549
S7	TI bereave* OR caregive* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	357,981
S6	S1 OR S5	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo	78,546

S5	TI palliative OR "advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm* OR "bereavement care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	73,419
S4	MM "Grief"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	11,046
S3	MM "Caregivers"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo Interface - EBSCOhost	22,630
S2	DE "Bereavement"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Research Databases Search Screen - Advanced Search Database - APA PsycInfo	5,402

Totaal: 31+12+35+24+12=114 referenties geïmporteerd in Endnote, 29 dubbelen verwijderd --> 85 resultaten

### Zoekresultaten

In de search strategie werden 22 systematic reviews (hits verschillend databases: 9+1+9+3+2=24 referenties geïmporteerd in Endnote, twee dubbelen verwijderd) en 85 (hits verschillend databases: 31+12+35+24+12=114 referenties geïmporteerd in Endnote, 29 dubbelen verwijderd) primaire onderzoeken gevonden. De search leverde na ontdebellen 107 systematische reviews en individuele studies op. Na de eerste selectie bleven er acht artikelen over. Na het beoordelen van de volledige tekst van deze artikelen waren er geen nieuwe studies met betrekking tot subvraag 1 en waren er vijf voor subvraag 2 [Breen 2020; Lenger 2020; Miller 2020; Nielsen 2020b; Pohlkamp 2020]. In tabel 1 de reden voor exclusie van drie studies.

Tabel 1 Exclusie op basis van de volledige tekst

Referentie	Reden voor exclusie
Aoyama [2020]	Geen risico
Nielsen [2020a]	Geen nieuw informatie tov de ander Nielsen publicaties
Mason [2020]	Narratieve review van literatuur.

### **Referenties**

1. Aoyama M, Sakaguchi Y, Fujisawa D, Morita T, Ogawa A, Kizawa Y, Insomnia and changes in alcohol consumption: Relation between possible complicated grief and depression among bereaved family caregivers. *J Affect Disord.* 2020;275:1–6.
2. Breen LJ, Aoun SM, O'Connor M, Johnson AR, Howting D. Effect of caregiving at end of life on grief, quality of life and general health: A prospective, longitudinal, comparative study. *Palliat Med.* 2020;34(1):145–54.
3. DMCG. Tidlig sorgstøtte. Screening for og forebyggelse af Prolonged grief disorder hos pårørende til patienter i palliativ indsats. [Internet]. Beschikbaar op: [http://www.dmcgpal.dk/files/sorg\\_221020.pdf](http://www.dmcgpal.dk/files/sorg_221020.pdf) [Geopend 27-05-2021].
4. Lenger MK, Neergaard MA, Guldin MB, Nielsen MK. Poor physical and mental health predicts prolonged grief disorder: A prospective, population-based cohort study on caregivers of patients at the end of life. *Palliat Med.* 2020;34(10):1416–24.
5. Mason TM, Tofthagen CS, Buck HG. Complicated Grief: Risk Factors, Protective Factors, and Interventions. *J Soc Work End-of-Life Palliat Care* [Internet]. 2020;16(2):151–74. Available from: <https://doi.org/10.1080/15524256.2020.1745726>

6. Miller LM, Utz RL, Supiano K, Lund D, Caserta MS. Health profiles of spouse caregivers: The role of active coping and the risk for developing prolonged grief symptoms. *Soc Sci Med* [Internet]. 2020;266. Available from: <https://search.ebscohost.com/login.aspx?direct=true&AuthType=shib&db=psyh&AN=2020-86171-001&site=ehost-live&custid=s1224036>
7. Nielsen MK, Christensen K, Neergaard MA, Bidstrup PE, Guldin MB. Grief symptoms and primary care use: a prospective study of family caregivers. *BJGP Open*. 2020a;4(3).
8. Nielsen MK, Christensen KS, Neergaard MA, Bidstrup PE, Guldin MB. Exploring Functional Impairment in Light of Prolonged Grief Disorder: A Prospective, Population-Based Cohort Study. *Front Psychiatry*. 2020b;11:537674.
9. Pohlkamp L, Kreicbergs U, Sveen J. Factors During a Child's Illness Are Associated With Levels of Prolonged Grief Symptoms in Bereaved Mothers and Fathers. *J Clin Oncol*. 2020 Jan 10;38(2):137-144. doi: 10.1200/JCO.19.01493. Epub 2019 Nov 14. PMID: 31725342.

## 5 - 2.2 Preventieve interventies

Onderzoeksvraag 2.2: Welke interventies vóór het overlijden zijn beschikbaar en effectief voor het voorkómen van complexe rouw bij naasten?

### PICO

P	Naasten (≥18 jaar) van een patiënt in de palliatieve fase en/of daarna (overleden in de afgelopen zes maanden)
I	Preventieve interventies voor het overlijden om complexe rouw na het overlijden te voorkomen
C	Geen begeleiding/Standaard zorg
O	Het optreden van complexe rouw gemeten met behulp van gevalideerde instrumenten (ten minste zes maanden na overlijden).

### Zoekstrategie

Voor deze uitgangsvraag is een [Deense richtlijn](#) [DMCG 2020] gebruikt met dezelfde uitgangsvraag en PICO. De searches van deze richtlijn zijn tot aan 23 oktober 2019 of later uitgevoerd (meest recent was 21 januari 2020) naar bestaande richtlijnen, individuele onderzoeken en reviews in Medline, de Cochrane Library, CINAHL, Embase en PsycInfo. De search strings zijn in de Deense richtlijn te vinden in bijlage 2 en in bijlage 4 staan de flowcharts van het selectieproces. Uiteindelijk bleven er twee RCT's [Duberstein 2019; Kissane 2016; Zaider 2020], één CCT [Grande 2017] en een cohortstudie [Lai 2017] over. De laatste twee onderzoeken hebben we geëxcludeerd omdat het type design tot bias leidt bij een inschatting van het effect van de interventies. Vanuit het artikel van Zaider en collegae [Zaider 2020] werd geen aanvullende informatie gevonden ten opzichte van de andere publicatie [Kissane 2016] over dit onderzoek.

Wij hebben op 12 maart 2021 hun search geupdate. De search leverde na ontdebelen 51 artikelen op. Er werden geen nieuwe studies gevonden die aan de selectiecriteria voldeden.

Hieronder is eerst de zoekstrategie voor systematische reviews weergegeven, en daarna die voor primaire studies.

### Zoekstrategie voor systematische reviews

#### Medline via PubMed

```
("Palliative Care"[Mesh] OR palliative[tiab] OR "advanced cancer"[tiab] OR "terminally ill"[tiab] OR "severely ill"[tiab] OR malignan*[tiab] OR neoplasm*[tiab] OR "bereavement care"[tiab] ) AND ("Caregivers"[Mesh] OR "Bereavement"[Mesh] OR bereave*[tiab] OR caregive*[tiab] OR relative*[tiab]) AND ("Risk"[Mesh] OR screen*[tiab] OR interven*[tiab] OR indicat*[tiab] OR scale*[tiab] OR "risk factor"[tiab] OR prevent*[tiab] OR predict*[tiab] OR protect*[tiab] OR "risk assesment"[tiab] OR assess*[tiab] ) AND ("Grief"[Mesh] OR ((prolong*[tiab] OR complicat*[tiab] OR complex[tiab] OR persist*[tiab] OR patholog*[tiab] OR chronic[tiab]) AND grief[tiab]) OR "prolonged grief disorder"[tiab]) NOT (homicide[tiab] OR suicide[tiab] OR dementia[tiab]) AND ("systematic review"[Publication Type] OR "review"[Publication Type] OR "meta-analysis"[Publication Type] OR "systematic review"[tiab] OR "review"[tiab] OR "meta-analysis"[tiab]) AND ( "2019/11/01"[PDat] : "3000/12/31"[PDat] )
```

### 9 resultaten

#### Cochrane library

Search Name:

Date Run: 12/03/2021 15:12:48

Comment:

ID	Search	Hits
#1	MeSH descriptor: [Palliative Care] explode all trees	1627
#2	MeSH descriptor: [Caregivers] explode all trees	2167
#3	MeSH descriptor: [Bereavement] explode all trees	226
#4	MeSH descriptor: [Risk] explode all trees	37522
#5	MeSH descriptor: [Grief] explode all trees	128
#6	(bereave*):ti,ab,kw OR (caregive*):ti,ab,kw OR (relative*):ti,ab,kw	100696
#7	(screen* OR interven* OR scale* OR prevent* OR predict* OR protect* OR "risk factor"):ti,ab,kw OR (interven*):ti,ab,kw OR (scale*):ti,ab,kw OR (prevent*):ti,ab,kw OR (predict* OR protect* OR "risk factor"):ti,ab,kw	795350
#8	(prolong* OR persist* OR 16athology* OR complicat* OR complex):ti,ab,kw AND (grief):ti,ab,kw OR ("prolonged grief disorder"):ti,ab,kw	262
#9	(palliative):ti,ab,kw OR ("advanced cancer"):ti,ab,kw	15960
#10	#1 OR #9	15960
#11	#2 OR #3 OR #6	100738
#12	#4 OR #7	805119
#13	#5 OR #8	325
#14	#10 #11 #12 #13	36
#15	(indicat*):ti,ab,kw	158035
#16	(malignan* OR neoplasm* OR "bereavement care"):ti,ab,kw	95725
#17	(malignan* OR neoplasm* OR "bereavement care" OR "terminally ill" OR "severely ill"):ti,ab,kw	96495
#18	#10 OR #17	107357
#19	#4 OR #7 OR #18	860498
#20	#18 #11 #19 #13 with Cochrane Library publication date Between Nov 2019 and Mar 2021	13
#21	<b>#20 in Cochrane Reviews</b>	<b>1</b>

Enige resultaat: <https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD012780.pub2/full>

#### Cinahl (Ebsco)

#	Query	Limiters/Expanders	Last Run Via	Results
S19	S16 AND S17	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	9
S18	S16 AND S17	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	52
S17	TI Systematic review OR review OR meta-analysis	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	664,862
S16	S8 AND S10 AND S12 AND S15	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	364

S15	S5 OR S13 OR S14	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,499
S14	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	61
S13	TI ( prolong* OR complicat* OR persist* OR complex* OR patholog* OR chronic* ) AND TI grief	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	460
S12	S4 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	3,062,656
S11	TI screen* OR interven* OR indicat* OR scale* OR "risk factor" OR prevent* OR predict* OR protect* OR "risk assesment" OR assess*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	2,761,390
S10	S2 OR S3 OR S9	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	318,010
S9	TI bereave* OR caregive* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	308,202
S8	S1 OR S6 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	552,395
S7	TI "bereavement care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen -	186

			Advanced Search Database - CINAHL	
S6	TI palliative* OR "advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	545,765
S5	(MH "Grief+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,465
S4	""risk""	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	986,905
S3	(MH "Bereavement+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	14,514
S2	""caregiver""	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	71,640
S1	(MM "Palliative Care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	25,973

#### Embase (embase.com, elsevier)

No. Query	Results
#17 #11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd AND [review]/lim	3
#16 #11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd	27
#15 #11 AND #12 AND #13 AND #14	151
#14 #8 OR #9 OR #10	13,741

		4,500,555
<b>#13</b>		
<b>#6 OR #7</b>		
		156,070
<b>#12</b>		
<b>#3 OR #4 OR #5</b>		
		339,023
<b>#11</b>		
<b>#1 OR #2</b>		
		111
<b>#10</b>		
<b>'prolonged grief disorder':ti</b>		
		757
<b>#9</b>		
<b>(prolong*:ti OR complicat*:ti OR complex:ti OR persist*:ti OR patholog*:ti OR chronic:ti) AND grief:ti</b>		
		13,713
<b>#8</b>		
<b>'grief'/exp</b>		
		2,305,666
<b>#7</b>		
<b>screen*:ti OR interven*:ti OR indicat*:ti OR scale*:ti OR 'risk factor':ti OR prevent*:ti OR predict*:ti OR protect*:ti OR 'risk assessment':ti OR assess*:ti</b>		
		2,600,317
<b>#6</b>		
<b>'risk'/exp</b>		
		85,567
<b>#5</b>		
<b>bereave*:ti OR caregive*:ti OR relative*:ti</b>		
		9,359
<b>#4</b>		
<b>'bereavement'/exp</b>		
		87,503
<b>#3</b>		
<b>'caregiver'/exp</b>		
		295,150
<b>#2</b>		
<b>palliative:ti OR 'advanced cancer':ti OR 'terminally ill':ti OR 'severely ill':ti OR malignan*:ti OR neoplasm*:ti OR 'bereavement care':ti</b>		
		75,295
<b>#1</b>		
<b>'palliative care'</b>		
<b>PsycInfo (Ebsco)</b>		

#	Query	Limiters/Expanders	Last Run Via	Results
S15	S13 AND S14	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	2
S14	review OR systematic review OR meta-analysis	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	616,485

S13	S6 AND S8 AND S9 AND S12	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	260
S12	S4 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	11,136
S11	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	88
S10	TI ( prolong* OR complicat* OR complex OR persist* OR patholog* OR chronic ) AND TI grief	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	776
S9	TI risk OR screen* OR interven* OR scale* OR indicat* OR "risk factor" OR prevent* OR predict* OR protect* OR "risk assessment" OR assess*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	2,506,573
S8	S2 OR S3 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	360,549
S7	TI bereave* OR caregive* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	357,981
S6	S1 OR S5	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	78,546
S5	TI palliative OR "advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm* OR "bereavement care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	73,419
S4	MM "Grief"	Expanders - Apply equivalent subjects	Interface - EBSCOhost Research Databases Search Screen -	11,046

ID	Database	Search modes	Search modes	Search modes	Search modes	Search modes
S3	MM "Caregivers"	Boolean/Phrase	Advanced Search	Database - APA PsycInfo	Interface - EBSCOhost	22,630
S2	DE "Bereavement"	Boolean/Phrase	Advanced Search	Database - APA PsycInfo	Interface - EBSCOhost	5,402
S1	DE "Palliative Care"	Boolean/Phrase	Advanced Search	Database - APA PsycInfo	Interface - EBSCOhost	14,196

### Ontdubbeling

Totaal: 9+1+9+3+2=24 referenties geïmporteerd in Endnote, twee dubbelen verwijderd --> 22 resultaten primair onderzoek (zoekdatum 12-03-2021)

Op blz. 30 staan onderaan de databases tot wanneer ze gezocht hebben. Dus wij willen vanaf november 2019 een update van de SR search en primair onderzoek. Je kan gewoon dezelfde search strings gebruiken die op blz 32-38 staan

### Medline via PubMed

("Palliative Care"[Mesh] OR palliative[Title/Abstract] OR "advanced cancer"[Title/Abstract] OR "terminally ill"[Title/Abstract] OR "severely ill"[Title/Abstract] OR malignan\*[Title/Abstract] OR neoplasm\*[Title/Abstract] OR "bereavement care"[Title/Abstract]) AND ("Caregivers"[Mesh] OR "Bereavement"[Mesh] OR bereave\*[Title/Abstract] OR caregive\*[Title/Abstract] OR relative\*[Title/Abstract]) AND ("Risk"[Mesh] OR screen\*[Title/Abstract] OR interven\*[Title/Abstract] OR indicat\*[Title/Abstract] OR scale\*[Title/Abstract] OR "risk factor"[Title/Abstract] OR prevent\*[Title/Abstract] OR predict\*[Title/Abstract] OR protect\*[Title/Abstract] OR "risk assesment"[Title/Abstract] OR assess\*[Title/Abstract] ) AND (((("Grief"[Mesh]) OR (prolong\*[Title/Abstract] OR complicat\*[Title/Abstract] OR complex[Title/Abstract] OR persist\*[Title/Abstract] OR patholog\*[Title/Abstract] OR chronic[Title/Abstract])) AND grief[Title/Abstract]) OR "prolonged grief disorder"[Title/Abstract]) NOT (homicide[Title/Abstract] OR suicide[Title/Abstract] OR dementia[Title/Abstract]) AND ( "2019/11/01"[PDat] : "3000/12/31"[PDat] )

40 resultaten, excl systematic reviews **31**

### Cochrane library

Search Name:

Date Run: 12/03/2021 15:18:27

Comment:

ID	Search	Hits
#1	MeSH descriptor: [Palliative Care] explode all trees	1627
#2	MeSH descriptor: [Caregivers] explode all trees	2167
#3	MeSH descriptor: [Bereavement] explode all trees	226
#4	MeSH descriptor: [Risk] explode all trees	37522
#5	MeSH descriptor: [Grief] explode all trees	128
#6	(bereave*):ti,ab,kw OR (caregive*):ti,ab,kw OR (relative*):ti,ab,kw	100696

#7 (screen\* OR interven\* OR scale\* OR prevent\* OR predict\* OR protect\* OR "risk factor"):ti,ab,kw OR (interven\*):ti,ab,kw OR (scale\*):ti,ab,kw OR (prevent\*):ti,ab,kw OR (predict\* OR protect\* OR "risk factor"):ti,ab,kw 795350

#8 (prolong\* OR persist\* OR patholog\* OR complicat\* OR complex):ti,ab,kw AND (grief):ti,ab,kw

OR ("prolonged grief disorder"):ti,ab,kw 262

#9 (palliative):ti,ab,kw OR ("advanced cancer"):ti,ab,kw 15960

#10 #1 OR #9 15960

#11 #2 OR #3 OR #6 100738

#12 #4 OR #7 805119

#13 #5 OR #8 325

#14 #10 #11 #12 #13 36

#15 (indicat\*):ti,ab,kw 158035

#16 (malignan\* OR neoplasm\* OR "bereavement care"):ti,ab,kw 95725

#17 (malignan\* OR neoplasm\* OR "bereavement care" OR "terminally ill" OR "severely ill"):ti,ab,kw 96495

#18 #10 OR #17 107357

#19 #4 OR #7 OR #18 860498

#20 #18 #11 #19 #13 with Cochrane Library publication date Between Nov 2019 and Mar 2021 13

#21 #20 in Cochrane Reviews 1

#22 #20 NOT #21 12

### Cinahl

#	Query	Limiters/Expanders	Last Run Via	Results
S20	S16 NOT S17	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	35
S19	S16 AND S17	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	9
S18	S16 AND S17	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	52
S17	TI Systematic review OR review OR meta-analysis	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	664,862
S16	S8 AND S10 AND S12 AND S15	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	364
S15	S5 OR S13 OR S14	Expanders - Apply equivalent subjects	Interface - EBSCOhost Research Databases	8,499

		Search modes - Boolean/Phrase	Search Screen - Advanced Search Database - CINAHL	
S14	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	61
S13	TI ( prolong* OR complicat* OR persist* OR complex* OR patholog* OR chronic* ) AND TI grief	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	460
S12	S4 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	3,062,656
S11	TI screen* OR interven* OR indicat* OR scale* OR "risk factor" OR prevent* OR predict* OR protect* OR "risk assesment" OR assess*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	2,761,390
S10	S2 OR S3 OR S9	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	318,010
S9	TI bereave* OR caregive* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	308,202
S8	S1 OR S6 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	552,395
S7	TI "bereavement care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	186
S6	TI palliative* OR "advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	545,765

S5	(MH "Grief+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,465
S4	""risk""	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	986,905
S3	(MH "Bereavement+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	14,514
S2	""caregiver""	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	71,640
S1	(MM "Palliative Care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	25,973

## Embase

No. Query	Results
<b>#18</b> #11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd NOT [review]/lim	24
<b>#17</b> #11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd AND [review]/lim	3
<b>#16</b> #11 AND #12 AND #13 AND #14 AND [1-11-2019]/sd	27
<b>#15</b> #11 AND #12 AND #13 AND #14	151
<b>#14</b> #8 OR #9 OR #10	13,741
<b>#13</b> #6 OR #7	4,500,555
<b>#12</b> #3 OR #4 OR #5	156,070
	<b>339,023</b>

#11	#1 OR #2	111
#10	'prolonged grief disorder':ti	757
#9	(prolong*:ti OR complicat*:ti OR complex:ti OR persist*:ti OR patholog*:ti OR chronic:ti) AND grief:ti	13,713
#8	'grief'/exp	2,305,666
#7	screen*:ti OR interven*:ti OR indicat*:ti OR scale*:ti OR 'risk factor':ti OR prevent*:ti OR predict*:ti OR protect*:ti OR 'risk assessment':ti OR assess*:ti	2,600,317
#6	'risk'/exp	85,567
#5	bereave*:ti OR caregive*:ti OR relative*:ti	9,359
#4	'bereavement'/exp	87,503
#3	'caregiver'/exp	295,150
#2	palliative:ti OR 'advanced cancer':ti OR 'terminally ill':ti OR 'severely ill':ti OR malignan*:ti OR neoplasm*:ti OR 'bereavement care':ti	75,295
#1	'palliative care'	

**PsycInfo (Ebsco)**

#	Query	Limiters/Expanders	Last Run Via	Results
S16	S13 NOT S14	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	12
S15	S13 AND S14	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	2
S14	review OR systematic review OR meta-analysis	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	616,485
S13	S6 AND S8 AND S9 AND S12	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	260
S12	S4 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	11,136
S11	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	88
S10	TI ( prolong* OR complicat* OR complex OR persist* OR patholog* OR chronic ) AND TI grief	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	776
S9	TI risk OR screen* OR interven* OR scale* OR indicat* OR "risk factor" OR prevent* OR predict* OR protect* OR "risk assesment" OR assess*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	2,506,573
S8	S2 OR S3 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	360,549

S7	TI bereave* OR caregive* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	357,981
S6	S1 OR S5	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	78,546
S5	TI palliative OR "advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm* OR "bereavement care"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	73,419
S4	MM "Grief"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	11,046
S3	MM "Caregivers"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	22,630
S2	DE "Bereavement"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	5,402

### Ontdubbeling

Totaal: 31+12+35+24+12=114 referenties geïmporteerd in Endnote, 29 dubbelen verwijderd --> **85 resultaten**

## Vraag 2 – alle onderzoekstypen (zoekdatum 15-03-2021)

### Medline via PubMed

("Palliative Care"[Mesh] OR palliative[tiab] OR "advanced cancer"[tiab] OR "terminally ill"[tiab] OR "severely ill"[tiab] OR malignan\*[tiab] OR neoplasm\*[tiab]) AND ("Caregivers"[Mesh] OR "Bereavement"[Mesh] OR bereave\*[tiab] OR caregive\*[tiab] OR relative\*[tiab]) AND (prevent\*[tiab] OR psychoeducat\*[tiab] OR educat\*[tiab] OR interven\*[tiab] OR "psychosocial care"[tiab] OR "supportive care"[tiab] OR "psychological therapy"[tiab] OR psychotherapy[tiab] OR therapy[tiab] OR guidance[tiab] OR "spiritual care"[tiab] OR "bereavement care"[tiab]) AND ("Grief"[Mesh] OR ((prolong\*[tiab] OR complicat\*[tiab] OR complex[tiab] OR persist\*[tiab] OR patholog\*[tiab] OR chronic[tiab]) AND grieff[tiab]) OR "prolonged grief disorder"[tiab])

AND ( "2019/11/01"[PDat] : "3000/12/31"[PDat] )

31 resultaten

### Embase (elsevier)

No. Query	Results
	20
<b>#14</b> #10 AND #11 AND #6 AND #12 AND [1-11-2019]/sd	77
<b>#13</b> #10 AND #11 AND #6 AND #12	13,745
<b>#12</b> #7 OR #8 OR #9	156,133
<b>#11</b> #3 OR #4 OR #5	356,174
<b>#10</b> #1 OR #2	111
<b>#9</b> 'prolonged grief disorder':ti	757
<b>#8</b> (prolong*:ti OR complicat*:ti OR complex:ti OR persist*:ti OR patholog*:ti OR chronic:ti) AND grieff:ti	13,717
<b>#7</b> 'grief'/exp	1,626,106
<b>#6</b> prevent*:ti OR psychoeducat*:ti OR educat*:ti OR interven*:ti OR 'psychosocial care':ti OR 'supportive care':ti OR 'psychological therapy':ti OR psychotherapy:ti OR therapy:ti OR guidance:ti OR 'spiritual care':ti OR 'bereavement care':ti	85,589
<b>#5</b> bereave*:ti OR caregive*:ti OR relative*:ti	9,362
<b>#4</b> 'bereavement'/exp	87,549
<b>#3</b>	

'caregiver'/exp

254,791

#2

'palliative care':ti OR 'advanced cancer':ti OR palliative\*:ti OR 'terminally ill':ti OR 'severely ill':ti  
OR malignan\*:ti

144,276

#1

'palliative therapy'/exp OR 'palliative care'

### Cinahl (Ebsco)

#	Query	Limiters/Expanders	Last Run Via	Results
S13	S6 AND S8 AND S9 AND S12	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	5
S12	S4 OR S10 OR S11	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,505
S11	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	61
S10	TI ( prolong* OR complicat* OR complex OR persist* OR patholog* OR chronic ) AND TI grief	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	456
S9	TI (prevent* OR psychoeducat* OR educat* OR interven* OR "psychosocial care" OR "supportive care" OR "psychological therapy" OR "psychotherapy" OR therapy OR guidance OR "spiritual care" OR "bereavement care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	495,151
S8	S2 OR S3 OR S7	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	318,135
S7	TI bereave* OR caregiver* OR relative*	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen -	308,322

			Advanced Search Database - CINAHL	
S6	S1 OR S5	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	54,686
S5	TI ("advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm*)	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	29,951
S4	(MH "Grief+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	8,472
S3	(MH "Bereavement+")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	14,522
S2	(MM "Caregivers")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	22,777
S1	(MM "Palliative Care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL	25,980

### PsycInfo (Ebsco)

#	Query	Limiters/Expanders	Last Run Via	Results
S13	S5 AND S6 AND S11 AND S12	Limiters - Published Date: 20191101-20211231 Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	1
S12	S7 OR S8 OR S9	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	11,136
S11	S3 OR S4 OR S10	Expanders - Apply equivalent subjects	Interface - EBSCOhost Research Databases Search Screen -	45,980

		Search modes - Boolean/Phrase	Advanced Search Database - APA PsycInfo	
S10	DE "Bereavement"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	5,402
S9	TI "prolonged grief disorder"	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	88
S8	(MM "Grief")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	11,046
S7	TI ( prolong* OR complicat* OR complex OR persist* OR patholog* OR chronic ) AND TI grief	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	776
S6	TI (prevent* OR psychoeducat* OR educat* OR interven* OR "psychosocial care" OR "supportive care" OR "psychological therapy" OR "psychotherapy" OR therapy OR guidance OR "spiritual care" OR "bereavement care")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	356,947
S5	S1 OR S2	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	14,875
S4	TI (bereave* OR caregiver* OR relative*)	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	31,350
S3	(MM "Caregivers")	Expanders - Apply equivalent subjects Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	22,630
S2	TI ("advanced cancer" OR "terminally ill" OR	Expanders - Apply equivalent subjects	Interface - EBSCOhost Research Databases Search Screen -	3,813

	"severely ill" OR malignan* OR neoplasm*)	Search modes - Boolean/Phrase	Advanced Search Database - APA PsycInfo	
		Expanders - Apply equivalent subjects	Interface - EBSCOhost Research Databases	
S1	(MM "Palliative Care")	Search modes - Boolean/Phrase	Search Screen - Advanced Search Database - APA PsycInfo	11,599

### Cochrane (cochrane library incl CENTRAL)

Search Name:

Date Run: 15/03/2021 13:58:44

Comment:

ID	Search Hits
#1	MeSH descriptor: [Palliative Care] explode all trees 1627
#2	MeSH descriptor: [Caregivers] explode all trees 2167
#3	MeSH descriptor: [Bereavement] explode all trees 226
#4	MeSH descriptor: [Grief] explode all trees 128
#5	(bereave*):ti,ab,kw OR (caregive*):ti,ab,kw OR (relative*):ti,ab,kw 100696
#6	(prolong* OR complex OR patholog* OR chronic* OR persist* OR complicat* and grief):ti,ab,kw 302045
#7	("prolonged grief disorder"):ti,ab,kw 50
#8	(palliative* OR "advanced cancer" OR "terminally ill" OR "severely ill"):ti,ab,kw 16691
#9	#1 OR #8 16691
#10	(prolong* OR complex OR patholog* OR chronic* OR persist* OR complicat*):ti,ab,kw AND (grief):ti,ab,kw 276
#11	#4 OR #10 OR #7 339
#12	#9 #11 49
#13	MeSH descriptor: [Education] explode all trees 33146
#14	(interven* OR psychoeducation OR education OR "psychosocial care" OR "supportive care" OR "psychological therapy" OR psychotherapy OR therapy):ti,ab,kw 986891
#15	#2 OR #3 OR #5 100738
#16	prevent* OR psychoeducat* OR educat* OR interven* OR "psychosocial care" OR "supportive care" OR "psychological therapy" OR "psychotherapy" OR therapy OR guidance OR "spiritual care" OR "bereavement care" 1094301
#17	(interven* OR psychoeducation OR education OR "psychosocial care" OR "supportive care" OR "psychological therapy" OR psychotherapy OR therapy):ti,ab,kw 986891
#18	("advanced cancer" OR "terminally ill" OR "severely ill" OR malignan* OR neoplasm*):ti,ab,kw 103302
#19	(prevent* OR psychoeducat* OR educat* OR interven* OR "psychosocial care" OR "supportive care" OR "psychological therapy" OR "psychotherapy" OR therapy OR guidance OR "spiritual care" OR "bereavement care"):ti,ab,kw 1070937
#20	#2 OR #3 OR #5 100738
#21	#1 OR #18 103787
#22	#4 OR #6 OR #7 302108
#23	(prolong* OR complicat* OR complex OR persist* OR patholog* OR chronic AND grief):ti,ab,kw 334414
#24	(prolong* OR complicat* OR complex OR persist* OR patholog* OR chronic):ti,ab,kw 447967
#25	(grief):ti,ab,kw 581
#26	#24 AND #25 276
#27	#4 OR #7 OR #26 339

#28 #21 AND #20 AND #19 AND #27 31

#29 #28 with Cochrane Library publication date Between Nov 2019 and Dec 2021 6

### **Ontdubbeling**

31+20+5+1+6=63 referenties geïmporteerd in Endnote, twaalf dubbelen verwijderd

--> 51 resultaten

### **Zoek resultaten**

In de search strategie werden 22 systematic reviews (hits verschillend databases: 9+1+9+3+2=24 referenties geïmporteerd in Endnote, twee dubbelen verwijderd) en 51 (hits verschillend databases: 31+20+5+1+6=63 referenties geïmporteerd in Endnote, twaalf dubbelen verwijderd) primaire onderzoeken gevonden. De search leverde na ontdubbelen 73 artikelen op. Er werden geen nieuwe studies gevonden.

### **Referenties**

1. DMCG. Tidlig sorgstøtte. Screening for og forebyggelse af Prolonged grief disorder hos pårørende til patienter i palliativ indsats. [Internet]. Beschikbaar op: [http://www.dmcgpal.dk/files/sorg\\_221020.pdf](http://www.dmcgpal.dk/files/sorg_221020.pdf) [Geopend 27-05-2021].
2. Duberstein PR, Maciejewski PK, Epstein RM, Fenton JJ, Chapman B, Norton SA, Hoerger M, Wittink MN, Tancredi DJ, Xing G, Mohile S, Kravitz RL, Prigerson HG. Effects of the Values and Options in Cancer Care Communication Intervention on Personal Caregiver Experiences of Cancer Care and Bereavement Outcomes. *J Palliat Med.* 2019 Nov;22(11):1394-1400.
3. Grande GE, Austin L, Ewing G, O'Leary N, Roberts C. Assessing the impact of a Carer Support Needs Assessment Tool (CSNAT) intervention in palliative home care: a stepped wedge cluster trial. *BMJ Support Palliat Care.* 2017 Sep;7(3):326-334. doi: 10.1136/bmjspcare-2014-000829.
4. Kissane DW, Zaider TI, Li Y, Hichenberg S, Schuler T, Lederberg M, Lavelle L, Loeb R, Del Gaudio F. Randomized Controlled Trial of Family Therapy in Advanced Cancer Continued Into Bereavement. *J Clin Oncol.* 2016 Jun 1;34(16):1921-7. doi: 10.1200/JCO.2015.63.0582.
5. Zaider TI, Kissane DW, Schofield E, Li Y, Masterson M. Cancer-related communication during sessions of family therapy at the end of life. *Psychooncology.* 2020 Feb;29(2):373-380. doi: 10.1002/pon.5268.

## 5 - 3.3 Begeleiden van patiënten in de palliatieve fase in hun rouwproces

Onderzoeksvraag 3.3: Wat is het effect van begeleiding en behandeling van rouw bij patiënten in de palliatieve fase?

### PICO

P	Patiënten in de palliatieve fase met normale rouw reactie
I	Begeleiding (spiritueel, psychologisch), gezinsinterventies, sociale support groepen / lotgenoten contact en ontspanningsinterventies (zelf of door een therapeut)
C	Gebruikelijke begeleiding/standaard zorg Interventies onderling
O	<p><i>Kritisch</i>          (gezondheidsgerelateerde) Kwaliteit van leven          Welzijn          Sociale/Emotionele steun          Communicatie (met familie en vrienden)          Acceptatie          Veerkracht          Eenzaamheid (sociaal, existentieel, emotioneel)</p> <p><i>Belangrijk</i>          Depressie          (Existentiële) angst          Zingeving          Hoop, optimisme          Coping</p> <p><i>Minder Belangrijk</i>          Posttraumatische groei / spiritualiteit          Maatschappelijk functioneren (bijv. werk)          Ernst van (anticiperende) rouw          Verlies van functie en rollen.          Communicatie (met familie en vrienden)          Afronden van unfinished business</p>

### Zoekstrategie en selectie van studies

#### Selectie van studies

Op 18 december 2020 is er een search gedaan in Medline en PsycInfo. De search leverde na ontdebellen 269 systematische reviews op. Na de eerste selectie bleven er 35 systematische reviews over. Na het beoordelen van de volledige tekst van deze systematische reviews bleven er geen systematische reviews over. [Candy 2012; Warth 2019].

#### Zoekstrategie

Systematic Reviews van maximaal 10 jaar oud.

#### Medline via PubMed

("Terminal Care"[Mh] OR "Palliative Care"[Mh] OR "Palliative Medicine"[Mh] OR "Hospice and Palliative Care Nursing"[Mh] OR "Death"[Mh] OR terminal-ill\*[tiab] OR terminally[tiab] OR terminal-care[tiab] OR terminal-stage[tiab] OR terminal\*[ti] OR palliative[tiab] OR end-of-life[tiab] OR death[tiab] OR dying[tiab] OR incurable[tiab] OR advanced-illness\*[tiab] OR advanced-disease\*[tiab] OR advanced-cancer[tiab])

AND

("Bereavement"[Mh] OR "Sadness"[Mh] OR bereav\*[tiab] OR grief\*[tiab] OR grieving[tiab] OR mourn\*[tiab] OR sadness\*[tiab] OR existential\*[tiab] OR meaning[ti] OR hope[ti] OR optimism\*[ti] OR acceptance[ti] OR closing[ti] OR unfinished-business\*[ti] OR resilience[ti] OR coping[ti] OR lonel\*[ti] OR well-being[ti] OR quality-of-life[ti] OR QOL[ti] OR depress\*[ti])

AND

("Spiritual Therapies"[Mh] OR "Mind-Body Therapies"[Mh] OR "Religion and Psychology"[Mh] OR "Social Support"[Mh] OR "Psychotherapy"[Mh] OR spiritual\*[tiab] OR mind-body[tiab] OR religion[tiab] OR religious[tiab] OR pastoral\*[tiab] OR psychologic\*[ti] OR psychological-support[tiab] OR psychological-care[tiab] OR psychological-intervention\*[tiab] OR meaning-therap\*[tiab] OR Acceptance-Commitment-Therap\*[tiab] OR cognitive-behavior-therap\*[tiab] OR cognitive-behaviour-therap\*[tiab] OR CBT[tiab] OR relaxation-therap\*[tiab] OR breathing-exercis\*[tiab] OR progressive-relax\*[tiab] OR self-hypno\*[tiab] OR hypnosis[tiab] OR massag\*[tiab] OR touch\*[ti] OR skin-contact\*[tiab] OR skin-to-skin[tiab] OR family-intervention\*[tiab] OR peer-support\*[tiab] OR support-intervention\*[tiab] OR support-program\*[tiab] OR mindfulness[tiab] OR existential-therap\*[tiab] OR intervention\*[ti] OR therap\*[ti] OR support\*[ti])  
 AND (systematic review[pt] OR meta-analysis[pt] OR meta-anal\*[tiab] OR metaanal\*[tiab] OR quantitative review[tiab] OR systematic review[tiab] OR methodologic review[tiab] OR systematic[sb] OR "The Cochrane database of systematic reviews"[Jour] NOT (letter[pt] OR comment[pt] OR editorial[pt]))

190 resultaten.

### PsycInfo

(DE "Palliative Care" OR DE "Death and Dying" OR DE "Child Death" OR DE "Parental Death" OR DE "Partner Death" OR DE "Sudden Death" OR DE "Hospice" OR DE "Terminally Ill Patients" OR TI (terminal\* OR palliative OR "end of life" OR death OR dying OR incurable OR "advanced illness\*" OR "advanced disease\*" OR "advanced cancer") OR AB ( "terminal-ill\*" OR terminally OR "terminal-care" OR "terminal-stage" OR palliative OR "end of life" OR death OR dying OR incurable OR "advanced illness\*" OR "advanced disease\*" OR "advanced cancer" ) )  
 AND (DE "Bereavement" OR DE "Grief" OR DE "Spiritual Well Being" OR DE "Sadness" OR TI ( bereav\* OR grief\* OR grieving OR mourn\* OR sadness\* OR existential\* OR meaning OR hope OR optimism\* OR acceptance OR closing OR "unfinished business\*" OR resilience OR coping OR lonel\* OR well-being OR "quality of life" OR QOL OR depress\*) OR AB (bereav\* OR grief\* OR grieving OR mourn\* OR sadness\* OR existential\* ) )  
 AND (DE "Spiritual Care" OR DE "Grief Counseling" OR DE "Mind Body Therapy" OR DE "Religious Practices" OR DE "Confession (Religion)" OR DE "Faith Healing" OR DE "Meditation" OR DE "Prayer" OR DE "Yoga" OR DE "Support Groups" OR DE "Group Counseling" OR DE "Self-Help Techniques" OR DE "Social Support" OR DE "Psychotherapy" OR DE "Autogenic Training" OR DE "Brief Psychotherapy" OR DE "Client Centered Therapy" OR DE "Emotion Focused Therapy" OR DE "Existential Therapy" OR DE "Geriatric Psychotherapy" OR DE "Group Psychotherapy" OR DE "Hypnotherapy" OR DE "Individual Psychotherapy" OR DE "Narrative Therapy" OR DE "Psychotherapeutic Counseling" OR DE "Psychotherapeutic Techniques" OR DE "Supportive Psychotherapy" OR DE "Cognitive Behavior Therapy" OR DE "Acceptance and Commitment Therapy" OR DE "Cognitive Processing Therapy" OR TI ( spiritual\* OR mind-body OR religion OR religious OR pastoral\* OR psychologic\* OR "psychological support" OR "psychological care" OR "psychological intervention\*" OR "meaning therap\*" OR "Acceptance Commitment Therap\*" OR "cognitive behavior therap\*" OR "cognitive behaviour therap\*" OR CBT OR "relaxation therap\*" OR "breathing exercis\*" OR "progressive relax\*" OR "self hypno\*" OR hypnosis OR massag\* OR touch\* OR "skin contact\*" OR "skin-to-skin" OR "family intervention\*" OR "peer support\*" OR "support intervention\*" OR "support program\*" OR mindfulness OR "existential therap\*" OR intervention\* OR therap\* OR support\*) OR AB ( spiritual\* OR mind-body OR religion OR religious OR pastoral\* OR "psychological support" OR "psychological care" OR "psychological intervention\*" OR "meaning therap\*" OR "Acceptance Commitment Therap\*" OR "cognitive behavior therap\*" OR "cognitive behaviour therap\*" OR CBT OR "relaxation therap\*" OR "breathing exercis\*" OR "progressive relax\*" OR "self hypno\*" OR hypnosis OR massag\* OR "skin contact\*" OR "skin-to-skin" OR "family intervention\*" OR "peer support\*" OR "support intervention\*" OR "support program\*" OR mindfulness OR "existential therap\*" ) )  
 AND ((TI (systematic\* n3 review\*)) or (AB (systematic\* n3 review\*)) or (TI (systematic\* n3 bibliographic\*)) or (AB (systematic\* n3 bibliographic\*)) or (TI (systematic\* n3 literature)) or (AB (systematic\* n3 literature)) or (TI (comprehensive\* n3 literature)) or (AB (comprehensive\* n3 literature)) or (TI (comprehensive\* n3 bibliographic\*)) or (AB (comprehensive\* n3 bibliographic\*)) or (TI (integrative n3 review)) or (AB (integrative n3 review)) or (JN "Cochrane Database of Systematic Reviews") or (TI (information n2 synthesis)) or (TI (data n2 synthesis)) or (AB (information n2 synthesis)) or (AB (data n2 synthesis)) or (TI (data n2 extract\*)) or (AB (data n2 extract\*)) or (TI (medline or pubmed or psyclit or cinahl or (psycinfo not "psycinfo database") or "web of science" or scopus or embase)) or (AB (medline or pubmed or psyclit or cinahl or (psycinfo not "psycinfo database") or "web of science" or scopus or embase)) or (MH "Systematic Review") or (MH "Meta Analysis") or (TI (meta-analy\* or metaanal\*)) or (AB (meta-analy\* or metaanal\*))

136

## Ontdubbeling

190+136=326 referenties geïmporteerd in Endnote, 57 dubbelen verwijderd --> 269 resultaten

## Zoekresultaten

In de search strategie werden 269 systematic reviews (hits verschillend databases: 190+136=326 referenties geïmporteerd in Endnote, 57 dubbelen verwijderd). Na de eerste selectie bleven er 34 systematische reviews over. Na het beoordelen van de volledige tekst van deze systematische reviews bleven er twee reviews over (1-2).

In tabel 1 de reden voor exclusie van 31 reviews. Veel reviews waar geen meta-analyse (MA) is gedaan hadden, naast RCT's, ook andere type designs geïnccludeerd en de methodologische beschrijving voldeed regelmatig niet aan minimale AMSTAR criteria.

Tabel 1 Exclusie op basis van de volledige tekst

Studie	Reden voor exclusie
Ahluwalia [2018]	Umbrella review, MA
Allumbaugh [1999]	Te oud
Arentz [2020]	Scoping review zonder MA
Bradt [2010]	Teruggetrokken
Candy [2012]	Patiëntengroep komt niet overeen met PICO
Catania [2015]	Geen betrouwbaarheidsintervallen rond effect size
Chen [2018]	Geen MA
Cowley [2017]	Geen MA
Gijsberts [2019]	Zeer beperkte search data (2015-2017)
Harrop [2020]	Geen MA
Hesse [2019]	Patiëntengroep komt niet overeen met PICO
Hughes [2019]	Geen MA
Kang [2019]	Geen MA en non-RCT's geïnccludeerd
Kassianos [2018]	Geen MA
Keall [2015]	Geen MA
Lewis [2013]	Geen MA
Martínez [2017]	Geen MA
McConnell [2016]	Patiëntengroep komt niet overeen met PICO
Nierop-van Baalen [2020]	Patientengroep en Interventie komt niet overeen met PICO
Pan-Weisz [2019]	Geen MA
Patinadan [2020]	Te beperkte scope
Pottie [2014]	Geen MA
Pringle [2015]	Geen MA
Quigley [2021]	Geen MA
Robert [2019]	Gaat niet over palliatieve zorg
Roikjær [2019]	Geen MA
Sikstrom [2019]	Geen MA
Ter Veer [2018]	Gaat over de behandeling van kanker
Uitterhoeve [2004]	Te oud
Vos [2015]	Patiëntengroep komt niet overeen met PICO
Wang [2017]	Patiëntengroep komt niet overeen met PICO
Warth [2019]	Patiëntengroep komt niet overeen met PICO
Xiao [2019]	Patiëntengroep komt niet overeen met PICO
Zimmermann [2018]	Geen MA

## Referenties

1. Ahluwalia SC, Chen C, Raaen L, Motala A, Walling AM, Chamberlin M, et al. A Systematic Review in Support of the National Consensus Project Clinical Practice Guidelines for Quality Palliative Care, Fourth Edition. *J Pain Symptom Manag*. 2018;56(6):831–70.
2. Allumbaugh DL, Hoyt WT. Effectiveness of grief therapy: A meta-analysis. *J Couns Psychol* [Internet]. 1999;46(3):370–80. Available from: <https://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=1999-05850-008&site=ehost-live>.
3. Arentz S, Hunter J, Deed G. Integrating Traditional and Complementary Medicine Recommendations into Clinical Practice Guidelines for People with Diabetes in Need of Palliative and End-of-Life Care: A Scoping Review. *J Altern Complement Med* [Internet]. 2020;26(7):571–91. Available from: [https://www.liebertpub.com/doi/10.1089/acm.2020.0028?url\\_ver=Z39.88-2003&rfr\\_id=ori%3Arid%3Acrossref.org&rfr\\_dat=cr\\_pub%3Dpubmed&](https://www.liebertpub.com/doi/10.1089/acm.2020.0028?url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&rfr_dat=cr_pub%3Dpubmed&)
4. Bradt J, Dileo C. Music therapy for end-of-life care. *Cochrane Database Syst Rev*. 2010;(1):Cd007169.
5. Candy B, Jones L, Varagunam M, Speck P, Tookman A, King M. Spiritual and religious interventions for well-being of adults in the terminal phase of disease. *Cochrane Database Syst Rev*. 2012;(5):Cd007544.
6. Catania G, Beccaro M, Costantini M, Ugolini D, De Silvestri A, Bagnasco A, et al. Effectiveness of complex interventions focused on quality-of-life assessment to improve palliative care patients' outcomes: a systematic review. *Palliat Med* [Internet]. 2015;29(1):5–21. Available from: [https://journals.sagepub.com/doi/10.1177/0269216314539718?url\\_ver=Z39.88-2003&rfr\\_id=ori:rid:crossref.org&rfr\\_dat=cr\\_pub%3Dpubmed](https://journals.sagepub.com/doi/10.1177/0269216314539718?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3Dpubmed).
7. Chen J, Lin Y, Yan J, Wu Y, Hu R. The effects of spiritual care on quality of life and spiritual well-being among patients with terminal illness: A systematic review. *Palliat Med* [Internet]. 2018;32(7):1167–79. Available from: [https://journals.sagepub.com/doi/10.1177/0269216318772267?url\\_ver=Z39.88-2003&rfr\\_id=ori:rid:crossref.org&rfr\\_dat=cr\\_pub%3Dpubmed](https://journals.sagepub.com/doi/10.1177/0269216318772267?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3Dpubmed).
8. Cowley A, Bath-Hextall F, Cooper J. Interventions for healthcare professionals, organizations and patients to enhance quality of life for people diagnosed with palliative esophagogastric cancer: a systematic review. *JBIC Database Syst Rev Implement Rep*. 2017;15(3):840–52.
9. Gijssberts MHE, Liefbroer AI, Otten R, Olsman E. Spiritual Care in Palliative Care: A Systematic Review of the Recent European Literature. *Med Sci* [Internet]. 2019/02/10. 2019;7(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30736416>.
10. Harrop E, Morgan F, Longo M, Semedo L, Fitzgibbon J, Pickett S, et al. The impacts and effectiveness of support for people bereaved through advanced illness: A systematic review and thematic synthesis. *Palliat Med* [Internet]. 2020;34(7):871–88. Available from: <https://journals.sagepub.com/doi/pdf/10.1177/0269216320920533>.
11. Hesse M, Forstmeier S, Mochamat M, Radbruch L. A Review of Biographical Work in Palliative Care. *Indian J Palliat Care* [Internet]. 2019;25(3):445–54. Available from: <https://www.jpalliativecare.com/article.asp?issn=0973-1075;year=2019;volume=25;issue=3;spage=445;epage=454;aulast=Hesse>.
12. Hughes NM, Noyes J, Eckley L, Pritchard T. What do patients and family-caregivers value from hospice care? A systematic mixed studies review. *BMC Palliat Care* [Internet]. 2019;18(1):18. Available from: [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6368799/pdf/12904\\_2019\\_Article\\_401.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6368799/pdf/12904_2019_Article_401.pdf)
13. Johannsen M, Damholdt MF, Zachariae R, Lundorff M, Farver-Vestergaard I, O'Connor M. Psychological interventions for grief in adults: A systematic review and meta-analysis of randomized controlled trials. *J Affect Disord* [Internet]. 2019;253:69–86
14. Kang KA, Han SJ, Lim YS, Kim SJ. Meaning-Centered Interventions for Patients With Advanced or Terminal Cancer: A Meta-analysis. *Cancer Nurs*. 2019;42(4):332–40.
15. Kassianos AP, Ioannou M, Koutsantoni M, Charalambous H. The impact of specialized palliative care on cancer patients' health-related quality of life: a systematic review and meta-analysis.

- Support Care Cancer [Internet]. 2018;26(1):61–79. Available from: <https://link.springer.com/article/10.1007/s00520-017-3895-1>.
16. Keall RM, Clayton JM, Butow PN. Therapeutic life review in palliative care: a systematic review of quantitative evaluations. *J Pain Symptom Manag* [Internet]. 2015;49(4):747–61. Available from: [https://www.jpmsjournal.com/article/S0885-3924\(14\)00470-9/pdf](https://www.jpmsjournal.com/article/S0885-3924(14)00470-9/pdf).
  17. Lewis JM, DiGiacomo M, Luckett T, Davidson PM, Currow DC. A social capital framework for palliative care: Supporting health and well-being for people with life-limiting illness and their carers through social relations and networks. *J Pain Symptom Manage* [Internet]. 2013;45(1):92–103. Available from: <https://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2013-00498-011&site=ehost-live> ORCID: 0000-0003-1988-1250 ORCID: 0000-0001-6121-5409 ORCID: 0000-0001-5484-8224
  18. Maass U, Hofmann L, Perlinger J, Wagner B. Effects of bereavement groups-a systematic review and meta-analysis. *Death Stud*. 2020;1–11.
  19. Martínez M, Arantzamendi M, Belar A, Carrasco JM, Carvajal A, Rullán M, et al. “Dignity therapy”, a promising intervention in palliative care: A comprehensive systematic literature review. *Palliat Med* [Internet]. 2017;31(6):492–509. Available from: <https://journals.sagepub.com/doi/pdf/10.1177/0269216316665562>.
  20. McConnell T, Scott D, Porter S. Music therapy for end-of-life care: An updated systematic review. *Palliat Med* [Internet]. 2016/03/06. 2016;30(9):877–83. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26944533>.
  21. Nierop-van Baalen C, Grypdonck M, van Hecke A, Verhaeghe S. Associated factors of hope in cancer patients during treatment: A systematic literature review. *J Adv Nurs* [Internet]. 2020;76(7):1520–37. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/jan.14344>
  22. Pan-Weisz TM, Kryza-Lacombe M, Burkeen J, Hattangadi-Gluth J, Malcarne VL, McDonald CR. Patient-reported health-related quality of life outcomes in supportive-care interventions for adults with brain tumors: A systematic review. *Psychooncology* [Internet]. 2019;28(1):11–21. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1002/pon.4906>.
  23. Patinadan P V, Tan-Ho G, Choo PY, Ho AHY. Resolving anticipatory grief and enhancing dignity at the end-of life: A systematic review of palliative interventions. *Death Stud*. 2020;1–14.
  24. Pottie CG, Burch KA, Thomas LP, Irwin SA. Informal caregiving of hospice patients. *J Palliat Med* [Internet]. 2014;17(7):845–56. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4842949/pdf/jpm.2013.0196.pdf>
  25. Pringle J, Johnston B, Buchanan D. Dignity and patient-centred care for people with palliative care needs in the acute hospital setting: A systematic review. *Palliat Med* [Internet]. 2015;29(8):675–94. Available from: <https://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2015-37976-002&site=ehost-live>
  26. Quigley DD, McCleskey SG. Improving Care Experiences for Patients and Caregivers at End of Life: A Systematic Review. *Am J Hosp Palliat Care* [Internet]. 2021;38(1):84–93. Available from: [https://journals.sagepub.com/doi/10.1177/1049909120931468?url\\_ver=Z39.88-2003&rfr\\_id=ori:rid:crossref.org&rfr\\_dat=cr\\_pub%3Dpubmed](https://journals.sagepub.com/doi/10.1177/1049909120931468?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3Dpubmed)
  27. Robert R, Stavinoha P, Jones BL, Robinson J, Larson K, Hicklen R, et al. Spiritual assessment and spiritual care offerings as a standard of care in pediatric oncology: A recommendation informed by a systematic review of the literature. *Pediatr Blood Cancer*. 2019;66(9):e27764.
  28. Roikjær SG, Missel M, Bergenholtz HM, Schønau MN, Timm HU. The use of personal narratives in hospital-based palliative care interventions: An integrative literature review. *Palliat Med*. 2019;33(10):1255–71.
  29. Sikstrom L, Saikaly R, Ferguson G, Mosher PJ, Bonato S, Soklaridis S. Being there: A scoping review of grief support training in medical education. *PLoS One* [Internet]. 2019;14(11). Available from: <https://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2019-75181-001&site=ehost-live>
  30. Ter Veer E, van Kleef JJ, Sprangers MAG, Haj Mohammad N, van Oijen MGH, van Laarhoven HWM. Reporting of health-related quality of life in randomized controlled trials involving palliative systemic therapy for esophagogastric cancer: a systematic review. *Gastric Cancer* [Internet]. 2018;21(2):183–95. Available from: [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5846827/pdf/10120\\_2018\\_Article\\_792.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5846827/pdf/10120_2018_Article_792.pdf)
  31. Uitterhoeve RJ, Vernooy M, Litjens M, Potting K, Bensing J, De Mulder P, et al. Psychosocial interventions for patients with advanced cancer - a systematic review of the literature. *Br J Cancer*

- [Internet]. 2004;91(6):1050–62. Available from:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2747689/pdf/91-6602103a.pdf>
32. Vos J, Craig M, Cooper M. Existential therapies: a meta-analysis of their effects on psychological outcomes. *J Consult Clin Psychol*. 2015;83(1):115–28.
  33. Wang CW, Chow AY, Chan CL. The effects of life review interventions on spiritual well-being, psychological distress, and quality of life in patients with terminal or advanced cancer: A systematic review and meta-analysis of randomized controlled trials. *Palliat Med*. 2017;31(10):883–94.
  34. Warth M, Kessler J, Koehler F, Aguilar-Raab C, Bardenheuer HJ, Ditzen B. Brief psychosocial interventions improve quality of life of patients receiving palliative care: A systematic review and meta-analysis. *Palliat Med*. 2019;33(3):332–45.
  35. Xiao J, Chow KM, Liu Y, Chan CWH. Effects of dignity therapy on dignity, psychological well-being, and quality of life among palliative care cancer patients: A systematic review and meta-analysis. *Psychooncology* [Internet]. 2019;28(9):1791–802. Available from:  
<https://onlinelibrary.wiley.com/doi/abs/10.1002/pon.5162>.
  36. Zimmermann FF, Burrell B, Jordan J. The acceptability and potential benefits of mindfulness-based interventions in improving psychological well-being for adults with advanced cancer: A systematic review. *Complement Ther Clin Pr*. 2018;30:68–78.

## 5 - 3.4 Begeleiden van naasten bij rouw voor en na overlijden

Onderzoeksvraag 3.4: Wat is het effect van rouwbegeleiding en -behandelingen bij normale rouw bij naasten voor en na overlijden?

*Deze onderzoeksvraag en PICO is gebruikt voor module 3.4 Rouwbegeleiding en – behandeling bij volwassen naasten van patiënten in de palliatieve fase en 3.5 Rouwbegeleiding en – behandeling bij minderjarige naasten van patiënten in de palliatieve fase.*

### PICO

P	Naasten van een patiënt in de palliatieve fase en/of na het overlijden.
I	Spirituele begeleiding, psychologische begeleiding of therapie, rouwbegeleiding (bereavement care), nagesprek, herinneringsdienst, lichaamsgerichte therapie en ontspanningsinterventies (zelf of door een therapeut)
C	Gebruikelijke begeleiding/standaard zorg Interventies onderling Geen begeleiding
O	gevoelens van rouw kwaliteit van leven depressie angst distress lijdensdruk

### Zoekstrategie en selectie van studies

Op 18 december 2020 is er een search gedaan in Pubmed en PsycInfo. De zoekstrategie leverde na ontduubelen 241 systematische reviews op. Na de eerste selectie bleven er elf systematische reviews over waarvan de volledige tekst is bekeken. Na het beoordelen van de volledige tekst bleven er twee systematische reviews over [Johannsen 2019; Maass 2020].

### **Zoek strategie**

Systematic Reviews van maximaal 10 jaar oud.

### **Medline via PubMed**

("Bereavement"[Mj] OR bereav\*[tiab] OR grief\*[tiab] OR grieving[tiab] OR mourn\*[tiab])  
AND("Spiritual Therapies"[Mh] OR "Mind-Body Therapies"[Mh] OR "Religion and Psychology"[Mh] OR "Social Support"[Mh] OR "Psychotherapy"[Mh] OR spiritual\*[tiab] OR mind-body[tiab] OR religion[tiab] OR religious[tiab] OR pastoral\*[tiab] OR psychologic\*[ti] OR psychological-support[tiab] OR psychological-care[tiab] OR psychological-intervention\*[tiab] OR meaning-therap\*[tiab] OR acceptance-commitment-therap\*[tiab] OR cognitive-behavior-therap\*[tiab] OR cognitive-behaviour-therap\*[tiab] OR CBT[tiab] OR relaxation-therap\*[tiab] OR breathing-exercis\*[tiab] OR progressive-relax\*[tiab] OR self-hypno\*[tiab] OR hypnosis[tiab] OR family-intervention\*[tiab] OR peer-support\*[tiab] OR support-intervention\*[tiab] OR support-program\*[tiab] OR support-group\*[tiab] OR bereavement-group\*[tiab] OR mindfulness[tiab] OR existential-therap\*[tiab] OR intervention\*[ti] OR therap\*[ti] OR support\*[ti]) AND (systematic review[pt] OR meta-analysis[pt] OR meta-anal\*[tiab] OR metaanal\*[tiab] OR quantitative review[tiab] OR systematic review[tiab] OR methodologic review[tiab] OR systematic[sb] OR "The Cochrane database of systematic reviews"[Jour] NOT (letter[pt] OR comment[pt] OR editorial[pt]))

148

### **PsycInfo**

(DE "Bereavement" OR DE "Grief" OR TI ( bereav\* OR grief\* OR grieving OR mourn\*) OR AB (bereav\* OR grief\* OR grieving OR mourn\*) )

AND (DE "Spiritual Care" OR DE "Grief Counseling" OR DE "Mind Body Therapy" OR DE "Religious Practices" OR DE "Confession (Religion)" OR DE "Faith Healing" OR DE "Meditation" OR DE "Prayer" OR DE "Yoga" OR

DE "Support Groups" OR DE "Group Counseling" OR DE "Self-Help Techniques" OR DE "Social Support" OR DE "Psychotherapy" OR DE "Autogenic Training" OR DE "Brief Psychotherapy" OR DE "Client Centered Therapy" OR DE "Emotion Focused Therapy" OR DE "Existential Therapy" OR DE "Geriatric Psychotherapy" OR DE "Group Psychotherapy" OR DE "Hypnotherapy" OR DE "Individual Psychotherapy" OR DE "Narrative Therapy" OR DE "Psychotherapeutic Counseling" OR DE "Psychotherapeutic Techniques" OR DE "Supportive Psychotherapy" OR DE "Cognitive Behavior Therapy" OR DE "Acceptance and Commitment Therapy" OR DE "Cognitive Processing Therapy" OR TI ( spiritual\* OR mind-body OR religion OR religious OR pastoral\* OR psychologic\* OR "psychological support" OR "psychological care" OR "psychological intervention\*" OR "meaning therap\*" OR "Acceptance Commitment Therap\*" OR "cognitive behavior therap\*" OR "cognitive behaviour therap\*" OR CBT OR "relaxation therap\*" OR "breathing exercis\*" OR "progressive relax\*" OR "self hypno\*" OR hypnosis OR "family intervention\*" OR "peer support\*" OR "support intervention\*" OR "support program\*" OR mindfulness OR "existential therap\*" OR intervention\* OR therap\* OR support\*) OR AB ( spiritual\* OR mind-body OR religion OR religious OR pastoral\* OR "psychological support" OR "psychological care" OR "psychological intervention\*" OR "meaning therap\*" OR "Acceptance Commitment Therap\*" OR "cognitive behavior therap\*" OR "cognitive behaviour therap\*" OR CBT OR "relaxation therap\*" OR "breathing exercis\*" OR "progressive relax\*" OR "self hypno\*" OR hypnosis OR "family intervention\*" OR "peer support\*" OR "support intervention\*" OR "support program\*" OR mindfulness OR "existential therap\*" )

AND ((TI (systematic\* n3 review\*) or (AB (systematic\* n3 review\*)) or (TI (systematic\* n3 bibliographic\*)) or (AB (systematic\* n3 bibliographic\*)) or (TI (systematic\* n3 literature)) or (AB (systematic\* n3 literature)) or (TI (comprehensive\* n3 literature)) or (AB (comprehensive\* n3 literature)) or (TI (comprehensive\* n3 bibliographic\*)) or (AB (comprehensive\* n3 bibliographic\*)) or (TI (integrative n3 review)) or (AB (integrative n3 review)) or (JN "Cochrane Database of Systematic Reviews") or (TI (information n2 synthesis)) or (TI (data n2 synthesis)) or (AB (information n2 synthesis)) or (AB (data n2 synthesis)) or (TI (data n2 extract\*)) or (AB (data n2 extract\*)) or (TI (medline or pubmed or psyclit or cinahl or (psycinfo not "psycinfo database") or "web of science" or scopus or embase)) or (AB (medline or pubmed or psyclit or cinahl or (psycinfo not "psycinfo database") or "web of science" or scopus or embase)) or (MH "Systematic Review") or (MH "Meta Analysis") or (TI (meta-analy\* or metaanaly\*)) or (AB (meta-analy\* or metaanaly\*)))

149

### Ontdubbeling

148+149=297 referenties geïmporteerd in Endnote, 56 dubbelen verwijderd -->241 resultaten

### Zoek resultaten

In de search strategie werden 241 systematic reviews geïdentificeerd (hits verschillend databases: 148+149=297 referenties geïmporteerd in Endnote, 56 dubbelen verwijderd). Na de eerste selectie bleven er tien systematische reviews over. Na het beoordelen van de volledige tekst van deze reviews bleven er twee reviews over (36–37). In tabel 2 is de reden voor exclusie van zeven reviews. Reviews waar geen meta-analyse (MA) is gedaan hadden, naast RCT's, ook andere type designs geïncludeerd.

Tabel 1 Overzicht van geëxcludeerde studies gebaseerd op de beoordeling van de volledige tekst

Studie	Reden voor exclusie
Ahluwalia [2018]	Geen MA
Bergman [2017]	Geen MA
Brooks [2018]	Patiëntengroep matchet niet
Dias [2019]	Geen MA
Robinson [2019]	Geen MA
Rosner [2010]	Te oud
Wagner [2020]	Patiëntengroep met gecompliceerde rouw
Wilson [2017]	Geen MA

### Referenties

1. Ahluwalia SC, Chen C, Raaen L, Motala A, Walling AM, Chamberlin M, et al. A Systematic Review in Support of the National Consensus Project Clinical Practice Guidelines for Quality Palliative Care, Fourth Edition. J Pain Symptom Manag. 2018;56(6):831–70.
2. Bergman AS, Axberg U, Hanson E. When a parent dies - a systematic review of the effects of support programs for parentally bereaved children and their caregivers. BMC Palliat Care [Internet].

- 2017;16(1):39. Available from:  
[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5553589/pdf/12904\\_2017\\_Article\\_223.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5553589/pdf/12904_2017_Article_223.pdf)
3. Brooks D, Fielding E, Beattie E, Edwards H, Hines S. Effectiveness of psychosocial interventions on the psychological health and emotional well-being of family carers of people with dementia following residential care placement: a systematic review. *JB I Database Syst Rev Implement Rep*. 2018;16(5):1240–68.
  4. Dias N, Hendricks-Ferguson VL, Wei H, Boring E, Sewell K, Haase JE. A Systematic Literature Review of the Current State of Knowledge Related to Interventions for Bereaved Parents. *Am J Hosp Palliat Care* [Internet]. 2019;36(12):1124–33. Available from:  
[https://journals.sagepub.com/doi/10.1177/1049909119858931?url\\_ver=Z39.88-2003&rfr\\_id=ori:rid:crossref.org&rfr\\_dat=cr\\_pub%3Dpubmed](https://journals.sagepub.com/doi/10.1177/1049909119858931?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3Dpubmed)
  5. Robinson C, Pond R. Do online support groups for grief benefit the bereaved? Systematic review of the quantitative and qualitative literature. *Comput Human Behav* [Internet]. 2019;100:48–59. Available from: <https://search.ebscohost.com/login.aspx?direct=true&db=psyh&AN=2019-50234-006&site=ehost-live> R.L.Pond@massey.ac.nz ceit.robinson@gmail.com
  6. Rosner R, Kruse J, Hagl M. A meta-analysis of interventions for bereaved children and adolescents. *Death Stud* [Internet]. 2010;34(2):99–136. Available from:  
<https://www.tandfonline.com/doi/full/10.1080/07481180903492422>
  7. Wagner B, Rosenberg N, Hofmann L, Maass U. Web-Based Bereavement Care: A Systematic Review and Meta-Analysis. *Front Psychiatry* [Internet]. 2020;11:525. Available from:  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7327548/pdf/fpsy-11-00525.pdf>
  8. Wilson S, Toye C, Aoun S, Slatyer S, Moyle W, Beattie E. Effectiveness of psychosocial interventions in reducing grief experienced by family carers of people with dementia: a systematic review. *JB I Database Syst Rev Implement Rep*. 2017;15(3):809–39.

