

Laatst gewijzigd: 2019-05-09 Verantwoording: IKNL Versie: 3.0 Type: Landelijke richtlijn

**Uitgangsvraag 1: Psycho-educatie** Wat zijn de effecten van psycho-educatie in vergelijking met geen psycho-educatie op vermoeidheid, kwaliteit van leven en (fysiek) functioneren bij patiënten met vermoeidheid bij kanker in de palliatieve fase?

<b>Patiënten</b>	Patiënten met vermoeidheid bij kanker in de palliatieve fase
<b>Interventie</b>	Psycho-educatie, psycho-education, nursing intervention, energy conservation
<b>Comparator</b>	Geen psycho-educatie, geen niet-nursing interventie met potentieel effect op de outcome measurements, geen energy conservation
<b>Outcome</b>	Vermoeidheid, kwaliteit van leven, (fysiek) functioneren

**Zoek strategieën:**

Pubmed

(Cancer[TIAB] OR cancer[OT] OR neoplasms[Mesh] OR adenocarcinoma[TIAB] OR adenocarcinoma\*[TIAB] OR adenosarcoma[TIAB] OR adenosarcoma\*[TIAB] OR antineoplastic[TIAB] OR carcinoid[TIAB] OR carcinoid\*[TIAB] OR carcinoma[TIAB] OR carcinoma\*[TIAB] OR glioblastoma[TIAB] OR glioblastoma\*[TIAB] OR glioma[TIAB] OR glioma\*[TIAB] OR Hodgkin[TIAB] OR Hodgkin\*[TIAB] OR leukaemia[TIAB] OR leukaemi\*[TIAB] OR leukemia[TIAB] OR leukemi\*[TIAB] OR lymphoma[TIAB] OR lymphoma\*[TIAB] OR malignan\*[TIAB] OR melanoma[TIAB] OR melanoma\*[TIAB] OR metastasis[TIAB] OR metastatic[TIAB] OR myelodysplas\*[TIAB] OR myeloma[TIAB] OR myeloma\*[TIAB] OR neoplasia[TIAB] OR neoplasia\*[TIAB] OR neoplasm[TIAB] OR neoplasm\*[TIAB] OR nonseminoma\*[TIAB] OR oncology[TIAB] OR osteosarcoma[TIAB] OR osteosarcoma\*[TIAB] OR sarcoma[TIAB] OR sarcoma\*[TIAB] OR seminoma\*[TIAB] OR teratoma\*[TIAB] OR tumor[TIAB] OR tumour[TIAB] OR tumour\*[TIAB] OR waldenstrom\*[TIAB]) AND ((Palliative Care"[Mesh] OR "Palliative Medicine"[Mesh] OR "Terminal Care"[Mesh] OR "Hospice Care"[Mesh] OR Palliat\*[TIAB] OR palliative[TIAB] OR "palliative care"[TIAB] OR palliation[TIAB] OR palliate[TIAB] OR palliating[TIAB] OR hospice[TIAB] OR "hospice care"[TIAB] OR "terminal care"[TIAB] OR terminal[TIAB] OR terminally[TIAB] OR "end-of-life"[TIAB] OR "end stage"[TIAB] OR Hospices[TIAB] OR "Respite care"[TIAB]) OR (fatigue[TIAB] OR fatigue[Mesh])) AND ((psycho-education" OR "Patient Education as Topic"[Mesh] OR "nursing intervention"[TIAB] OR behavior\*[TIAB] OR behaviour\*[TIAB] OR "Nursing Process/education"[Mesh] OR "energy conservation"[TIAB] OR "Conservation of Energy Resources"[Mesh] OR teaching[Mesh] OR education[Mesh] OR self-care[Mesh] OR "self-management"[TIAB] OR "self-help"[TIAB] OR "empowerment"[TIAB] OR "Patient Participation"[Mesh] OR ((teach[TIAB] OR teaching[TIAB] OR train[TIAB] OR training[TIAB] OR advice[TIAB]) AND (strategy[TIAB] OR strategies[TIAB] OR program[TIAB] OR programs[TIAB] OR session[TIAB] OR sessions[TIAB]))) AND ("Clinical Trial"[PT>NoExp] OR "clinical trial, phase i"[pt] OR "clinical trial, phase ii"[pt] OR "clinical trial, phase iii"[pt] OR "clinical trial, phase iv"[pt] OR "controlled clinical trial"[pt] OR "multicenter study"[pt] OR "randomized controlled trial"[pt] OR "Clinical Trials as Topic"[mesh:noexp] OR "clinical trials, phase i as topic"[MeSH Terms:noexp] OR "clinical trials, phase ii as topic"[MeSH Terms:noexp] OR "clinical trials, phase iii as topic"[MeSH Terms:noexp] OR "clinical trials, phase iv as topic"[MeSH Terms:noexp] OR "controlled clinical trials as topic"[MeSH Terms:noexp] OR "randomized controlled trials as topic"[MeSH Terms:noexp] OR "early termination of clinical trials"[MeSH Terms:noexp] OR "multicenter studies as topic"[MeSH Terms:noexp] OR "Double-Blind Method"[Mesh] OR ((randomised[TIAB] OR randomized[TIAB]) AND (trial[TIAB] OR trials[TIAB])) OR ((single[TIAB] OR double[TIAB] OR doubled[TIAB] OR triple[TIAB] OR tripled[TIAB] OR treble[TIAB]) AND (blind\*[TIAB] OR mask\*[TIAB])) OR ("4 arm"[tiab] OR "four arm"[tiab] OR (systematic\*[tiab] AND (bibliographic\*[TIAB] OR literature[tiab] OR review[tiab] OR reviewed[tiab] OR reviews[tiab]))) OR (comprehensive\*[TIAB] AND (bibliographic\*[TIAB] OR literature[tiab])) OR "cochrane database syst rev"[Journal] OR "Evidence report/technology assessment (Summary)"[journal] OR "Evidence report/technology assessment"[journal] OR "integrative literature review"[tiab] OR "integrative research review"[tiab] OR "integrative review"[tiab] OR "research synthesis"[tiab] OR "research integration"[tiab] OR cinahl[tiab] OR embase[tiab] OR medline[tiab] OR psyclit[tiab] OR (psycinfo[tiab] NOT "psycinfo database"[tiab]) OR pubmed[tiab] OR scopus[tiab] OR "web of science"[tiab] OR "data synthesis"[tiab] OR meta-analys\*[tiab] OR meta-analyz\*[tiab] OR meta-analyt\*[tiab] OR metaanalys\*[tiab] OR metaanalyz\*[tiab] OR metaanalyt\*[tiab] OR "meta-analysis as topic"[MeSH:noexp] OR Meta-Analysis[ptyp] OR ((review[tiab] AND (rationale[tiab] OR evidence[tiab])) AND review[pt])))

CINAHL

(TI Cancer OR AB Cancer OR MH neoplasms OR TI adenocarcinoma OR AB adenocarcinoma OR TI adenocarcinoma\* OR AB adenocarcinoma\* OR TI adenosarcoma OR AB adenosarcoma OR TI adenosarcoma\* OR AB adenosarcoma\* OR TI antineoplastic OR AB antineoplastic OR TI carcinoid OR AB carcinoid OR TI carcinoid\* OR AB carcinoid\* OR TI carcinoma OR AB carcinoma OR TI carcinoma\* OR AB carcinoma\* OR TI glioblastoma OR AB glioblastoma OR TI glioblastoma\* OR AB glioblastoma\* OR TI glioma OR AB glioma OR TI glioma\* OR AB glioma\* OR TI Hodgkin OR AB Hodgkin OR TI Hodgkin\* OR AB Hodgkin\* OR TI leukaemia OR AB leukaemia OR TI leukaemi\* OR AB leukaemi\* OR TI leukemia OR AB leukemia OR TI leukemi\* OR AB leukemi\* OR TI lymphoma OR AB lymphoma OR TI lymphoma\* OR AB lymphoma\* OR TI malignan\* OR AB malignan\* OR TI melanoma OR AB melanoma OR TI melanoma\* OR AB melanoma\* OR TI metastasis OR AB metastasis OR TI metastatic OR AB metastatic OR TI myelodysplas\* OR AB myelodysplas\* OR TI myeloma OR AB myeloma OR TI myeloma\* OR AB myeloma\* OR TI neoplasia OR AB neoplasia OR TI neoplasia\* OR AB neoplasia\* OR TI neoplasm OR AB neoplasm OR TI neoplasm\* OR AB neoplasm\* OR TI nonseminoma\* OR AB nonseminoma\* OR TI oncology OR AB oncology OR TI osteosarcoma OR AB osteosarcoma OR TI osteosarcoma\* OR AB osteosarcoma\* OR TI sarcoma OR AB sarcoma OR TI sarcoma\* OR AB sarcoma\* OR TI seminoma\* OR AB seminoma\* OR TI teratoma\* OR AB teratoma\* OR TI tumor OR AB tumor OR TI tumour OR AB tumour OR TI tumour\* OR AB tumour\* OR TI waldenstrom\* OR AB waldenstrom\*) AND ((MH "Palliative Care" OR MH "Palliative Medicine" OR MH "Terminal Care" OR MH "Hospice Care" OR TI Palliat\* OR AB Palliat\* OR TI palliative OR AB palliative OR TI "palliative care" OR AB "palliative care" OR TI palliation OR AB palliation OR TI palliate OR AB palliate OR TI palliating OR AB palliating OR TI hospice OR AB hospice OR TI "hospice care" OR AB "hospice care" OR TI "terminal care" OR AB "terminal care" OR TI terminal OR AB terminal OR TI terminally OR AB terminally OR TI "end-of-life" OR AB "end-of-life" OR TI "end stage" OR AB "end stage" OR TI Hospices OR AB Hospices OR TI "Respite care" OR AB "Respite care") OR (TI fatigue OR AB fatigue OR MH fatigue)) AND (TI "psycho-education" OR AB "psycho-education" OR MH "Patient Education as Topic" OR TI "nursing intervention" OR AB "nursing intervention" OR TI behavior\* OR AB behavior\* OR TI behaviour\* OR AB behaviour\* OR MH "Nursing Process/education" OR TI "energy conservation" OR AB "energy conservation" OR MH "Conservation of Energy Resources" OR MH teaching OR MH education OR MH self-care OR TI "self-management" OR AB "self-management" OR TI "self-help" OR AB "self-help" OR TI "empowerment" OR AB "empowerment" OR MH "Patient Participation" OR ((TI teach OR AB teach OR TI teaching OR AB teaching OR TI train OR AB train OR TI training OR AB training OR TI advice OR AB advice) AND (TI strategy OR AB strategy OR TI strategies OR AB strategies OR TI program OR AB program OR TI programs OR AB programs OR TI session OR AB session OR TI sessions OR AB sessions))) AND (PT "Clinical Trial" OR MH "Clinical Trials as Topic" OR MH "clinical trials, phase i as topic" OR MH "clinical trials, phase ii as topic" OR MH "clinical trials, phase iii as topic" OR MH "clinical trials, phase iv as topic" OR MH "controlled clinical trials as topic" OR MH "randomized controlled trials as topic" OR MH "early termination of clinical trials" OR MH "multicenter studies as topic" OR MH "Double-Blind Method" ((TI randomised OR AB randomised OR TI randomized OR AB randomized) AND (TI trial OR AB trial OR TI trials OR AB trials)) OR ((TI single OR AB single OR TI double OR AB double OR TI doubled OR AB triple OR AB triple OR TI tripled OR AB tripled OR TI treble OR AB treble) AND (TI blind\* OR AB blind\* OR TI mask\* OR AB mask\*)) OR TI "4 arm" OR AB "4 arm" OR TI "four arm" OR AB "four arm" OR ((TI systematic\* OR AB systematic\*) AND (TI bibliographic\* OR AB bibliographic\* OR TI literature OR AB literature OR TI review OR AB review OR TI reviewed OR AB reviewed OR TI reviews OR AB reviews)) OR ((TI comprehensive\* OR AB comprehensive\*) AND (TI bibliographic\* OR AB bibliographic\* OR TI literature OR AB literature)) OR "cochrane database syst rev" OR "Evidence report/technology assessment" OR TI "integrative literature review" OR AB "integrative literature review" OR TI "integrative research review" OR AB "integrative research review" OR TI "integrative review" OR AB "integrative review" OR TI "research synthesis" OR AB "research synthesis" OR TI "research integration" OR AB "research integration" OR AB cinahl OR AB embase OR AB medline OR AB psyclit OR AB psycinfo OR AB pubmed OR AB scopus OR AB "web of science" OR TI "data synthesis" OR AB "data synthesis" OR TI meta-analys\* OR AB meta-analys\* OR TI meta-analyz\* OR AB meta-analyz\* OR TI meta-analyt\* OR AB meta-analyt\* OR TI metaanalys\* OR AB metaanalys\* OR TI metaanalyz\* OR AB metaanalyz\* OR TI metaanalyt\* OR AB metaanalyt\* OR MH "meta-analysis as topic" OR (((TI review OR AB review) AND (TI rationale OR AB rationale OR TI evidence OR AB evidence))))

PsyInfo

(Cancer OR neoplasms.mh. OR adenocarcinoma OR adenocarcinoma\* OR adenosarcoma OR adenosarcoma\* OR antineoplastic OR carcinoid OR carcinoid\* OR carcinoma OR carcinoma\* OR glioblastoma OR glioblastoma\* OR glioma OR glioma\* OR Hodgkin OR Hodgkin\* OR leukaemia OR

leukaemi\* OR leukemia OR leukemi\* OR lymphoma OR lymphoma\* OR malignan\* OR melanoma OR melanoma\* OR metastasis OR metastatic OR myelodysplas\* OR myeloma OR myeloma\* OR neoplasia OR neoplasia\* OR neoplasm OR neoplasm\* OR nonseminoma\* OR oncology OR osteosarcoma OR osteosarcoma\* OR sarcoma OR sarcoma\* OR seminoma\* OR teratoma\* OR tumor OR tumour OR tumour\* OR waldenstrom\*) AND (Palliative Care.mh. OR Palliative Medicine.mh. OR Terminal Care.mh. OR Hospice Care.mh. OR Palliat\* OR palliative OR palliative care OR palliation OR palliate OR palliating OR hospice OR hospice care OR terminal care OR terminal OR terminally OR end-of-life OR end stage OR Hospices OR Respite care OR fatigue OR fatigue.mh.) AND (psycho-education.mh. OR Patient Education as Topic.mh. OR nursing intervention.ti. OR nursing intervention.ab. OR behavior\*.ti. OR behavior\*.ab. OR behaviour\*.ti. OR behaviour\*.ab. OR Nursing Process.mh. OR energy conservation.ti. OR energy conservation.ab. OR Conservation of Energy Resources.mh. OR teaching.mh. OR education.mh. OR self-care.mh. OR self-management.ti. OR self-management.ab. OR self-help.ti. OR self-help.ab. OR empowerment.ti. OR empowerment.ab. OR Patient Participation.mh. OR ((teach.ti. OR teach.ab. OR teaching.ti. OR teaching.ab. OR train.ti. OR train.ab. OR training.ti. OR training.ab. OR advice.ti. OR advice.ab.) AND (strategy.ti. OR strategy.ab. OR strategies.ti. OR strategies.ab. OR program.ti. OR program.ab. OR programs.ti. OR programs.ab. OR session.ti. OR session.ab. OR sessions.ti. OR sessions.ab.)) AND (clinical trials, phase i as topic.mh. OR Clinical Trial.mh. OR Clinical Trials as Topic.mh. OR clinical trials, phase ii as topic.mh. OR clinical trials, phase iii as topic.mh. OR clinical trials, phase iv as topic.mh. OR controlled clinical trials as topic.mh. OR randomized controlled trials as topic.mh. OR early termination of clinical trials.mh. OR multicenter studies as topic.mh. OR Double-Blind Method.mh. OR ((randomised.ti. OR randomized.ti.) AND (trial.ti. OR trials.ti.)) OR ((randomised.ab. OR randomized.ab.) AND (trial.ab. OR trials.ab.)) OR ((single.ab. OR double.ab. OR doubled.ab. OR triple.ab. OR tripled.ab. OR treble.ab.) AND (blind\*.ab. OR mask\*.ab.)) OR ((single.ab. OR double.ab. OR doubled.ab. OR triple.ab. OR tripled.ab. OR treble.ab.) AND (blind\*.ab. OR mask\*.ab.)) OR 4 arm.ti. OR four arm.ti. OR 4 arm.ti. OR four arm.ti. OR (systematic.ti. AND (bibliographic\*.ti. OR literature.ti. OR review.ti OR reviewed.ti OR reviews.ti.)) OR (systematic.ab. AND (bibliographic\*.ab. OR literature.ab. OR review.ab. OR reviewed.ab. OR reviews.ab.)) OR (comprehensive\*.ti. AND (bibliographic\*.ti. OR literature.ti.)) OR (comprehensive\*.ab. AND (bibliographic\*.ab. OR literature.ab.)) OR cochrane database syst rev.jn. OR Evidence reporttechnology assessment.jn. OR integrative literature review.ti OR integrative literature review.ab. OR integrative research review.ti. OR integrative research review.ab. OR integrative review.ti. OR integrative review.ab. OR research synthesis.ti OR research synthesis.ab. OR research integration.ti. OR research integration.ab. OR cinahl.ab. OR Embase.ab. OR medline.ab. OR psyclit.ab. OR psycinfo.ab. OR pubmed.ab. OR scopus.ab. OR web of science.ab. OR data synthesis.ti. OR data synthesis.ab. OR meta-analys\*.ti OR meta-analys\*.ab. OR meta-analyz\*.ti. OR meta-analyz\*.ab. OR meta-analyt\*.ti. OR meta-analyt\*.ab. OR metaanalys\*.ti. OR metaanalys\*.ab. OR metaanalyz\*.ti. OR metaanalyz\*.ab. OR metaanalyt\*.ti. OR metaanalyt\*.ab. OR meta-analysis as topic.mh. OR (review.ti AND (rationale.ti. OR evidence.ti.)) OR (review.ab. AND (rationale.ab. OR evidence.ab.)))

Cochrane

((Cancer OR neoplasms OR adenocarcinoma OR adenocarcinoma\* OR adenosarcoma OR adenosarcoma\* OR anneoplas OR carcinoid OR carcinoid\* OR carcinoma OR carcinoma\* OR glioblastoma OR glioblastoma\* OR glioma OR glioma\* OR Hodgkin OR Hodgkin\* OR leukaemia OR leukaemi\* OR leukemia OR leukemi\* OR lymphoma OR lymphoma\* OR malignan\* OR melanoma OR melanoma\* OR metastasis OR metastac OR myelodysplas\* OR myeloma OR myeloma\* OR neoplasia OR neoplasia\* OR neoplasm OR neoplasm\* OR nonseminoma\* OR oncology OR osteosarcoma OR osteosarcoma\* OR sarcoma OR sarcoma\* OR seminoma\* OR teratoma\* OR tumor OR tumour OR tumour\* OR waldenstrom\*):ti,ab,kw) AND (("Palliative Care" OR "Palliative Medicine" OR "Terminal Care" OR "Hospice Care" OR Palliat\* OR palliative OR "palliative care" OR palliation OR palliate OR palliate OR palliating OR hospice OR "hospice care" OR "terminal care" OR terminal OR terminally OR "end-of-life" OR "end stage" OR Hospices OR "Respite care") OR (fatigue OR fatigue)):ti,ab,kw) AND ("psycho-education" or "Patient Education as Topic" or "nursing intervention" or behavior\* or behaviour\* or "Nursing Process/education" or "energy conservation" or "Conservation of Energy Resources" or teaching or education or self-care or "self-management" OR "self-help" or "empowerment" or "Patient Participation" OR ((teach or teaching or train or training or advice) and (strategy or strategies or program or programs or session or sessions))):ti,ab,kw

CINAHL

Zoekdatum 20 sept 2017

1. (TI Cancer OR AB Cancer OR MH neoplasms OR TI adenocarcinoma OR AB adenocarcinoma OR TI adenocarcinoma\* OR AB adenocarcinoma\* OR TI adenosarcoma OR AB adenosarcoma OR TI adenosarcoma\* OR AB adenosarcoma\* OR TI antineoplastic OR AB antineoplastic OR TI carcinoid OR AB carcinoid OR TI carcinoid\* OR AB carcinoid\* OR TI carcinoma OR AB carcinoma OR TI carcinoma\* OR AB carcinoma\* OR TI glioblastoma OR AB glioblastoma OR TI glioblastoma\* OR AB glioblastoma\* OR TI glioma OR AB glioma OR TI glioma\* OR AB glioma\* OR TI Hodgkin OR AB Hodgkin OR TI Hodgkin\* OR AB Hodgkin\* OR TI leukaemia OR AB leukaemia OR TI leukaemi\* OR AB leukaemi\* OR TI leukemia OR AB leukemia OR TI leukemi\* OR AB lymphoma OR AB lymphoma OR TI lymphoma\* OR AB lymphoma\* OR TI malignan\* OR AB malignan\* OR TI melanoma OR AB melanoma OR TI melanoma\* OR AB melanoma\* OR TI metastasis OR AB metastasis OR TI metastatic OR AB metastatic OR TI myelodysplas\* OR AB myelodysplas\* OR TI myeloma OR AB myeloma OR TI myeloma\* OR AB myeloma\* OR TI neoplasia OR AB neoplasia OR TI neoplasia\* OR AB neoplasia\* OR TI neoplasm OR AB neoplasm OR TI neoplasm\* OR AB neoplasm\* OR TI nonseminoma\* OR AB nonseminoma\* OR TI oncology OR AB oncology OR TI osteosarcoma OR AB osteosarcoma OR TI osteosarcoma\* OR AB osteosarcoma\* OR TI sarcoma OR AB sarcoma OR TI sarcoma\* OR AB sarcoma\* OR TI seminoma\* OR AB seminoma\* OR TI teratoma\* OR AB teratoma\* OR TI tumor OR AB tumor OR TI tumour OR AB tumour OR TI tumour\* OR AB tumour\* OR TI waldenstrom\* OR AB waldenstrom\*)  
249,767
2. ((MH "Palliative Care" OR MH "Palliative Medicine" OR MH "Terminal Care" OR MH "Hospice Care" OR TI Palliat\* OR AB Palliat\* OR TI palliative OR AB palliative OR TI "palliative care" OR AB "palliative care" OR TI palliation OR AB palliation OR TI palliate OR AB palliate OR TI palliating OR AB palliating OR TI hospice OR AB hospice OR TI "hospice care" OR AB "hospice care" OR TI "terminal care" OR AB "terminal care" OR TI terminal OR AB terminal OR TI terminally OR AB terminally OR TI "end-of-life" OR AB "end-of-life" OR TI "end stage" OR AB "end stage" OR TI Hospices OR AB Hospices OR TI "Respite care" OR AB "Respite care") OR (TI fatigue OR AB fatigue OR MH fatigue)) 84,030
3. (TI "psycho-education" OR AB "psycho-education" OR MH "Patient Education as Topic" OR TI "nursing intervention" OR AB "nursing intervention" OR TI behavior\* OR AB behavior\* OR TI behaviour\* OR AB behaviour\* OR MH "Nursing Process/education" OR TI "energy conservation" OR AB "energy conservation" OR MH "Conservation of Energy Resources" OR MH teaching OR MH education OR MH self-care OR TI "self-management" OR AB "self-management" OR TI "self-help" OR AB "self-help" OR TI "empowerment" OR AB "empowerment" OR MH "Patient Participation" OR ((TI teach OR AB teach OR TI teaching OR AB teaching OR TI train OR AB train OR TI training OR AB training OR TI advice OR AB advice) AND (TI strategy OR AB strategy OR TI strategies OR AB strategies OR TI program OR AB program OR TI programs OR AB programs OR TI session OR AB session OR TI sessions OR AB sessions))) 201,433(filter studies: 128, is te weinig en niet gebruikt)
4. 1 AND 2 AND 3 1, 059

PsyInfo:

Zoekdatum: 20 sept 2017

1. (Cancer OR neoplasms.mh. OR adenocarcinoma OR adenocarcinoma\* OR adenosarcoma OR adenosarcoma\* OR antineoplastic OR carcinoid OR carcinoid\* OR carcinoma OR carcinoma\* OR glioblastoma OR glioblastoma\* OR glioma OR glioma\* OR Hodgkin OR Hodgkin\* OR leukaemia OR leukaemi\* OR leukemia OR leukemi\* OR lymphoma OR lymphoma\* OR malignan\* OR melanoma OR melanoma\* OR metastasis OR metastatic OR myelodysplas\* OR myeloma OR myeloma\* OR neoplasia OR neoplasia\* OR neoplasm OR neoplasm\* OR nonseminoma\* OR oncology OR osteosarcoma OR osteosarcoma\* OR sarcoma OR sarcoma\* OR seminoma\* OR teratoma\* OR tumor OR tumour OR tumour\* OR waldenstrom\*) 75,102
2. (Palliative Care.mh. OR Palliative Medicine.mh. OR Terminal Care.mh. OR Hospice Care.mh. OR Palliat\* OR palliative OR palliative care OR palliation OR palliate OR palliating OR hospice OR hospice care OR terminal care OR terminal OR terminally OR end-of-life OR end stage OR Hospices OR Respite care OR fatigue OR fatigue.mh.) 60,312
3. (psycho-education.mh. OR Patient Education as Topic.mh. OR nursing intervention.ti. OR nursing intervention.ab. OR behavior\*.ti. OR behavior\*.ab. OR behaviour\*.ti. OR behaviour\*.ab. OR Nursing Process.mh. OR energy conservation.ti. OR energy

- conservation.ab. OR Conservation of Energy Resources.mh. OR teaching.mh. OR education.mh. OR self-care.mh. OR self-management.ti. OR self-management.ab. OR self-help.ti. OR self-help.ab. OR empowerment.ti. OR empowerment.ab. OR Patient Participation.mh. OR ((teach.ti. OR teach.ab. OR teaching.ti. OR teaching.ab. OR train.ti. OR train.ab. OR training.ti. OR training.ab. OR advice.ti. OR advice.ab.) AND (strategy.ti. OR strategy.ab. OR strategies.ti. OR strategies.ab. OR program.ti. OR program.ab. OR programs.ti. OR programs.ab. OR session.ti. OR session.ab. OR sessions.ti. OR sessions.ab.))) 956,523
4. (clinical trials, phase i as topic.mh. OR Clinical Trial.mh. OR Clinical Trials as Topic.mh. OR clinical trials, phase ii as topic.mh. OR clinical trials, phase iii as topic.mh. OR clinical trials, phase iv as topic.mh. OR controlled clinical trials as topic.mh. OR randomized controlled trials as topic.mh. OR early termination of clinical trials.mh. OR multicenter studies as topic.mh. OR Double-Blind Method.mh. OR ((randomised.ti. OR randomized.ti.) AND (trial.ti. OR trials.ti.)) OR ((randomised.ab. OR randomized.ab.) AND (trial.ab. OR trials.ab.)) OR ((single.ab. OR double.ab. OR doubled.ab. OR triple.ab. OR tripled.ab. OR treble.ab.) AND (blind\*.ab. OR mask\*.ab.)) OR ((single.ab. OR double.ab. OR doubled.ab. OR triple.ab. OR tripled.ab. OR treble.ab.) AND (blind\*.ab. OR mask\*.ab.)) OR 4 arm.ti. OR four arm.ti. OR 4 arm.ti. OR four arm.ti. OR (systematic.ti. AND (bibliographic\*.ti. OR literature.ti. OR review.ti. OR reviewed.ti. OR reviews.ti.)) OR (systematic.ab. AND (bibliographic\*.ab. OR literature.ab. OR review.ab. OR reviewed.ab. OR reviews.ab.)) OR (comprehensive\*.ti. AND (bibliographic\*.ti. OR literature.ti.)) OR (comprehensive\*.ab. AND (bibliographic\*.ab. OR literature.ab.)) OR cochrane database syst rev.jn. OR Evidence reporttechnology assessment.jn. OR integrative literature review.ti OR integrative literature review.ab. OR integrative research review.ti. OR integrative research review.ab. OR integrative review.ti. OR integrative review.ab. OR research synthesis.ti OR research synthesis.ab. OR research integration.ti. OR research integration.ab. OR cinahl.ab. OR Embase.ab. OR medline.ab. OR psyclit.ab. OR psycinfo.ab. OR pubmed.ab. OR scopus.ab. OR web of science.ab. OR data synthesis.ti. OR data synthesis.ab. OR meta-analys\*.ti OR meta-analys\*.ab. OR meta-analyz\*.ti. OR meta-analyz\*.ab. OR meta-analyt\*.ti. OR meta-analyt\*.ab. OR metaanalyz\*.ti. OR metaanalyz\*.ab. OR metaanalyt\*.ti. OR metaanalyt\*.ab. OR meta-analysis as topic.mh. OR (review.ti AND (rationale.ti. OR evidence.ti.)) OR (review.ab. AND (rationale.ab. OR evidence.ab.))) 4,115,670
5. 1 AND 2 AND 3 AND 4 1222

**Uitgangsvraag 2: Corticosteroïden** Wat is het effect van corticosteroïden (dexamethason, predniso(lo)n, methylprednisolon) op vermoeidheid, kwaliteit van leven en functioneren ten opzichte van placebo, geen behandeling of andere (medicamenteuze) behandeling bij patiënten met vermoeidheid bij kanker in de palliatieve fase?

**Patiënten** Patiënten met vermoeidheid bij kanker in de palliatieve fase  
**Interventie** Corticosteroïden, dexamethason, predniso(lo)n methylprednisolon  
**Comparator** Placebo, geen behandeling of andere (medicamenteuze) behandeling  
**Outcome** Vermoeidheid, kwaliteit van leven, functioneren

**Uitgangsvraag 3: Psychostimulantia** Wat is het effect van psychostimulantia op vermoeidheid, kwaliteit van leven en functioneren ten opzichte van placebo, geen behandeling of andere (medicamenteuze) behandeling bij patiënten met vermoeidheid bij kanker in de palliatieve fase?

**Patiënten** Patiënten met vermoeidheid bij kanker in de palliatieve fase  
**Interventie** Psychostimulantia, methylfenidaat, dexamfetamine, modafinil  
**Comparator** Placebo, geen behandeling of andere (medicamenteuze) behandeling  
**Outcome** Vermoeidheid, kwaliteit van leven, functioneren

**Uitgangsvraag 4: Antidepressiva** Wat is het effect van antidepressiva op vermoeidheid, kwaliteit van leven, functioneren ten opzichte van placebo, geen behandeling of andere (medicamenteuze) behandeling bij patiënten met vermoeidheid bij kanker in de palliatieve fase?

**Patiënten** Patiënten met vermoeidheid bij kanker in de palliatieve fase  
**Interventie** Antidepressiva, paroxetine, of andere (selectieve) serotonineheropnameremmer (SSRI)  
**Comparator** Placebo, geen behandeling of andere (medicamenteuze) behandeling

**Outcome** Vermoeidheid, kwaliteit van leven, functioneren

## Zoekstrategieën:

## PubMed

(Cancer[TIAB] OR cancer[OT] OR neoplasms[Mesh] OR adenocarcinoma[TIAB] OR adenocarcinoma\*[TIAB] OR adenosarcoma[TIAB] OR adenosarcoma\*[TIAB] OR antineoplastic[TIAB] OR carcinoid[TIAB] OR carcinoid\*[TIAB] OR carcinoma[TIAB] OR carcinoma\*[TIAB] OR glioblastoma[TIAB] OR glioblastoma\*[TIAB] OR glioma[TIAB] OR glioma\*[TIAB] OR Hodgkin[TIAB] OR Hodgkin\*[TIAB] OR leukaemia[TIAB] OR leukaemi\*[TIAB] OR leukemias[TIAB] OR leukemi\*[TIAB] OR lymphoma[TIAB] OR lymphoma\*[TIAB] OR malignan\*[TIAB] OR melanoma[TIAB] OR melanoma\*[TIAB] OR metastasis[TIAB] OR metastatic[TIAB] OR myelodysplas\*[TIAB] OR myeloma[TIAB] OR myeloma\*[TIAB] OR neoplasia[TIAB] OR neoplasia\*[TIAB] OR neoplasm[TIAB] OR neoplasm\*[TIAB] OR nonseminoma\*[TIAB] OR oncology[TIAB] OR osteosarcoma[TIAB] OR osteosarcoma\*[TIAB] OR sarcoma[TIAB] OR sarcoma\*[TIAB] OR seminoma\*[TIAB] OR teratoma\*[TIAB] OR tumor[TIAB] OR tumour[TIAB] OR tumour\*[TIAB] OR waldenstrom\*[TIAB]) AND (("Palliative Care"[Mesh] OR "Palliative Medicine"[Mesh] OR "Terminal Care"[Mesh] OR "Hospice Care"[Mesh] OR Palliat\*[TIAB] OR palliative[TIAB] OR "palliative care"[TIAB] OR palliation[TIAB] OR palliate[TIAB] OR palliating[TIAB] OR hospice[TIAB] OR "hospice care"[TIAB] OR "terminal care"[TIAB] OR terminal[TIAB] OR terminally[TIAB] OR "end-of-life"[TIAB] OR "end stage"[TIAB] OR Hospices[TIAB] OR "Respite care"[TIAB] OR (fatigue[TIAB] OR fatigue[Mesh])) AND ("Hematopoietic Cell Growth Factors"[Mesh] OR "Monoamine Oxidase Inhibitors"[Mesh] OR "Serotonin and Noradrenaline Reuptake Inhibitors"[Mesh] OR "Antidepressive Agents, Tricyclic"[Mesh] OR "Prednisolone"[Mesh] OR "aventyl hydrochloride"[TIAB] OR "depression medication"[TIAB] OR "Haematopoietic cell growth factor"[TIAB] OR "haemopoietic growth factors"[TIAB] OR "haemotopoietic growth factor"[TIAB] OR "Monoamine oxidase inhibitors"[TIAB] OR "Norepinephrine reuptake inhibitors"[TIAB] OR "progestational steroids"[TIAB] OR "selective serotonin reuptake inhibitor"[TIAB] OR "Serotonin antagonists and reuptake inhibitors"[TIAB] OR "Serotonin modulators and stimulators"[TIAB] OR "serotonin-norepinephrine reuptake inhibitor"[TIAB] OR "Tetracyclic antidepressants"[TIAB] OR "tricyclic antidepressants"[TIAB] OR Adapin[TIAB] OR Agedal[TIAB] OR Agomelatine[TIAB] OR alertec[TIAB] OR Alnert[TIAB] OR Ambivalon[TIAB] OR amfetamine[TIAB] OR Amfexa[TIAB] OR Amioxid[TIAB] OR Amisulpride[TIAB] OR Amitriptyline[TIAB] OR Amitriptylinoxide[TIAB] OR Amoxapine[TIAB] OR amphetamine[TIAB] OR Anafranil[TIAB] OR antidepressant[TIAB] OR antidepressants[TIAB] OR Aptensio[TIAB] OR Asendin[TIAB] OR aspendos[TIAB] OR Aurorix[TIAB] OR Aventyl[TIAB] OR Axiomin[TIAB] OR Azafen[TIAB] OR Azaphen[TIAB] OR Bifemelane[TIAB] OR Biphenitin[TIAB] OR Bolvidon[TIAB] OR Bupropion[TIAB] OR Celeport[TIAB] OR Cipralex[TIAB] OR citalopram[TIAB] OR Clomipramine[TIAB] OR Concerta[TIAB] OR corticosteroid[TIAB] OR corticosteroid[TIAB] OR Cymbalta[TIAB] OR dapoxetine[TIAB] OR Daytrana[TIAB] OR decadron[TIAB] OR deltasone[TIAB] OR Desipramine[TIAB] OR Desvenlafaxine[TIAB] OR Desyrel[TIAB] OR dexamethason[TIAB] OR dexamethasone[TIAB] OR dexamfetamine[TIAB] OR dexamphetamine[TIAB] OR dexasone[TIAB] OR dexone[TIAB] OR dextro-amfetamine[TIAB] OR dextro-amphetamine[TIAB] OR Dibenzepin[TIAB] OR Dimetacrine[TIAB] OR Dixeran[TIAB] OR Dosulepin[TIAB] OR Doxepin[TIAB] OR duloxetine[TIAB] OR Edronax[TIAB] OR Effexor[TIAB] OR Elamol[TIAB] OR elavil[TIAB] OR Eldepryl[TIAB] OR Elronon[TIAB] OR Emsam[TIAB] OR endep[TIAB] OR Equasym[TIAB] OR Equilibrin[TIAB] OR Escitalopram[TIAB] OR Etonin[TIAB] OR Etoperidone[TIAB] OR Fetzima[TIAB] OR Fluoxetine[TIAB] OR Fluvoxamine[TIAB] OR Gamanil[TIAB] OR glucocorticoid[TIAB] OR Humoryl[TIAB] OR Imipramine[TIAB] OR Inkazan[TIAB] OR Isocarboxazid[TIAB] OR Istonil[TIAB] OR Ixel[TIAB] OR Latuda[TIAB] OR Levomilnacipran[TIAB] OR Lexapro[TIAB] OR Lofepramine[TIAB] OR Lomont[TIAB] OR Lucelan[TIAB] OR Ludiomil[TIAB] OR Lurasidone[TIAB] OR Lustral[TIAB] OR Luvox[TIAB] OR Manerix[TIAB] OR Maprotiline[TIAB] OR Marplan[TIAB] OR Medikinet[TIAB] OR medrol[TIAB] OR Melitracen[TIAB] OR Melixeran[TIAB] OR Metadate[TIAB] OR Metatone[TIAB] OR methylfenidaat[TIAB] OR Methyltin[TIAB] OR methylphenidate[TIAB] OR methylprednisolon[TIAB] OR methylprednisolone[TIAB] OR Metralindole[TIAB] OR Mianserin[TIAB] OR millipred[TIAB] OR Milnacipran[TIAB] OR mirtazapine[TIAB] OR Moclobemide[TIAB] OR modafini[TIAB] OR modavigil[TIAB] OR modiodal[TIAB] OR Nardil[TIAB] OR NaSSA[TIAB] OR Nitroxazepine[TIAB] OR Nogedal[TIAB] OR Norpramin[TIAB] OR nortriilen[TIAB] OR nortriptyline[TIAB] OR Norval[TIAB] OR Noveril[TIAB] OR Noxiptiline[TIAB] OR orapred[TIAB] OR pamelor[TIAB] OR Parnate[TIAB] OR Paroxetine[TIAB] OR Paxil[TIAB] OR pediapred[TIAB] OR Pertofrane[TIAB] OR Phenelzine[TIAB] OR Pipofezine[TIAB] OR Pirazidol[TIAB] OR Pirlindole[TIAB] OR prednicot[TIAB] OR prednisolon[TIAB] OR prednisolone[TIAB] OR prednison[TIAB] OR prednisone[TIAB] OR prelone[TIAB] OR Pristiq[TIAB]

OR progestagen[TIAB] OR progestagen[TIAB] OR Prothiaden[TIAB] OR Protriptyline[TIAB] OR provigil[TIAB] OR Prozac[TIAB] OR Quetiapine[TIAB] OR QuilliChew[TIAB] OR Quillivant[TIAB] OR rayos[TIAB] OR Reboxetine[TIAB] OR Remeron[TIAB] OR ritalin[TIAB] OR sarotex[TIAB] OR Savella[TIAB] OR Sediol[TIAB] OR Selegiline[TIAB] OR Seroquel[TIAB] OR seroxat[TIAB] OR Sertraline[TIAB] OR setiptiline[TIAB] OR Sinequan[TIAB] OR Sintamil[TIAB] OR SNRI[TIAB] OR Solian[TIAB] OR solu-medrol[TIAB] OR SSRI[TIAB] OR sterapred[TIAB] OR steroid[TIAB] OR Surmontil[TIAB] OR Tandospirone[TIAB] OR TCA[TIAB] OR Tecipul[TIAB] OR Teniloxazine[TIAB] OR Tofacine[TIAB] OR Tofenacin[TIAB] OR Tofranil[TIAB] OR Toloxatone[TIAB] OR Tolvon[TIAB] OR Tranylcypromine[TIAB] OR Trausabun[TIAB] OR Trazodone[TIAB] OR Trimipramine[TIAB] OR Trintellix[TIAB] OR Valdoxan[TIAB] OR vanatrip[TIAB] OR venlafaxine[TIAB] OR Victoril[TIAB] OR Vibryd[TIAB] OR Vilazodone[TIAB] OR Viloxazine[TIAB] OR Vivactil[TIAB] OR Vivalan[TIAB] OR Vortioxetine[TIAB] OR Wellbutrin[TIAB] OR Zelapar[TIAB] OR Zoloft[TIAB]) AND ("Clinical Trial"[PT:NoExp] OR "clinical trial, phase i"[pt] OR "clinical trial, phase ii"[pt] OR "clinical trial, phase iii"[pt] OR "clinical trial, phase iv"[pt] OR "controlled clinical trial"[pt] OR "multicenter study"[pt] OR "randomized controlled trial"[pt] OR "Clinical Trials as Topic"[mesh:noexp] OR "clinical trials, phase i as topic"[MeSH Terms:noexp] OR "clinical trials, phase ii as topic"[MeSH Terms:noexp] OR "clinical trials, phase iii as topic"[MeSH Terms:noexp] OR "clinical trials, phase iv as topic"[MeSH Terms:noexp] OR "controlled clinical trials as topic"[MeSH Terms:noexp] OR "randomized controlled trials as topic"[MeSH Terms:noexp] OR "early termination of clinical trials"[MeSH Terms:noexp] OR "multicenter studies as topic"[MeSH Terms:noexp] OR "Double-Blind Method"[Mesh] OR ((randomised[TIAB] OR randomized[TIAB]) AND (trial[TIAB] OR trials[TIAB])) OR ((single[TIAB] OR double[TIAB] OR doubled[TIAB] OR triple[TIAB] OR tripled[TIAB] OR treble[TIAB]) AND (blind\*[TIAB] OR mask\*[TIAB])) OR ("4 arm"[tiab] OR "four arm"[tiab]) OR (systematic\*[tiab] AND (bibliographic\*[TIAB] OR literature[tiab] OR review[tiab] OR reviewed[tiab] OR reviews[tiab])) OR (comprehensive\*[TIAB] AND (bibliographic\*[TIAB] OR literature[tiab])) OR "cochrane database syst rev"[Journal] OR "Evidence report/technology assessment (Summary)"[journal] OR "Evidence report/technology assessment"[journal] OR "integrative literature review"[tiab] OR "integrative research review"[tiab] OR "integrative review"[tiab] OR "research synthesis"[tiab] OR "research integration"[tiab] OR cinahl[tiab] OR embase[tiab] OR medline[tiab] OR psyclit[tiab] OR (psycinfo[tiab] NOT "psycinfo database"[tiab]) OR pubmed[tiab] OR scopus[tiab] OR "web of science"[tiab] OR "data synthesis"[tiab] OR meta-analys\*[tiab] OR meta-analyz\*[tiab] OR meta-analyt\*[tiab] OR metaanalys\*[tiab] OR metaanalyz\*[tiab] OR metaanalyt\*[tiab] OR "meta-analysis as topic"[MeSH:noexp] OR Meta-Analysis[ptyp] OR ((review[tiab] AND (rationale[tiab] OR evidence[tiab]))) AND review[pt]))

- Check: AND (25299141[PMID] OR 26026155[PMID] OR 25002731[PMID] OR 20614448[PMID] OR 20625123[PMID] OR 23690414[PMID] OR 17869448[PMID] OR 18790598[PMID] OR 23897970[PMID] OR 22208450[PMID])

### Embase

(Cancer:ti,ab OR neoplasms/de OR adenocarcinoma:ti,ab OR adenocarcinoma\*:ti,ab OR adenosarcoma:ti,ab OR adenosarcoma\*:ti,ab OR antineoplastic:ti,ab OR carcinoid:ti,ab OR carcinoid\*:ti,ab OR carcinoma:ti,ab OR carcinoma\*:ti,ab OR glioblastoma:ti,ab OR glioblastoma\*:ti,ab OR glioma:ti,ab OR glioma\*:ti,ab OR Hodgkin:ti,ab OR Hodgkin\*:ti,ab OR leukaemia:ti,ab OR leukaemi\*:ti,ab OR leukemia:ti,ab OR leukemi\*:ti,ab OR lymphoma:ti,ab OR lymphoma\*:ti,ab OR malignan\*:ti,ab OR melanoma:ti,ab OR melanoma\*:ti,ab OR metastasis:ti,ab OR metastatic:ti,ab OR myelodysplas\*:ti,ab OR myeloma:ti,ab OR myeloma\*:ti,ab OR neoplasia:ti,ab OR neoplasia\*:ti,ab OR neoplasm:ti,ab OR neoplasm\*:ti,ab OR nonseminoma\*:ti,ab OR oncology:ti,ab OR osteosarcoma:ti,ab OR osteosarcoma\*:ti,ab OR sarcoma:ti,ab OR sarcoma\*:ti,ab OR seminoma\*:ti,ab OR teratoma\*:ti,ab OR tumor:ti,ab OR tumour:ti,ab OR tumour\*:ti,ab OR waldenstrom\*:ti,ab) AND ((("Palliative Care"/de OR "Palliative Medicine"/de OR "Terminal Care"/de OR "Hospice Care"/de OR Palliat\*:ti,ab OR palliative:ti,ab OR "palliative care":ti,ab OR palliation:ti,ab OR palliate:ti,ab OR palliating:ti,ab OR hospice:ti,ab OR "hospice care":ti,ab OR "terminal care":ti,ab OR terminal:ti,ab OR terminally:ti,ab OR "end-of-life":ti,ab OR "end stage":ti,ab OR Hospices:ti,ab OR "Respite care":ti,ab) OR (fatigue:ti,ab OR fatigue/de)) AND ("Hematopoietic Cell Growth Factors"/de OR "Monoamine Oxidase Inhibitors"/de OR "Serotonin and Noradrenaline Reuptake Inhibitors"/de OR "Antidepressive Agents, Tricyclic"/de OR "Prednisolone"/de OR "aventyl hydrochloride":ti,ab OR "depression medication":ti,ab OR "Haematopoietic cell growth factor":ti,ab OR "haemopoietic growth factors":ti,ab OR "haemopoietic growth factor":ti,ab OR "Monoamine oxidase inhibitors":ti,ab OR "Norepinephrine reuptake inhibitors":ti,ab OR "progestational steroids":ti,ab OR "selective serotonin reuptake inhibitor":ti,ab OR "Serotonin antagonists and

reuptake inhibitors":ti,ab OR "Serotonin modulators and stimulators":ti,ab OR "serotonin-norepinephrine reuptake inhibitor":ti,ab OR "Tetracyclic antidepressants":ti,ab OR "tricyclic antidepressants":ti,ab OR Adapin:ti,ab OR Agedal:ti,ab OR Agomelatine:ti,ab OR alertec:ti,ab OR Alnert:ti,ab OR Ambivalon:ti,ab OR amfetamine:ti,ab OR Amfexa:ti,ab OR Amioxid:ti,ab OR Amisulpride:ti,ab OR Amitriptyline:ti,ab OR Amitriptylinoxide:ti,ab OR Amoxapine:ti,ab OR amphetamine:ti,ab OR Anafranil:ti,ab OR antidepressant:ti,ab OR antidepressants:ti,ab OR Aptensio:ti,ab OR Asendin:ti,ab OR aspendos:ti,ab OR Aurorix:ti,ab OR Aventyl:ti,ab OR Axiomin:ti,ab OR Azafen:ti,ab OR Azaphen:ti,ab OR Bifemelane:ti,ab OR Biphenitin:ti,ab OR Bolvidon:ti,ab OR Bupropion:ti,ab OR Celeport:ti,ab OR Cipralex:ti,ab OR citalopram:ti,ab OR Clomipramine:ti,ab OR Concerta:ti,ab OR corticosteroid:ti,ab OR corticosteroid:ti,ab OR Cymbalta:ti,ab OR dapoxetine:ti,ab OR Daytrana:ti,ab OR decadron:ti,ab OR deltasone:ti,ab OR Desipramine:ti,ab OR Desvenlafaxine:ti,ab OR Desyrel:ti,ab OR dexamethason:ti,ab OR dexamethasone:ti,ab OR dexamfetamine:ti,ab OR dexamphetamine:ti,ab OR dexasone:ti,ab OR dexone:ti,ab OR dextro-amphetamine:ti,ab OR dextro-amphetamine:ti,ab OR Dibenzepin:ti,ab OR Dimetacrine:ti,ab OR Dixeran:ti,ab OR Dosulepin:ti,ab OR Doxepin:ti,ab OR duloxetine:ti,ab OR Edronax:ti,ab OR Effexor:ti,ab OR Elamol:ti,ab OR elavil:ti,ab OR Eldepryl:ti,ab OR Elronon:ti,ab OR Emsam:ti,ab OR endep:ti,ab OR Equasym:ti,ab OR Equilibrin:ti,ab OR Escitalopram:ti,ab OR Etonin:ti,ab OR Etoperidone:ti,ab OR Fetzima:ti,ab OR Fluoxetine:ti,ab OR Fluvoxamine:ti,ab OR Gamanil:ti,ab OR glucocorticoid:ti,ab OR Humoryl:ti,ab OR Imipramine:ti,ab OR Inkazan:ti,ab OR Isocarboxazid:ti,ab OR Istonil:ti,ab OR Ixel:ti,ab OR Latuda:ti,ab OR Levomilnacipran:ti,ab OR Lexapro:ti,ab OR Lofepramine:ti,ab OR Lomont:ti,ab OR Lucelan:ti,ab OR Ludiomil:ti,ab OR Lurasidone:ti,ab OR Lustral:ti,ab OR Luvox:ti,ab OR Manerix:ti,ab OR Maprotiline:ti,ab OR Marplan:ti,ab OR Medikinet:ti,ab OR medrol:ti,ab OR Melitracen:ti,ab OR Melixeran:ti,ab OR Metadate:ti,ab OR Metatone:ti,ab OR methylfenidaat:ti,ab OR Methylin:ti,ab OR methylphenidate:ti,ab OR methylprednisolon:ti,ab OR methylprednisolone:ti,ab OR Metralindole:ti,ab OR Mianserin:ti,ab OR millipred:ti,ab OR Milnacipran:ti,ab OR mirtazapine:ti,ab OR Moclobemide:ti,ab OR modafinil:ti,ab OR modavigil:ti,ab OR modiodal:ti,ab OR Nardil:ti,ab OR NaSSA:ti,ab OR Nitroxazepine:ti,ab OR Nogedal:ti,ab OR Norpramin:ti,ab OR nortrilen:ti,ab OR nortriptyline:ti,ab OR Norval:ti,ab OR Noveril:ti,ab OR Noxiptiline:ti,ab OR orapred:ti,ab OR pamelor:ti,ab OR Parnate:ti,ab OR Paroxetine:ti,ab OR Paxil:ti,ab OR pediapred:ti,ab OR Perfofrane:ti,ab OR Phenelzine:ti,ab OR Pipofezine:ti,ab OR Pirazidol:ti,ab OR Pirlindole:ti,ab OR prednicot:ti,ab OR prednisolon:ti,ab OR prednisolone:ti,ab OR prednison:ti,ab OR prednisone:ti,ab OR prealone:ti,ab OR Pristiq:ti,ab OR progestagen:ti,ab OR Prothiadene:ti,ab OR Protriptyline:ti,ab OR provigil:ti,ab OR Prozac:ti,ab OR Quetiapine:ti,ab OR QuilliChew:ti,ab OR Quillivant:ti,ab OR rayos:ti,ab OR Reboxetine:ti,ab OR Remeron:ti,ab OR ritalin:ti,ab OR sarotex:ti,ab OR Savella:ti,ab OR Sediel:ti,ab OR Selegiline:ti,ab OR Seroquel:ti,ab OR seroxat:ti,ab OR Sertraline:ti,ab OR setiptiline:ti,ab OR Sinequan:ti,ab OR Sintamil:ti,ab OR SNRI:ti,ab OR Solian:ti,ab OR solu-medrol:ti,ab OR SSRI:ti,ab OR sterapred:ti,ab OR steroid:ti,ab OR Surmontil:ti,ab OR Tandospirone:ti,ab OR Tecipul:ti,ab OR Teniloxazine:ti,ab OR Tofacine:ti,ab OR Tofenacin:ti,ab OR Tofranil:ti,ab OR Toloxatone:ti,ab OR Tolvon:ti,ab OR Tranylcypromine:ti,ab OR Trausabun:ti,ab OR Trazodone:ti,ab OR Trimipramine:ti,ab OR Trintellix:ti,ab OR Valdoxan:ti,ab OR vanatrip:ti,ab OR venlafaxine:ti,ab OR Victoril:ti,ab OR Viibryd:ti,ab OR Vilazodone:ti,ab OR Viloxazine:ti,ab OR Vivactil:ti,ab OR Vivalan:ti,ab OR Vortioxetine:ti,ab OR Wellbutrin:ti,ab OR Zelapar:ti,ab OR Zoloft:ti,ab OR :ti,ab) AND ("Clinical Trials as Topic"/de OR "clinical trials, phase i as topic"/de OR "clinical trials, phase ii as topic"/de OR "clinical trials, phase iii as topic"/de OR "clinical trials, phase iv as topic"/de OR "controlled clinical trials as topic"/de OR "randomized controlled trials as topic"/de OR "early termination of clinical trials"/de OR "multicenter studies as topic"/de OR "Double-Blind Method"/de OR ((randomised:ti,ab OR randomized:ti,ab) AND (trial:ti,ab OR trials:ti,ab)) OR ((single:ti,ab OR double:ti,ab OR doubled:ti,ab OR triple:ti,ab OR tripled:ti,ab OR treble:ti,ab) AND (blind\*:ti,ab OR mask\*:ti,ab)) OR ("4 arm":ti,ab OR "four arm":ti,ab) OR (systematic\*:ti,ab AND (bibliographic\*:ti,ab OR literature:ti,ab OR review:ti,ab OR reviewed:ti,ab OR reviews:ti,ab)) OR (comprehensive\*:ti,ab AND (bibliographic\*:ti,ab OR literature:ti,ab)) OR "cochrane database syst rev":ta OR "Evidence report/technology assessment (Summary)":jt OR "Evidence report/technology assessment":jt OR "integrative literature review":ti,ab OR "integrative research review":ti,ab OR "integrative review":ti,ab OR "research synthesis":ti,ab OR "research integration":ti,ab OR cinahl:ti,ab OR embase:ti,ab OR medline:ti,ab OR psyclit:ti,ab OR (psycinfo:ti,ab NOT "psycinfo database":ti,ab) OR pubmed:ti,ab OR scopus:ti,ab OR "web of science":ti,ab OR "data synthesis":ti,ab OR meta-analys\*:ti,ab OR meta-analyz\*:ti,ab OR meta-analyt\*:ti,ab OR metaanalys\*:ti,ab OR metaanalyz\*:ti,ab OR metaanalyt\*:ti,ab OR "meta-analysis as topic"/de OR ((review:ti,ab AND (rationale:ti,ab OR evidence:ti,ab))))

CINAHL (alleen PICO 4)

(TI Cancer OR AB Cancer OR MH neoplasms OR TI adenocarcinoma OR AB adenocarcinoma OR TI adenocarcinoma\* OR AB adenocarcinoma\* OR TI adenosarcoma OR AB adenosarcoma OR TI adenosarcoma\* OR AB adenosarcoma\* OR TI antineoplastic OR AB antineoplastic OR TI carcinoid OR AB carcinoid OR TI carcinoid\* OR AB carcinoid\* OR TI carcinoma OR AB carcinoma OR TI carcinoma\* OR AB carcinoma\* OR TI glioblastoma OR AB glioblastoma OR TI glioblastoma\* OR AB glioblastoma\* OR TI glioma OR AB glioma OR TI glioma\* OR AB glioma\* OR TI Hodgkin OR AB Hodgkin OR TI Hodgkin\* OR AB Hodgkin\* OR TI leukaemia OR AB leukaemia OR TI leukaemi\* OR AB leukaemi\* OR TI leukemia OR AB leukemia OR TI leukemi\* OR AB leukemi\* OR TI lymphoma OR AB lymphoma OR TI lymphoma\* OR AB lymphoma\* OR TI malignan\* OR AB malignan\* OR TI melanoma OR AB melanoma OR TI melanoma\* OR AB melanoma\* OR TI metastasis OR AB metastasis OR TI metastatic OR AB metastatic OR TI myelodysplas\* OR AB myelodysplas\* OR TI myeloma OR AB myeloma OR TI myeloma\* OR AB myeloma\* OR TI neoplasia OR AB neoplasia OR TI neoplasia\* OR AB neoplasia\* OR TI neoplasm OR AB neoplasm OR TI neoplasm\* OR AB neoplasm\* OR TI nonseminoma\* OR AB nonseminoma\* OR TI oncology OR AB oncology OR TI osteosarcoma OR AB osteosarcoma OR TI osteosarcoma\* OR AB osteosarcoma\* OR TI sarcoma OR AB sarcoma OR TI sarcoma\* OR AB sarcoma\* OR TI seminoma\* OR AB seminoma\* OR TI teratoma\* OR AB teratoma\* OR TI tumor OR AB tumor OR TI tumour OR AB tumour OR TI tumour\* OR AB tumour\* OR TI waldenstrom\* OR AB waldenstrom\*) AND ((MH "Palliative Care" OR MH "Palliative Medicine" OR MH "Terminal Care" OR MH "Hospice Care" OR TI Palliat\* OR AB Palliat\* OR TI palliative OR AB palliative OR TI "palliative care" OR AB "palliative care" OR TI palliation OR AB palliation OR TI palliate OR AB palliate OR TI palliating OR AB palliating OR TI hospice OR AB hospice OR TI "hospice care" OR AB "hospice care" OR TI "terminal care" OR AB "terminal care" OR TI terminal OR AB terminal OR TI terminally OR AB terminally OR TI "end-of-life" OR AB "end-of-life" OR TI "end stage" OR AB "end stage" OR TI Hospices OR AB Hospices OR TI "Respite care" OR AB "Respite care") OR (TI fatigue OR AB fatigue OR MH fatigue)) AND (MH "Hematopoietic Cell Growth Factors" OR MH "Monoamine Oxidase Inhibitors" OR MH "Serotonin and Noradrenaline Reuptake Inhibitors" OR MH "Antidepressive Agents, Tricyclic" OR MH "Prednisolone" OR "aventyl hydrochloride" OR TI "depression medication" OR TI "Haematopoietic cell growth factor" OR TI "haemopoietic growth factors" OR TI "haemopoietic growth factor" OR TI "Monoamine oxidase inhibitors" OR TI "Norepinephrine reuptake inhibitors" OR TI "progestational steroids" OR TI "selective serotonin reuptake inhibitor" OR TI "Serotonin antagonists and reuptake inhibitors" OR TI "Serotonin modulators and stimulators" OR TI "serotonin-norepinephrine reuptake inhibitor" OR TI "Tetracyclic antidepressants" OR TI "tricyclic antidepressants" OR TI Adapin OR TI Agedal OR TI Agomelatine OR TI alertec OR TI Alnert OR TI Ambivalon OR TI amfetamine OR TI Amfexa OR TI Amioxid OR TI Amisulpride OR TI Amitriptyline OR TI Amitriptylinoxide OR TI Amoxapine OR TI amphetamine OR TI Anafranil OR TI antidepressant OR TI antidepressants OR TI Aptensio OR TI Asendin OR TI aspendos OR TI Aurorix OR TI Aventyl OR TI Axiomin OR TI Azafen OR TI Azaphen OR TI Bifemelane OR TI Biphenitin OR TI Bolvidon OR TI Bupropion OR TI Celeport OR TI Cipralex OR TI citalopram OR TI Clomipramine OR TI Concerta OR TI corticosteroid OR TI corticosteroid OR TI Cymbalta OR TI dapoxetine OR TI Daytrana OR TI decadron OR TI deltasone OR TI Desipramine OR TI Desvenlafaxine OR TI Desyrel OR TI dexamethason OR TI dexamethasone OR TI dexamphetamine OR TI dexamphetamine OR TI dexasone OR TI dexone OR TI dextro-amphetamine OR TI dextro-amphetamine OR TI Dibenzepin OR TI Dimetacrine OR TI Dixeran OR TI Dosulepin OR TI Doxepin OR TI duloxetine OR TI Edronax OR TI Effexor OR TI Elamol OR TI elavil OR TI Eldepryl OR TI Elronon OR TI Emsam OR TI endep OR TI Equasym OR TI Equilibrin OR TI Escitalopram OR TI Etonin OR TI Etoperidone OR TI Fetzima OR TI Fluoxetine OR TI Fluvoxamine OR TI Gamanil OR TI glucocorticoid OR TI Humoryl OR TI Imipramine OR TI Inkazan OR TI Isocarboxazid OR TI Istonil OR TI Ixel OR TI Latuda OR TI Levomilnacipran OR TI Lexapro OR TI Lofepramine OR TI Lomont OR TI Lucelan OR TI Ludiomil OR TI Lurasidone OR TI Lustral OR TI Luvox OR TI Manerix OR TI Maprotiline OR TI Marplan OR TI Medikinet OR TI medrol OR TI Melitracen OR TI Melixeran OR TI Metadate OR TI Metatone OR TI methylfenidaat OR TI Methyltin OR TI methylphenidate OR TI methylprednisolon OR TI methylprednisolone OR TI Metralindole OR TI Mianserin OR TI millipred OR TI Milnacipran OR TI mirtazapine OR TI Moclobemide OR TI modafinil OR TI modavigil OR TI modiodal OR TI Nardil OR TI NaSSA OR TI Nitroxazepine OR TI Nogedal OR TI Norpramin OR TI nortriilen OR TI nortriptyline OR TI Norval OR TI Noveril OR TI Noxiptiline OR TI orapred OR TI pamelor OR TI Parnate OR TI Paroxetine OR TI Paxil OR TI pediapred OR TI Pertofrane OR TI Phenelzine OR TI Pipofezine OR TI Pirazidol OR TI Pirlindole OR TI prednicot OR TI prednisolon OR TI prednisolone OR TI prednison OR TI prednisone OR TI prealone OR TI Pristiq OR TI progestageen OR TI progestagen OR TI Prothiaden OR TI Protriptyline

OR TI provigil OR TI Prozac OR TI Quetiapine OR TI QuilliChew OR TI Quillivant OR TI rayos OR TI Reboxetine OR TI Remeron OR TI ritalin OR TI sarotex OR TI Savella OR TI Sediel OR TI Selegiline OR TI Seroquel OR TI seroxat OR TI Sertraline OR TI setiptiline OR TI Sinequan OR TI Sintamil OR TI SNRI OR TI Solian OR TI solu-medrol OR TI SSRI OR TI sterapred OR TI steroid OR TI Surmontil OR TI Tandospirone OR TI TCA OR TI Tecipul OR TI Teniloxazine OR TI Tofacine OR TI Tofenacin OR TI Tofranil OR TI Toloxatone OR TI Tolvon OR TI Tranylcypromine OR TI Trausabun OR TI Trazodone OR TI Trimipramine OR TI Trintellix OR TI Valdoxan OR TI vanatrip OR TI venlafaxine OR TI Victoril OR TI Viibryd OR TI Vilazodone OR TI Viloxazine OR TI Vivactil OR TI Vivalan OR TI Vortioxetine OR TI Wellbutrin OR TI Zelapar OR TI Zoloft OR AB "aventyl hydrochloride" OR AB "depression medication" OR AB "Haematopoietic cell growth factor" OR AB "haemopoietic growth factors" OR AB "haemotopoietic growth factor" OR AB "Monoamine oxidase inhibitors" OR AB "Norepinephrine reuptake inhibitors" OR AB "progestational steroids" OR AB "selective serotonin reuptake inhibitor" OR AB "Serotonin antagonists and reuptake inhibitors" OR AB "Serotonin modulators and stimulators" OR AB "serotonin-norepinephrine reuptake inhibitor" OR AB "Tetracyclic antidepressants" OR AB "tricyclic antidepressants" OR AB Adapin OR AB Agedal OR AB Agomelatine OR AB alertec OR AB Alnert OR AB Ambivalon OR AB amfetamine OR AB Amfexa OR AB Amioxid OR AB Amisulpride OR AB Amitriptyline OR AB Amitriptylinoxide OR AB Amoxapine OR AB amphetamin OR AB Anafranil OR AB antidepressant OR AB antidepressants OR AB Aptensio OR AB Asendin OR AB aspendos OR AB Aurorix OR AB Aventyl OR AB Axiomin OR AB Azafen OR AB Azaphen OR AB Bifemelane OR AB Biphenitin OR AB Bolvidon OR AB Bupropion OR AB Celeport OR AB Cipralex OR AB citalopram OR AB Clomipramine OR AB Concerta OR AB corticosteroid OR AB corticosteroïd OR AB Cymbalta OR AB dapoxetine OR AB Daytrana OR AB decadron OR AB deltasone OR AB Desipramine OR AB Desvenlafaxine OR AB Desyrel OR AB dexamethason OR AB dexamethasone OR AB dexamfetamine OR AB dexamphetamine OR AB dexasone OR AB dexone OR AB dextro-amfetamine OR AB dextro-amphetamine OR AB Dibenzepin OR AB Dimetacrine OR AB Dixeran OR AB Dosulepin OR AB Doxepin OR AB duloxetine OR AB Edronax OR AB Effexor OR AB Elamol OR AB elavil OR AB Eldepryl OR AB Eronon OR AB Emsam OR AB endep OR AB Equasym OR AB Equilibrin OR AB Escitalopram OR AB Etonin OR AB Etoperidone OR AB Fetzima OR AB Fluoxetine OR AB Fluvoxamine OR AB Gamanil OR AB glucocorticoid OR AB Humoryl OR AB Imipramine OR AB Inkazan OR AB Isocarboxazid OR AB Istonil OR AB Ixel OR AB Latuda OR AB Levomilnacipran OR AB Lexapro OR AB Lofepramine OR AB Lomont OR AB Lucelan OR AB Ludiomil OR AB Lurasidone OR AB Lustral OR AB Luvox OR AB Manerix OR AB Maprotiline OR AB Marplan OR AB Medikinet OR AB medrol OR AB Melitracen OR AB Melixeran OR AB Metadate OR AB Metatone OR AB methylfenidaat OR AB Methylin OR AB methylphenidate OR AB methylprednisolon OR AB methylprednisolone OR AB Metalindole OR AB Mianserin OR AB millipred OR AB Milnacipran OR AB mirtazapine OR AB Moclobemide OR AB modafinil OR AB modavigil OR AB modiodal OR AB Nardil OR AB NaSSA OR AB Nitroxazepine OR AB Nogedal OR AB Norpramin OR AB nortriilen OR AB nortriptyline OR AB Norval OR AB Noveril OR AB Noxiptiline OR AB orapred OR AB pamelor OR AB Parnate OR AB Paroxetine OR AB Paxil OR AB pediapred OR AB Pertofrane OR AB Phenelzine OR AB Pipofezine OR AB Pirazidol OR AB Pirlindole OR AB prednicot OR AB prednisolon OR AB prednisolone OR AB prednison OR AB prednisone OR AB prelone OR AB Pristiq OR AB progestageen OR AB progestagen OR AB Prothiaden OR AB Protriptyline OR AB provigil OR AB Prozac OR AB Quetiapine OR AB QuilliChew OR AB Quillivant OR AB rayos OR AB Reboxetine OR AB Remeron OR AB ritalin OR AB sarotex OR AB Savella OR AB Sediel OR AB Selegiline OR AB Seroquel OR AB seroxat OR AB Sertraline OR AB setiptiline OR AB Sinequan OR AB Sintamil OR AB SNRI OR AB Solian OR AB solu-medrol OR AB SSRI OR AB sterapred OR AB steroid OR AB Surmontil OR AB Tandospirone OR AB TCA OR AB Tecipul OR AB Teniloxazine OR AB Tofacine OR AB Tofenacin OR AB Tofranil OR AB Toloxatone OR AB Tolvon OR AB Tranylcypromine OR AB Trausabun OR AB Trazodone OR AB Trimipramine OR AB Trintellix OR AB Valdoxan OR AB vanatrip OR AB venlafaxine OR AB Victoril OR AB Viibryd OR AB Vilazodone OR AB Viloxazine OR AB Vivactil OR AB Vivalan OR AB Vortioxetine OR AB Wellbutrin OR AB Zelapar OR AB Zoloft) AND (PT "Clinical Trial" OR MH "Clinical Trials as Topic" OR MH "clinical trials, phase i as topic" OR MH "clinical trials, phase ii as topic" OR MH "clinical trials, phase iii as topic" OR MH "clinical trials, phase iv as topic" OR MH "controlled clinical trials as topic" OR MH "randomized controlled trials as topic" OR MH "early termination of clinical trials" OR MH "multicenter studies as topic" OR MH "Double-Blind Method" ((TI randomised OR AB randomised OR TI randomized OR AB randomized) AND (TI trial OR AB trial OR TI trials OR AB trials)) OR ((TI single OR AB single OR TI double OR AB double OR TI doubled OR AB doubled OR TI triple OR AB triple OR TI tripled OR AB tripled OR TI treble OR AB treble) AND (TI blind\* OR AB blind\* OR TI mask\* OR AB mask\*)) OR TI "4 arm" OR AB "4 arm" OR TI "four arm" OR AB "four arm" OR ((TI systematic\* OR AB systematic\*) AND (TI

bibliographic\* OR AB bibliographic\* OR TI literature OR AB literature OR TI review OR AB review OR TI reviewed OR AB reviewed OR TI reviews OR AB reviews)) OR ((TI comprehensive\* OR AB comprehensive\*) AND (TI bibliographic\* OR AB bibliographic\* OR TI literature OR AB literature)) OR "cochrane database syst rev" OR "Evidence report/technology assessment" OR TI "integrative literature review" OR AB "integrative literature review" OR TI "integrative research review" OR AB "integrative research review" OR TI "integrative review" OR AB "integrative review" OR TI "research synthesis" OR AB "research synthesis" OR TI "research integration" OR AB "research integration" OR AB cinahl OR AB embase OR AB medline OR AB psyclit OR AB psycinfo OR AB pubmed OR AB scopus OR AB "web of science" OR TI "data synthesis" OR AB "data synthesis" OR TI meta-analys\* OR AB meta-analys\* OR TI meta-analyz\* OR AB meta-analyz\* OR TI meta-analyt\* OR AB meta-analyt\* OR TI metaanalys\* OR AB metaanalys\* OR TI metaanalyz\* OR AB metaanalys\* OR TI metaanalyt\* OR AB metaanalyt\* OR MH "meta-analysis as topic" OR (((TI review OR AB review) AND (TI rationale OR AB rationale OR TI evidence OR AB evidence))))

PsycInfo (OVID) (alleen PICO 4)

(Cancer OR neoplasms.mh. OR adenocarcinoma OR adenocarcinoma\* OR adenosarcoma OR adenosarcoma\* OR antineoplastic OR carcinoid OR carcinoid\* OR carcinoma OR carcinoma\* OR glioblastoma OR glioblastoma\* OR glioma OR glioma\* OR Hodgkin OR Hodgkin\* OR leukaemia OR leukaemi\* OR leukemia OR leukemi\* OR lymphoma OR lymphoma\* OR malignan\* OR melanoma OR melanoma\* OR metastasis OR metastatic OR myelodysplas\* OR myeloma OR myeloma\* OR neoplasia OR neoplasia\* OR neoplasm OR neoplasm\* OR nonseminoma\* OR oncology OR osteosarcoma OR osteosarcoma\* OR sarcoma OR sarcoma\* OR seminoma\* OR teratoma\* OR tumor OR tumour OR tumour\* OR waldenstrom\*) AND (Palliative Care.mh. OR Palliative Medicine.mh. OR Terminal Care.mh. OR Hospice Care.mh. OR Palliat\* OR palliative OR palliative care OR palliation OR palliate OR palliating OR hospice OR hospice care OR terminal care OR terminal OR terminally OR end-of-life OR end stage OR Hospices OR Respite care OR fatigue OR fatigue.mh.) AND ("Hematopoietic Cell Growth Factors".mh. OR "Monoamine Oxidase Inhibitors".mh. OR "Serotonin and Noradrenaline Reuptake Inhibitors".mh. OR "Antidepressive Agents, Tricyclic".mh. OR "Prednisolone".mh. OR aeventyl hydrochloride.ti. OR depression medication .ti. OR Haematopoietic cell growth factor.ti. OR haemopoietic growth factors.ti. OR haemotopoietic growth factor.ti. OR Monoamine oxidase inhibitors.ti. OR Norepinephrine reuptake inhibitors.ti. OR progestational steroids.ti. OR selective serotonin reuptake inhibitor.ti. OR (Serotonin antagonists and reuptake inhibitors).ti. OR (Serotonin modulators and stimulators).ti. OR (serotonin-norepinephrine reuptake inhibitor).ti. OR (Tetracyclic antidepressants).ti. OR (tricyclic antidepressants).ti. OR Adapin.ti. OR Agedal.ti. OR Agomelatine.ti. OR alertec.ti. OR Alnert.ti. OR Ambivalon.ti. OR amfetamine.ti. OR Amfexa.ti. OR Amioxid.ti. OR Amisulpride.ti. OR Amitriptyline.ti. OR Amitriptylinoxide.ti. OR Amoxapine.ti. OR amphetamin.ti. OR Anafranil.ti. OR antidepressant.ti. OR antidepressants.ti. OR Aptensio.ti. OR Asendin.ti. OR aspendos.ti. OR Aurorix.ti. OR Aventyl.ti. OR Axiomin.ti. OR Azafen.ti. OR Azaphen.ti. OR Bifemelane.ti. OR Biphenitin.ti. OR Bolvidon.ti. OR Bupropion.ti. OR Celeport.ti. OR Cipralex.ti. OR citalopram.ti. OR Clomipramine.ti. OR Concerta.ti. OR corticosteroid.ti. OR corticosteroid.ti. OR Cymbalta.ti. OR dapoxetine.ti. OR Daytrana.ti. OR decadron.ti. OR deltasone.ti. OR Desipramine.ti. OR Desvenlafaxine.ti. OR Desyrel.ti. OR dexamethason.ti. OR dexamethasone.ti. OR dexamfetamine.ti. OR dexamphetamine.ti. OR dexasone.ti. OR dexone.ti. OR dextro-amfetamine.ti. OR dextro-amphetamine.ti. OR Dibenzepin.ti. OR Dimetacrine.ti. OR Dixeran.ti. OR Dosulepin.ti. OR Doxepin.ti. OR duloxetine.ti. OR Edronax.ti. OR Effexor.ti. OR Elamol.ti. OR elavil.ti. OR Eldepryl.ti. OR Elronon.ti. OR Emsam.ti. OR endep.ti. OR Equasym.ti. OR Equilibrin.ti. OR Escitalopram.ti. OR Etonin.ti. OR Etoperidone.ti. OR Fetzima.ti. OR Fluoxetine.ti. OR Fluvoxamine.ti. OR Gamanil.ti. OR glucocorticoid.ti. OR Humoryl.ti. OR Imipramine.ti. OR Inkazan.ti. OR Isocarboxazid.ti. OR Istonil.ti. OR Ixel.ti. OR Latuda.ti. OR Levomilnacipran.ti. OR Lexapro.ti. OR Lofepramine.ti. OR Lomont.ti. OR Lucelan.ti. OR Ludiomil.ti. OR Lurasidone.ti. OR Lustral.ti. OR Luvox.ti. OR Manerix.ti. OR Maprotiline.ti. OR Marplan.ti. OR Medikinet.ti. OR medrol.ti. OR Melitracen.ti. OR Melixeran.ti. OR Metadate.ti. OR Metatone.ti. OR methylfenidaat.ti. OR Methylin.ti. OR methylphenidate.ti. OR methylprednisolon.ti. OR methylprednisolone.ti. OR Metralindole.ti. OR Mianserin.ti. OR millipred.ti. OR Milnacipran.ti. OR mirtazapine.ti. OR Moclobemide.ti. OR modafinil.ti. OR modavigil.ti. OR modiodal.ti. OR Nardil.ti. OR NaSSA.ti. OR Nitroxazepine.ti. OR Nogedal.ti. OR Norpramin.ti. OR nortriilen.ti. OR nortriptyline.ti. OR Norval.ti. OR Noveril.ti. OR Noxiptiline.ti. OR orapred.ti. OR pamelor.ti. OR Parnate.ti. OR Paroxetine.ti. OR Paxil.ti. OR pediapred.ti. OR Pertofrane.ti. OR Phenelzine.ti. OR Pipofezine.ti. OR Pirazidol.ti. OR Pirlindole.ti. OR prednicot.ti. OR prednisolon.ti. OR prednisolone.ti. OR prednison.ti. OR prednisone.ti. OR prelone.ti. OR Pristiq.ti. OR progestageen.ti. OR progestagen.ti. OR Prothiaden.ti. OR Protriptyline.ti. OR provigil.ti. OR Prozac.ti. OR Quetiapine.ti. OR QuilliChew.ti. OR

Zoekverantwoording > Bijlage 8

Quillivant.ti. OR rayos.ti. OR Reboxetine.ti. OR Remeron.ti. OR ritalin.ti. OR sarotex.ti. OR Savella.ti. OR Sediel.ti. OR Selegiline.ti. OR Seroquel.ti. OR seroxat.ti. OR Sertraline.ti. OR setiptiline.ti. OR Sinequan.ti. OR Sintamil.ti. OR SNRI.ti. OR Solian.ti. OR solu-medrol.ti. OR SSRI.ti. OR sterapred.ti. OR steroid.ti. OR Surmontil.ti. OR Tandospirone.ti. OR TCA.ti. OR Tecipul.ti. OR Teniloxazine.ti. OR Tofacine.ti. OR Tofenacin.ti. OR Tofranil.ti. OR Toloxatone.ti. OR Tolvon.ti. OR Tranylcypromine.ti. OR Trausabun.ti. OR Trazodone.ti. OR Trimipramine.ti. OR Trintellix.ti. OR Valdoxan.ti. OR vanatrip.ti. OR venlafaxine.ti. OR Victoril.ti. OR Viibryd.ti. OR Vilazodone.ti. OR Viloxazine.ti. OR Vivactil.ti. OR Vivalan.ti. OR Vortioxetine.ti. OR Wellbutrin.ti. OR Zelapar.ti. OR Zoloft.ti. OR aventyl hydrochloride.ab. OR depression medication.ab. OR Haematopoietic cell growth factor.ab. OR haemopoietic growth factors.ab. OR haemotopoietic growth factor.ab. OR Monoamine oxidase inhibitors.ab. OR Norepinephrine reuptake inhibitors.ab. OR progestational steroids.ab. OR selective serotonin reuptake inhibitor.ab. OR (Serotonin antagonists and reuptake inhibitors).ab. OR (Serotonin modulators and stimulators).ab. OR (serotonin-norepinephrine reuptake inhibitor).ab. OR Tetracyclic antidepressants.ab. OR tricyclic antidepressants.ab. OR Adapin.ab. OR Agedal.ab. OR Agomelatine.ab. OR alertec.ab. OR Alnert.ab. OR Ambivalon.ab. OR amfetamine.ab. OR Amfexa.ab. OR Amioxid.ab. OR Amisulpride.ab. OR Amitriptyline.ab. OR Amitriptylinoxide.ab. OR Amoxapine.ab. OR amphetamin.ab. OR Anafranil.ab. OR antidepressant.ab. OR antidepressants.ab. OR Aptensio.ab. OR Asendin.ab. OR aspendos.ab. OR Aurorix.ab. OR Aventyl.ab. OR Axiomin.ab. OR Azafen.ab. OR Azaphen.ab. OR Bifemelane.ab. OR Biphenitin.ab. OR Bolvidon.ab. OR Bupropion.ab. OR Celeport.ab. OR Cipralex.ab. OR citalopram.ab. OR Clomipramine.ab. OR Concerta.ab. OR corticosteroid.ab. OR corticosteroid.ab. OR Cymbalta.ab. OR dapoxetine.ab. OR Daytrana.ab. OR decadron.ab. OR deltasone.ab. OR Desipramine.ab. OR Desvenlafaxine.ab. OR Desyrel.ab. OR dexamethason.ab. OR dexamethasone.ab. OR dexamphetamine.ab. OR dexamphetamine.ab. OR dexasone.ab. OR dexone.ab. OR dextro-amphetamine.ab. OR dextroamphetamine.ab. OR Dibenzepin.ab. OR Dimetacrine.ab. OR Dixeran.ab. OR Dosulepin.ab. OR Doxepin.ab. OR duloxetine.ab. OR Edronax.ab. OR Effexor.ab. OR Elamol.ab. OR elavil.ab. OR Eldepryl.ab. OR Elronon.ab. OR Emsam.ab. OR endep.ab. OR Equasym.ab. OR Equibrin.ab. OR Escitalopram.ab. OR Etonin.ab. OR Etoperidone.ab. OR Fetzima.ab. OR Fluoxetine.ab. OR Fluvoxamine.ab. OR Gamanil.ab. OR glucocorticoid.ab. OR Humoryl.ab. OR Imipramine.ab. OR Inkazan.ab. OR Isocarboxazid.ab. OR Istonil.ab. OR Ixel.ab. OR Latuda.ab. OR Levomilnacipran.ab. OR Lexapro.ab. OR Lofepramine.ab. OR Lomont.ab. OR Lucelan.ab. OR Ludiomil.ab. OR Lurasidone.ab. OR Lustral.ab. OR Luvox.ab. OR Manerix.ab. OR Maprotiline.ab. OR Marplan.ab. OR Medikinet.ab. OR medrol.ab. OR Melitracen.ab. OR Melixeran.ab. OR Metadate.ab. OR Metatone.ab. OR methylfenidaat.ab. OR Metylin.ab. OR methylphenidate.ab. OR methylprednisolon.ab. OR methylprednisolone.ab. OR Metralindole.ab. OR Mianserin.ab. OR millipred.ab. OR Milnacipran.ab. OR mirtazapine.ab. OR Moclobemide.ab. OR modafinil.ab. OR modavigil.ab. OR modiodal.ab. OR Nardil.ab. OR NaSSA.ab. OR Nitroxazepine.ab. OR Nogedal.ab. OR Norpramin.ab. OR nortrilen.ab. OR nortriptyline.ab. OR Norval.ab. OR Noveril.ab. OR Noxiptiline.ab. OR orapred.ab. OR pamelor.ab. OR Parnate.ab. OR Paroxetine.ab. OR Paxil.ab. OR pediapred.ab. OR Pertofrane.ab. OR Phenelzine.ab. OR Pipofezine.ab. OR Pirazidol.ab. OR Pirlindole.ab. OR prednicot.ab. OR prednisolon.ab. OR prednisolone.ab. OR prednison.ab. OR prednisone.ab. OR prealone.ab. OR Pristiq.ab. OR progestagen.ab. OR Prothiaden.ab. OR Protriptyline.ab. OR provigil.ab. OR Prozac.ab. OR Quetiapine.ab. OR QuilliChew.ab. OR Quillivant.ab. OR rayos.ab. OR Reboxetine.ab. OR Remeron.ab. OR ritalin.ab. OR sarotex.ab. OR Savella.ab. OR Sediel.ab. OR Selegiline.ab. OR Seroquel.ab. OR seroxat.ab. OR Sertraline.ab. OR setiptiline.ab. OR Sinequan.ab. OR Sintamil.ab. OR SNRI.ab. OR Solian.ab. OR solu-medrol.ab. OR SSRI.ab. OR sterapred.ab. OR steroid.ab. OR Surmontil.ab. OR Tandospirone.ab. OR TCA.ab. OR Tecipul.ab. OR Teniloxazine.ab. OR Tofacine.ab. OR Tofenacin.ab. OR Tofranil.ab. OR Toloxatone.ab. OR Tolvon.ab. OR Tranylcypromine.ab. OR Trausabun.ab. OR Trazodone.ab. OR Trimipramine.ab. OR Trintellix.ab. OR Valdoxan.ab. OR vanatrip.ab. OR venlafaxine.ab. OR Victoril.ab. OR Viibryd.ab. OR Vilazodone.ab. OR Viloxazine.ab. OR Vivactil.ab. OR Vivalan.ab. OR Vortioxetine.ab. OR Wellbutrin.ab. OR Zelapar.ab. OR Zoloft.ab.) AND (clinical trials, phase i as topic.mh. OR Clinical Trial.mh. OR Clinical Trials as Topic.mh. OR clinical trials, phase ii as topic.mh. OR clinical trials, phase iii as topic.mh. OR clinical trials, phase iv as topic.mh. OR controlled clinical trials as topic.mh. OR randomized controlled trials as topic.mh. OR early termination of clinical trials.mh. OR multicenter studies as topic.mh. OR Double-Blind Method.mh. OR ((randomised.ti. OR randomized.ti.) AND (trial.ti. OR trials.ti.)) OR ((randomised.ab. OR randomized.ab.) AND (trial.ab. OR trials.ab.)) OR ((single.ab. OR double.ab. OR doubled.ab. OR triple.ab. OR tripled.ab. OR treble.ab.) AND (blind\*.ab. OR mask\*.ab.)) OR ((single.ab. OR double.ab. OR doubled.ab. OR triple.ab. OR tripled.ab. OR treble.ab. OR tripled.ab. OR treble.ab.) AND (blind\*.ab. OR mask\*.ab.)) OR 4 arm.ti. OR four arm.ti. OR 4 arm.ti. OR four arm.ti. OR (systematic.ti. AND

(bibliographic\*.ti. OR literature.ti. OR review.ti OR reviewed.ti OR reviews.ti.)) OR (systematic.ab.  
AND (bibliographic\*.ab. OR literature.ab. OR review.ab. OR reviewed.ab. OR reviews.ab.)) OR  
(comprehensive\*.ti. AND (bibliographic\*.ti. OR literature.ti.)) OR (comprehensive\*.ab. AND  
(bibliographic\*.ab. OR literature.ab.)) OR cochrane database syst rev.jn. OR Evidence  
reporttechnology assessment.jn. OR integrative literature review.ti OR integrative literature  
review.ab. OR integrative research review.ti. OR integrative research review.ab. OR integrative  
review.ti. OR integrative review.ab. OR research synthesis.ti OR research synthesis.ab. OR research  
integration.ti. OR research integration.ab. OR cinahl.ab. OR Embase.ab. OR medline.ab. OR  
psyclit.ab. OR psycinfo.ab. OR pubmed.ab. OR scopus.ab. OR web of science.ab. OR data  
synthesis.ti. OR data synthesis.ab. OR meta-analys\*.ti OR meta-analys\*.ab. OR meta-analyz\*.ti. OR  
meta-analyz\*.ab. OR meta-analyt\*.ti. OR meta-analyt\*.ab. OR metaanalys\*.ti. OR metaanalys\*.ab.  
OR metaanalyz\*.ti. OR metaanalyz\*.ab. OR metaanalyt\*.ti. OR metaanalyt\*.ab. OR meta-analysis as  
topic.mh. OR (review.ti AND (rationale.ti. OR evidence.ti)) OR (review.ab. AND (rationale.ab. OR  
evidence.ab.)))

### Cochrane

((Cancer OR neoplasms OR adenocarcinoma OR adenocarcinoma\* OR adenosarcoma OR  
adenosarcoma\* OR anneoplasc OR carcinoid OR carcinoid\* OR carcinoma OR carcinoma\* OR  
glioblastoma OR glioblastoma\* OR glioma OR glioma\* OR Hodgkin OR Hodgkin\* OR leukaemia OR  
leukaemi\* OR leukemia OR leukemi\* OR lymphoma OR lymphoma\* OR malignan\* OR melanoma  
OR melanoma\* OR metastasis OR metastac OR myelodysplas\* OR myeloma OR myeloma\* OR  
neoplasia OR neoplasia\* OR neoplasm OR neoplasm\* OR nonseminoma\* OR oncology OR  
osteosarcoma OR osteosarcoma\* OR sarcoma OR sarcoma\* OR seminoma\* OR teratoma\* OR  
tumor OR tumour OR tumour\* OR waldenstrom\*:ti,ab,kw) AND ((“Palliative Care” OR “Palliative  
Medicine” OR “Terminal Care” OR “Hospice Care” OR Palliat\* OR palliative OR “palliative care” OR  
palliation OR palliate OR palliate OR palliating OR hospice OR “hospice care” OR “terminal care” OR  
terminal OR terminally OR “end-of-life” OR “end stage” OR Hospices OR “Respite care”) OR (fatigue  
OR fatigue)):ti,ab,kw) AND ((“aventyl hydrochloride” OR “depression medication” OR  
“Haematopoietic cell growth factor” OR “haemopoietic growth factors” OR “haemotopoietic growth  
factor” OR “Monoamine oxidase inhibitors” OR “Norepinephrine reuptake inhibitors” OR  
“progestational steroids” OR “selective serotonin reuptake inhibitor” OR “Serotonin antagonists and  
reuptake inhibitors” OR “Serotonin modulators and stimulators” OR “serotonin-norepinephrine  
reuptake inhibitor” OR “Tetracyclic antidepressants” OR “tricyclic antidepressants” OR Adapin OR  
Agedal OR Agomelatine OR alertec OR Alnert OR Ambivalon OR amfetamine OR Amfexa OR  
Amioxid OR Amisulpride OR Amitriptyline OR Amitriptylinoxide OR Amoxapine OR amphetamin OR  
Anafranil OR antidepressant OR antidepressants OR Aptensio OR Asendin OR aspendos OR  
Aurorix OR Aventyl OR Axiomin OR Azafen OR Azaphen OR Bifemelane OR Biphenitin OR Bolvidon  
OR Bupropion OR Celeport OR Cipralex OR citalopram OR Clomipramine OR Concerta OR  
corticosteroid OR corticosteroïd OR Cymbalta OR dapoxetine OR Daytrana OR decadron OR  
deltasone OR Desipramine OR Desvenlafaxine OR Desyrel OR dexamethason OR dexamethasone  
OR dexamphetamine OR dexamphetamine OR dexasone OR dexone OR dextro-amphetamine OR  
dextro-amphetamine OR Dibenzepin OR Dimetacrine OR Dixeran OR Dosulepin OR Doxepin OR  
duloxetine OR Edronax OR Effexor OR Elamol OR elavil OR Eldepryl OR Elronon OR Emsam OR  
endep OR Equasym OR Equilibrin OR Escitalopram OR Etonin OR Etoperidone OR Fetzima OR  
Fluoxetine OR Fluvoxamine OR Gamanil OR glucocorticoid OR Humoryl OR Imipramine OR Inkazan  
OR Isocarboxazid OR Istonil OR Ixel OR Latuda OR Levomilnacipran OR Lexapro OR Lofepramine  
OR Lomont OR Lucelan OR Ludiomil OR Lurasidone OR Lustral OR Luvox OR Manerix OR  
Maprotiline OR Marplan OR Medikinet OR medrol OR Melitracen OR Melixeran OR Metadate OR  
Metatone OR methylfenidaat OR Methylin OR methylphenidate OR methylprednisolon OR  
methylprednisolone OR Metralindole OR Mianserin OR millipred OR Milnacipran OR mirtazapine OR  
Moclobemide OR modafinil OR modavigil OR modiodal OR Nardil OR NaSSA OR Nitroxazepine OR  
Nogedal OR Norpramin OR nortriilen OR nortriptyline OR Norval OR Noveril OR Noxiptiline OR  
orapred OR pamelor OR Parnate OR Paroxetine OR Paxil OR pediapred OR Pertofrane OR  
Phenelzine OR Pipofezine OR Pirazidol OR Pirlindole OR prednicot OR prednisolon OR  
prednisolone OR prednison OR prednisone OR prelone OR Pristiq OR progestageen OR  
progestagen OR Prothiaden OR Protriptyline OR provigil OR Prozac OR Quetiapine OR QuilliChew  
OR Quillivant OR rayos OR Reboxetine OR Remeron OR ritalin OR sarotex OR Savella OR Sediel  
OR Selegiline OR Seroquel OR seroxat OR Sertraline OR setiptiline OR Sinequan OR Sintamil OR  
SNRI OR Solian OR solu-medrol OR SSRI OR sterapred OR steroid OR Surmontil OR Tandospirone  
OR TCA OR Tecipul OR Teniloxazine OR Tofacine OR Tofenacin OR Tofranil OR Toloxatone OR  
Tolvon OR Tranylcypromine OR Trausabun OR Trazodone OR Trimipramine OR Trintellix OR

Valdoxan OR vanatrip OR venlafaxine OR Victoril OR Viibryd OR Vilazodone OR Viloxazine OR Vivactil OR Vivalan OR Vortioxetine OR Wellbutrin OR Zelapar OR Zoloft):ti,ab,kw)

Datum: 31 aug 2017

Embase

1. Patiënten: 233,831
2. Palliatief: 836,421
3. Interventie: 629,790
4. Studie type: 1,232,449
5. 1 and 2 and 3 and 4: 1,643

CINAHL

1. Patiënten: 248,581
2. Palliatief: 93,775
3. Interventie: 34,465
4. Studie type: 0
5. 1 and 2 and 3: 457

PsycInfo

1. Patiënten: 74822
2. Palliatief: 60108
3. Interventie: 74354
4. Studie type: 4103450
5. 1 and 2 and 3 and 4: 212

**Uitgangsvraag 5: Beweging/lichamelijke activiteit** Wat zijn de effecten van beweging/lichamelijke training op vermoeidheid, kwaliteit van leven en (fysiek) functioneren in vergelijking met geen beweging/lichamelijke training bij patiënten met vermoeidheid bij kanker in de palliatieve fase?

**Patiënten** Patiënten met vermoeidheid bij kanker in de palliatieve fase

**Interventie** Beweging/lichamelijke training

**Comparator** Geen beweging/lichamelijke training

**Outcome** Vermoeidheid, kwaliteit van leven en (fysiek) functioneren

**Zoekstrategieën:**

Pubmed

(Cancer[TIAB] OR cancer[OT] OR neoplasms[Mesh] OR adenocarcinoma[TIAB] OR adenocarcinoma\*[TIAB] OR adenosarcoma[TIAB] OR adenosarcoma\*[TIAB] OR antineoplastic[TIAB] OR carcinoid[TIAB] OR carcinoid\*[TIAB] OR carcinoma[TIAB] OR carcinoma\*[TIAB] OR glioblastoma[TIAB] OR glioblastoma\*[TIAB] OR glioma[TIAB] OR glioma\*[TIAB] OR Hodgkin[TIAB] OR Hodgkin\*[TIAB] OR leukaemia[TIAB] OR leukaemi\*[TIAB] OR leukemia[TIAB] OR leukemi\*[TIAB] OR lymphoma[TIAB] OR lymphoma\*[TIAB] OR malignan\*[TIAB] OR melanoma[TIAB] OR melanoma\*[TIAB] OR metastasis[TIAB] OR metastatic[TIAB] OR myelodysplas\*[TIAB] OR myeloma[TIAB] OR myeloma\*[TIAB] OR neoplasia[TIAB] OR neoplasia\*[TIAB] OR neoplasm[TIAB] OR neoplasm\*[TIAB] OR nonseminoma\*[TIAB] OR oncology[TIAB] OR osteosarcoma[TIAB] OR osteosarcoma\*[TIAB] OR sarcoma[TIAB] OR sarcoma\*[TIAB] OR seminoma\*[TIAB] OR teratoma\*[TIAB] OR tumor[TIAB] OR tumour[TIAB] OR tumour\*[TIAB] OR waldenstrom\*[TIAB]) AND ((Palliative Care)[Mesh] OR "Palliative Medicine"[Mesh] OR "Terminal Care"[Mesh] OR "Hospice Care"[Mesh] OR Palliat\*[TIAB] OR palliative[TIAB] OR "palliative care"[TIAB] OR palliation[TIAB] OR palliate[TIAB] OR palliating[TIAB] OR hospice[TIAB] OR "hospice care"[TIAB] OR "terminal care"[TIAB] OR terminal[TIAB] OR terminally[TIAB] OR "end-of-life"[TIAB] OR "end stage"[TIAB] OR Hospices[TIAB] OR "Respite care"[TIAB]) OR (fatigue[TIAB] OR fatigue[Mesh])) AND (exercise[Mesh] OR "Exercise Therapy"[Mesh] OR rehabilitation OR Sports[Mesh] OR "Physical Fitness"[Mesh] OR "Physical Education and training"[Mesh] OR "aerobe physical activity"[tiab] OR "Health-enhancing physical activity"[tiab] OR "Muscle-strengthening activity"[tiab] OR ((walking[tiab] OR running[tiab] OR

physical[tiab]) AND (training[tiab] OR activity[tiab] OR exercise[tiab] OR Exertion[tiab] OR intervention[tiab])) AND ("Clinical Trial"[PT:NoExp] OR "clinical trial, phase i"[pt] OR "clinical trial, phase ii"[pt] OR "clinical trial, phase iii"[pt] OR "clinical trial, phase iv"[pt] OR "controlled clinical trial"[pt] OR "multicenter study"[pt] OR "randomized controlled trial"[pt] OR "Clinical Trials as Topic"[mesh:noexp] OR "clinical trials, phase i as topic"[MeSH Terms:noexp] OR "clinical trials, phase ii as topic"[MeSH Terms:noexp] OR "clinical trials, phase iii as topic"[MeSH Terms:noexp] OR "clinical trials, phase iv as topic"[MeSH Terms:noexp] OR "controlled clinical trials as topic"[MeSH Terms:noexp] OR "randomized controlled trials as topic"[MeSH Terms:noexp] OR "early termination of clinical trials"[MeSH Terms:noexp] OR "multicenter studies as topic"[MeSH Terms:noexp] OR "Double-Blind Method"[Mesh] OR ((randomised[TIAB] OR randomized[TIAB]) AND (trial[TIAB] OR trials[TIAB])) OR ((single[TIAB] OR double[TIAB] OR doubled[TIAB] OR triple[TIAB] OR tripled[TIAB] OR treble[TIAB]) AND (blind\*[TIAB] OR mask\*[TIAB])) OR ("4 arm"[tiab] OR "four arm"[tiab]) OR (systematic\*[tiab] AND (bibliographic\*[TIAB] OR literature[tiab] OR review[tiab] OR reviewed[tiab] OR reviews[tiab])) OR (comprehensive\*[TIAB] AND (bibliographic\*[TIAB] OR literature[tiab])) OR "cochrane database syst rev"[Journal] OR "Evidence report/technology assessment (Summary)"[journal] OR "Evidence report/technology assessment"[journal] OR "integrative literature review"[tiab] OR "integrative research review"[tiab] OR "integrative review"[tiab] OR "research synthesis"[tiab] OR "research integration"[tiab] OR cinahl[tiab] OR embase[tiab] OR medline[tiab] OR psyclit[tiab] OR (psycinfo[tiab] NOT "psycinfo database"[tiab]) OR pubmed[tiab] OR scopus[tiab] OR "web of science"[tiab] OR "data synthesis"[tiab] OR meta-analys\*[tiab] OR meta-analyz\*[tiab] OR meta-analyt\*[tiab] OR metaanalays\*[tiab] OR metaanalalyz\*[tiab] OR metaanalyt\*[tiab] OR "meta-analysis as topic"[MeSH:noexp] OR Meta-Analysis[ptyp] OR ((review[tiab] AND (rationale[tiab] OR evidence[tiab])) AND review[pt]))

Check: AND (cramp[1au] OR adamsen[1au] OR Albrecht[1au] OR lowe[1au] OR oldervoll[1au] OR salakari[1au] OR tsianakas[1au])

#### Embase

(Cancer:ti,ab OR neoplasms/de OR adenocarcinoma:ti,ab OR adenocarcinoma\*:ti,ab OR adenosarcoma:ti,ab OR adenosarcoma\*:ti,ab OR antineoplastic:ti,ab OR carcinoid:ti,ab OR carcinoid\*:ti,ab OR carcinoma:ti,ab OR carcinoma\*:ti,ab OR glioblastoma:ti,ab OR glioblastoma\*:ti,ab OR glioma:ti,ab OR glioma\*:ti,ab OR Hodgkin:ti,ab OR Hodgkin\*:ti,ab OR leukaemia:ti,ab OR leukaemi\*:ti,ab OR leukemia:ti,ab OR leukemi\*:ti,ab OR lymphoma:ti,ab OR lymphoma\*:ti,ab OR malignan\*:ti,ab OR melanoma:ti,ab OR melanoma\*:ti,ab OR metastasis:ti,ab OR metastatic:ti,ab OR myelodysplas\*:ti,ab OR myeloma:ti,ab OR myeloma\*:ti,ab OR neoplasia:ti,ab OR neoplasia\*:ti,ab OR neoplasm:ti,ab OR neoplasm\*:ti,ab OR nonseminoma\*:ti,ab OR oncology:ti,ab OR osteosarcoma:ti,ab OR osteosarcoma\*:ti,ab OR sarcoma:ti,ab OR sarcoma\*:ti,ab OR seminoma\*:ti,ab OR teratoma\*:ti,ab OR tumor:ti,ab OR tumour:ti,ab OR tumour\*:ti,ab OR waldenstrom\*:ti,ab) AND ((Palliative Care"/de OR "Palliative Medicine"/de OR "Terminal Care"/de OR "Hospice Care"/de OR Palliat\*:ti,ab OR palliative:ti,ab OR "palliative care":ti,ab OR palliation:ti,ab OR palliate:ti,ab OR palliating:ti,ab OR hospice:ti,ab OR "hospice care":ti,ab OR "terminal care":ti,ab OR terminal:ti,ab OR terminally:ti,ab OR "end-of-life":ti,ab OR "end stage":ti,ab OR Hospices:ti,ab OR "Respite care":ti,ab) OR (fatigue:ti,ab OR fatigue/de)) AND (exercise/de OR "Exercise Therapy"/de OR rehabilitation OR Sports/de OR "Physical Fitness"/de OR "Physical Education and training"/de OR "aerobe physical activity":ti,ab OR "Health-enhancing physical activity":ti,ab OR "Muscle-strengthening activity":ti,ab OR ((walking:ti,ab OR running:ti,ab OR physical:ti,ab) AND (training:ti,ab OR activity:ti,ab OR exercise:ti,ab OR Exertion:ti,ab OR intervention:ti,ab))) AND ("Clinical Trials as Topic"/de OR "clinical trials, phase i as topic"/de OR "clinical trials, phase ii as topic"/de OR "clinical trials, phase iii as topic"/de OR "clinical trials, phase iv as topic"/de OR "controlled clinical trials as topic"/de OR "randomized controlled trials as topic"/de OR "early termination of clinical trials"/de OR "multicenter studies as topic"/de OR "Double-Blind Method"/de OR ((randomised:ti,ab OR randomized:ti,ab) AND (trial:ti,ab OR trials:ti,ab)) OR ((single:ti,ab OR double:ti,ab OR doubled:ti,ab OR triple:ti,ab OR tripled:ti,ab OR treble:ti,ab) AND (blind\*:ti,ab OR mask\*:ti,ab)) OR ("4 arm":ti,ab OR "four arm":ti,ab) OR (systematic\*:ti,ab AND (bibliographic\*:ti,ab OR literature:ti,ab OR review:ti,ab OR reviewed:ti,ab OR reviews:ti,ab)) OR (comprehensive\*:ti,ab AND (bibliographic\*:ti,ab OR literature:ti,ab)) OR "cochrane database syst rev":jn OR "Evidence report/technology assessment (Summary)":jn OR "Evidence report/technology assessment":jn OR "integrative literature review":ti,ab OR "integrative research review":ti,ab OR "integrative review":ti,ab OR "research synthesis":ti,ab OR "research integration":ti,ab OR cinahl:ti,ab OR embase:ti,ab OR medline:ti,ab OR psyclit:ti,ab OR (psycinfo:ti,ab NOT "psycinfo database":ti,ab) OR pubmed:ti,ab OR scopus:ti,ab OR "web of science":ti,ab OR "data synthesis":ti,ab OR meta-

analys\*:ti,ab OR meta-analyz\*:ti,ab OR meta-analyt\*:ti,ab OR metaanalys\*:ti,ab OR metaanalyz\*:ti,ab OR metaanalyt\*:ti,ab OR "meta-analysis as topic"/de OR ((review:ti,ab AND (rationale:ti,ab OR evidence:ti,ab))))

CINAHL

(TI Cancer OR AB Cancer OR MH neoplasms OR TI adenocarcinoma OR AB adenocarcinoma OR TI adenocarcinoma\* OR AB adenocarcinoma\* OR TI adenosarcoma OR AB adenosarcoma OR TI adenosarcoma\* OR AB adenosarcoma\* OR TI antineoplastic OR AB antineoplastic OR TI carcinoid OR AB carcinoid OR TI carcinoid\* OR AB carcinoid\* OR TI carcinoma OR AB carcinoma OR TI carcinoma\* OR AB carcinoma\* OR TI glioblastoma OR AB glioblastoma OR TI glioblastoma\* OR AB glioblastoma\* OR TI glioma OR AB glioma OR TI glioma\* OR AB glioma\* OR TI Hodgkin OR AB Hodgkin OR TI Hodgkin\* OR AB Hodgkin\* OR TI leukaemia OR AB leukaemia OR TI leukaemi\* OR AB leukaemi\* OR TI leukemia OR AB leukemia OR TI leukemi\* OR AB leukemi\* OR TI lymphoma OR AB lymphoma OR TI lymphoma\* OR AB lymphoma\* OR TI malignan\* OR AB malignan\* OR TI melanoma OR AB melanoma OR TI melanoma\* OR AB melanoma\* OR TI metastasis OR AB metastasis OR TI metastatic OR AB metastatic OR TI myelodysplas\* OR AB myelodysplas\* OR TI myeloma OR AB myeloma OR TI myeloma\* OR AB myeloma\* OR TI neoplasia OR AB neoplasia OR TI neoplasia\* OR AB neoplasia\* OR TI neoplasm OR AB neoplasm OR TI neoplasm\* OR AB neoplasm\* OR TI nonseminoma\* OR AB nonseminoma\* OR TI oncology OR AB oncology OR TI osteosarcoma OR AB osteosarcoma OR TI osteosarcoma\* OR AB osteosarcoma\* OR TI sarcoma OR AB sarcoma OR TI sarcoma\* OR AB sarcoma\* OR TI seminoma\* OR AB seminoma\* OR TI teratoma\* OR AB teratoma\* OR TI tumor OR AB\*) tumor OR TI tumour OR AB tumour OR TI tumour\* OR AB tumour\* OR TI waldenstrom\* OR AB waldenstrom AND ((MH "Palliative Care" OR MH "Palliative Medicine" OR MH "Terminal Care" OR MH "Hospice Care" OR TI Palliat\* OR AB Palliat\* OR TI palliative OR AB palliative OR TI "palliative care" OR AB "palliative care" OR TI palliation OR AB palliation OR TI palliate OR AB palliate OR TI palliating OR AB palliating OR TI hospice OR AB hospice OR TI "hospice care" OR AB "hospice care" OR TI "terminal care" OR AB "terminal care" OR TI terminal OR AB terminal OR TI terminally OR AB terminally OR TI "end-of-life" OR AB "end-of-life" OR TI "end stage" OR AB "end stage" OR TI Hospices OR AB Hospices OR TI "Respite care" OR AB "Respite care") OR (TI fatigue OR AB fatigue OR MH fatigue)) AND (MH exercise OR MH "Exercise Therapy" OR MH rehabilitation OR MH Sports OR MH "Physical Fitness" OR MH "Physical Education and training" OR TI "aerobe physical activity" OR AB "aerobe physical activity" OR TI "Health-enhancing physical activity" OR AB "Health-enhancing physical activity" OR TI "Muscle-strengthening activity" OR AB "Muscle-strengthening activity" OR ((TI walking OR AB walking OR TI running OR AB running OR TI physical OR AB physical) AND (TI training OR AB training OR TI activity OR AB activity OR TI exercise OR AB exercise OR TI Exertion OR AB Exertion OR TI intervention OR AB intervention))) AND (PT "Clinical Trial" OR MH "Clinical Trials as Topic" OR MH "clinical trials, phase i as topic" OR MH "clinical trials, phase ii as topic" OR MH "clinical trials, phase iii as topic" OR MH "clinical trials, phase iv as topic" OR MH "controlled clinical trials as topic" OR MH "randomized controlled trials as topic" OR MH "early termination of clinical trials" OR MH "multicenter studies as topic" OR MH "Double-Blind Method" ((TI randomised OR AB randomised OR TI randomized OR AB randomized) AND (TI trial OR AB trial OR TI trials OR AB trials)) OR ((TI single OR AB single OR TI double OR AB double OR TI doubled OR AB doubled OR TI triple OR AB triple OR TI tripled OR AB tripled OR TI treble OR AB treble) AND (TI blind\* OR AB blind\* OR TI mask\* OR AB mask\*)) OR TI "4 arm" OR AB "4 arm" OR TI "four arm" OR AB "four arm" OR ((TI systematic\* OR AB systematic\*) AND (TI bibliographic\* OR AB bibliographic\* OR TI literature OR AB literature OR TI review OR AB review OR TI reviewed OR AB reviewed OR TI reviews OR AB reviews)) OR ((TI comprehensive\* OR AB comprehensive\*) AND (TI bibliographic\* OR AB bibliographic\* OR TI literature OR AB literature)) OR "cochrane database syst rev" OR "Evidence report/technology assessment" OR TI "integrative literature review" OR AB "integrative literature review" OR TI "integrative research review" OR AB "integrative research review" OR TI "integrative review" OR AB "integrative review" OR TI "research synthesis" OR AB "research synthesis" OR TI "research integration" OR AB "research integration" OR AB cinahl OR AB embase OR AB medline OR AB psyclit OR AB psycinfo OR AB pubmed OR AB scopus OR AB "web of science" OR TI "data synthesis" OR AB "data synthesis" OR TI meta-analys\* OR AB meta-analys\* OR TI meta-analyz\* OR AB meta-analyz\* OR TI meta-analyt\* OR AB meta-analyt\* OR TI metaanalys\* OR AB metaanalys\* OR TI metaanalyz\* OR AB metaanalyz\* OR TI metaanalyt\* OR AB metaanalyt\* OR MH "meta-analysis as topic" OR ((TI review OR AB review) AND (TI rationale OR AB rationale OR TI evidence OR AB evidence)))

(Cancer OR neoplasms.mh. OR adenocarcinoma OR adenocarcinoma\* OR adenosarcoma OR adenosarcoma\* OR antineoplastic OR carcinoid OR carcinoid\* OR carcinoma OR carcinoma\* OR glioblastoma OR glioblastoma\* OR glioma OR glioma\* OR Hodgkin OR Hodgkin\* OR leukaemia OR leukaemi\* OR leukemia OR leukemi\* OR lymphoma OR lymphoma\* OR malignan\* OR melanoma OR melanoma\* OR metastasis OR metastatic OR myelodysplas\* OR myeloma OR myeloma\* OR neoplasia OR neoplasia\* OR neoplasm OR neoplasm\* OR nonseminoma\* OR oncology OR osteosarcoma OR osteosarcoma\* OR sarcoma OR sarcoma\* OR seminoma\* OR teratoma\* OR tumor OR tumour OR tumour\* OR waldenstrom\*) AND (Palliative Care.mh. OR Palliative Medicine.mh. OR Terminal Care.mh. OR Hospice Care.mh. OR Palliat\* OR palliative OR palliative care OR palliation OR palliate OR palliating OR hospice OR hospice care OR terminal care OR terminal OR terminally OR end-of-life OR end stage OR Hospices OR Respite care OR fatigue OR fatigue.mh.) AND (exercise.mh. OR Exercise Therapy.mh. OR rehabilitation.mh. OR Sports.mh. OR Physical Fitness.mh. OR (Physical Education and training.mh.) OR aerobe physical activity OR Health-enhancing physical activity OR Muscle-strengthening activity OR ((walking OR running OR physical) AND (training OR activity OR exercise OR Exertion OR intervention))) AND (clinical trials, phase i as topic.mh. OR Clinical Trial.mh. OR Clinical Trials as Topic.mh. OR clinical trials, phase ii as topic.mh. OR clinical trials, phase iii as topic.mh. OR clinical trials, phase iv as topic.mh. OR controlled clinical trials as topic.mh. OR randomized controlled trials as topic.mh. OR early termination of clinical trials.mh. OR multicenter studies as topic.mh. OR Double-Blind Method.mh. OR ((randomised.ti. OR randomized.ti.) AND (trial.ti. OR trials.ti.)) OR ((randomised.ab. OR randomized.ab.) AND (trial.ab. OR trials.ab.)) OR ((single.ab. OR double.ab. OR doubled.ab. OR triple.ab. OR tripled.ab. OR treble.ab.) AND (blind\*.ab. OR mask\*.ab.)) OR ((single.ab. OR double.ab. OR doubled.ab. OR triple.ab. OR tripled.ab. OR treble.ab.) AND (blind\*.ab. OR mask\*.ab.)) OR 4 arm.ti. OR four arm.ti. OR 4 arm.ti. OR four arm.ti. OR (systematic.ti. AND (bibliographic\*.ti. OR literature.ti. OR review.ti OR reviewed.ti OR reviews.ti.)) OR (systematic.ab. AND (bibliographic\*.ab. OR literature.ab. OR review.ab. OR reviewed.ab. OR reviews.ab.)) OR (comprehensive\*.ti. AND (bibliographic\*.ti. OR literature.ti.)) OR (comprehensive\*.ab. AND (bibliographic\*.ab. OR literature.ab.)) OR cochrane database syst rev.jn. OR Evidence reporttechnology assessment.jn. OR integrative literature review.ti OR integrative literature review.ab. OR integrative research review.ti. OR integrative research review.ab. OR integrative review.ti. OR integrative review.ab. OR research synthesis.ti OR research synthesis.ab. OR research integration.ti. OR research integration.ab. OR cinahl.ab. OR Embase.ab. OR medline.ab. OR psyclit.ab. OR psycinfo.ab. OR pubmed.ab. OR scopus.ab. OR web of science.ab. OR data synthesis.ti. OR data synthesis.ab. OR meta-analys\*.ti OR meta-analys\*.ab. OR meta-analyz\*.ti. OR meta-analyz\*.ab. OR meta-analyt\*.ti. OR meta-analyt\*.ab. OR metaanalys\*.ti. OR metaanalys\*.ab. OR metaanalyz\*.ti. OR metaanalyz\*.ab. OR metaanalyt\*.ti. OR metaanalyt\*.ab. OR meta-analysis as topic.mh. OR (review.ti AND (rationale.ti. OR evidence.ti)) OR (review.ab. AND (rationale.ab. OR evidence.ab.)))

Cochrane

((Cancer OR neoplasms OR adenocarcinoma OR adenocarcinoma\* OR adenosarcoma OR adenosarcoma\* OR anneoplas OR carcinoid OR carcinoid\* OR carcinoma OR carcinoma\* OR glioblastoma OR glioblastoma\* OR glioma OR glioma\* OR Hodgkin OR Hodgkin\* OR leukaemia OR leukaemi\* OR leukemia OR leukemi\* OR lymphoma OR lymphoma\* OR malignan\* OR melanoma OR melanoma\* OR metastasis OR metastac OR myelodysplas\* OR myeloma OR myeloma\* OR neoplasia OR neoplasia\* OR neoplasm OR neoplasm\* OR nonseminoma\* OR oncology OR osteosarcoma OR osteosarcoma\* OR sarcoma OR sarcoma\* OR seminoma\* OR teratoma\* OR tumor OR tumour OR tumour\* OR waldenstrom\*):ti,ab,kw) AND ((Palliative Care" OR "Palliative Medicine" OR "Terminal Care" OR "Hospice Care" OR Palliat\* OR palliative OR "palliative care" OR palliation OR palliate OR palliate OR palliating OR hospice OR "hospice care" OR "terminal care" OR terminal OR terminally OR "end-of-life" OR "end stage" OR Hospices OR "Respite care") OR (fatigue OR fatigue):ti,ab,kw) AND (exercise OR "Exercise Therapy" OR rehabilitation OR Sports OR "Physical Fitness" OR "Physical Education and training" OR "aerobe physical activity" OR "Health-enhancing physical activity" OR "Muscle-strengthening activity" OR ((walking OR running OR physical) AND (training OR activity OR exercise OR Exertion OR intervention)):ti,ab,kw)

CINAHL

Datum: 23 aug 2017

1. (TI Cancer OR AB Cancer OR MH neoplasms OR TI adenocarcinoma OR AB adenocarcinoma OR TI adenocarcinoma\* OR AB adenocarcinoma\* OR TI adenosarcoma OR AB adenosarcoma OR TI adenosarcoma\* OR AB adenosarcoma\* OR TI antineoplastic OR AB antineoplastic OR TI carcinoid OR AB carcinoid OR TI carcinoid\* OR AB carcinoid\* OR TI carcinoma OR AB carcinoma OR TI carcinoma\* OR AB carcinoma\* OR TI glioblastoma OR AB glioblastoma OR TI glioblastoma\* OR AB glioblastoma\* OR TI glioma OR AB glioma OR TI glioma\* OR AB glioma\* OR TI Hodgkin OR AB Hodgkin OR TI Hodgkin\* OR AB Hodgkin\* OR TI leukaemia OR AB leukaemia OR TI leukaemi\* OR AB leukaemi\* OR TI leukemia OR AB leukemia OR TI leukemi\* OR AB lymphoma OR AB lymphoma OR TI lymphoma\* OR AB lymphoma\* OR TI malignan\* OR AB malignan\* OR TI melanoma OR AB melanoma OR TI melanoma\* OR AB melanoma\* OR TI metastasis OR AB metastasis OR TI metastatic OR AB metastatic OR TI myelodysplas\* OR AB myelodysplas\* OR TI myeloma OR AB myeloma OR TI myeloma\* OR AB myeloma\* OR TI neoplasia OR AB neoplasia OR TI neoplasia\* OR AB neoplasia\* OR TI neoplasm OR AB neoplasm OR TI neoplasm\* OR AB neoplasm\* OR TI nonseminoma\* OR AB nonseminoma\* OR TI oncology OR AB oncology OR TI osteosarcoma OR AB osteosarcoma OR TI osteosarcoma\* OR AB osteosarcoma\* OR TI sarcoma OR AB sarcoma OR TI sarcoma\* OR AB sarcoma\* OR TI seminoma\* OR AB seminoma\* OR TI teratoma\* OR AB teratoma\* OR TI tumor OR AB tumor OR TI tumour OR AB tumour OR TI tumour\* OR AB tumour\* OR TI waldenstrom\* OR AB waldenstrom\*)  
248,300
2. ((MH "Palliative Care" OR MH "Palliative Medicine" OR MH "Terminal Care" OR MH "Hospice Care" OR TI Palliat\* OR AB Palliat\* OR TI palliative OR AB palliative OR TI "palliative care" OR AB "palliative care" OR TI palliation OR AB palliation OR TI palliate OR AB palliate OR TI palliating OR AB palliating OR TI hospice OR AB hospice OR TI "hospice care" OR AB "hospice care" OR TI "terminal care" OR AB "terminal care" OR TI terminal OR AB terminal OR TI terminally OR AB terminally OR TI "end-of-life" OR AB "end-of-life" OR TI "end stage" OR AB "end stage" OR TI Hospices OR AB Hospices OR TI "Respite care" OR AB "Respite care") OR (TI fatigue OR AB fatigue OR MH fatigue)) 83,738
3. (MH exercise OR MH "Exercise Therapy" OR MH rehabilitation OR MH Sports OR MH "Physical Fitness" OR MH "Physical Education and training" OR TI "aerobe physical activity" OR AB "aerobe physical activity" OR TI "Health-enhancing physical activity" OR AB "Health-enhancing physical activity" OR TI "Muscle-strengthening activity" OR AB "Muscle-strengthening activity" OR ((TI walking OR AB walking OR TI running OR AB running OR TI physical OR AB physical) AND (TI training OR AB training OR TI activity OR AB activity OR TI exercise OR AB exercise OR TI Exertion OR AB Exertion OR TI intervention OR AB intervention))) 108,514
4. (PT "Clinical Trial" OR MH "Clinical Trials as Topic" OR MH "clinical trials, phase i as topic" OR MH "clinical trials, phase ii as topic" OR MH "clinical trials, phase iii as topic" OR MH "clinical trials, phase iv as topic" OR MH "controlled clinical trials as topic" OR MH "randomized controlled trials as topic" OR MH "early termination of clinical trials" OR MH "multicenter studies as topic" OR MH "Double-Blind Method" ((TI randomised OR AB randomised OR TI randomized OR AB randomized) AND (TI trial OR AB trial OR TI trials OR AB trials)) OR ((TI single OR AB single OR TI double OR AB double OR TI doubled OR AB doubled OR TI triple OR AB triple OR TI tripled OR AB tripled OR TI treble OR AB treble) AND (TI blind\* OR AB blind\* OR TI mask\* OR AB mask\*)) OR TI "4 arm" OR AB "4 arm" OR TI "four arm" OR AB "four arm" OR ((TI systematic\* OR AB systematic\*) AND (TI bibliographic\* OR AB bibliographic\* OR TI literature OR AB literature OR TI review OR AB review OR TI reviewed OR AB reviewed OR TI reviews OR AB reviews)) OR ((TI comprehensive\* OR AB comprehensive\*) AND (TI bibliographic\* OR AB bibliographic\* OR TI literature OR AB literature)) OR "cochrane database syst rev" OR "Evidence report/technology assessment" OR TI "integrative literature review" OR AB "integrative literature review" OR TI "integrative research review" OR AB "integrative research review" OR TI "integrative review" OR AB "integrative review" OR TI "research synthesis" OR AB "research synthesis" OR TI "research integration" OR AB "research integration" OR AB cinahl OR AB embase OR AB medline OR AB psyclit OR AB psycinfo OR AB pubmed OR AB scopus OR AB "web of science" OR TI "data synthesis" OR AB "data synthesis" OR TI meta-analys\* OR AB meta-analys\* OR TI meta-analyz\* OR AB meta-analyz\* OR TI meta-analyt\* OR AB meta-analyt\* OR TI metaanalys\* OR AB metaanalys\* OR TI metaanalys\* OR AB metaanalys\* OR TI metaanalyt\* OR AB metaanalyt\* OR MH "meta-analysis as topic" OR ((TI review OR AB review) AND (TI rationale OR AB rationale OR TI evidence OR AB evidence))) 128

Zoekverantwoording > Bijlage 8

5. 1 AND 2 AND 3 AND 4 0
6. 1 AND 2 AND 3 1,152

6. 1 AND 2 AND 3 AND Limiters - Publication Type: Clinical Trial, Meta Analysis, Randomized Controlled Trial, Review, Systematic Review 278